## The fancyhandout class

https://github.com/SFr682k/fancyhandout

# Sebastian Friedl sfr682k@t-online.de

#### 2018/01/18

#### Abstract

A LTEX class for typesetting fancy handouts.

This class and its documentation are currently under construction. Commands, options and behaviour may change with future versions of the class.

## **Contents**

	Dependencies on other packages	2
1	Loading fancyhandout	3
2	Other configuration possibilities	3
3	Creating a handout	3
4	Uncoming features	4

## Dependencies on other packages

The fancyhandout class requires  $\mathbb{M}_F X 2_{\mathcal{E}}$  and the following packages:

enumitem geometry fancyhdr xcolor

#### License

© 2017-18 Sebastian Friedl

This work may be distributed and/or modified under the conditions of the MEX Project Public License, either version 1.3c of this license or (at your option) any later version.

The latest version of this license is available at http://www.latex-project.org/lppl.txt and version 1.3c or later is part of all distributions of ETEX version 2008-05-04 or later.

This work has the LPPL maintenance status 'maintained'. The current maintainer of this work is Sebastian Friedl.

This work consists of the following files:

- fancyhandout.cls and
- fancyhandout-doc.tex

### Call for cooperation

Please report bugs and other problems as well as suggestions for improvements by using the issue tracker on GitHub or sending an email to sfr682k@t-online.de.

## 1 Loading fancyhandout

Load fancyhandout by using the \documentclass command.

By default, fancyhandout typesets documents using two side page layout on DIN/ISO A4 paper and an 11pt sans serif font. This can be changed by using these class options:

- 10pt These options change the font size to 10 or 12 points.
- 12pt Please do *not* use both options simultaneously.
- rmfont This option changes the used font to the roman (= serif) one.
- letter This option changes the page size to letter format.
- oneside This option leads to using one side page layout.

## 2 Other configuration possibilities

#### Lists

By default, fancyhandout loads enumitem for setting itemsep to 0ex and reducing topsep to .75ex.

These settings can be reverted or modified using the \setlist command (see the itemsep package documentation for further details).

#### Page margins

fancyhandout uses the geometry package for setting the page margins to 2.25 cm each, including page head and foot.

These margins (and the page geometry) can be modified using the \geometry command (see the geometry package documentation for further details).

Also, it is possible to construct the page area by loading the typearea package.

#### Paragraph indent

The length of \parindent is set to Opt when loading fancyhandout. If you want to change it, simply use some command like \parindent 1em after the class has been loaded to set \parindent's length to it's initial value.

## 3 Creating a handout

fancyhandout currently behaves just like the "normal" article class.

However, there is no possibility to pass short section, subsection and subsubsection names in square brackets.

As soon as there are more relevant changes, this section will contain a step-by-step introduction on using fancyhandout.

## 4 Upcoming features

Following features are planned to be finished with the next versions of fancyhandout:

- 1. Make used colors changeable (primary goal: configuration cmds; maybe also color themes?)
- 2. Improve the appereance of \maketitle? Different styles?
- 3. Provide beamer-like boxes
- 4. Themes in general?

The current aim is to release an initial version with basic functionality on CTAN before February 28, 2018.