

Rajalakshmi Engineering College

Name: Sivaranjani M
Email: 241901109@rajalakshmi.edu.in
Roll no: 241901109
Phone: 7397469288
Branch: REC
Department: CSE (CS) - Section 2
Batch: 2028
Degree: B.E - CSE (CS)

Scan to verify results



2024_28_III_OOPS Using Java Lab

REC_2028_OOPS using Java_Week 3_CY

Attempt : 1
Total Mark : 40
Marks Obtained : 40

Section 1 : Coding

1. Problem Statement

Alex is a treasure hunter who collects valuable items during their quests. Each item has a specific point value, and Alex wants to maximize their score by strategically removing items one at a time.

The rule is simple: Alex removes the item with the highest point value in each step until no items are left, summing the values of the removed items to calculate the maximum score.

Help Alex to complete his task.

Input Format

The first line of input consists of an integer N, representing the size of the array.

The second line of input consists of N space-separated integers, representing the point values of the items.

Output Format

The output prints "Maximum Sum: " followed by the calculated maximum score after removing all items.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 14

7 14 21 28 35 42 49 56 63 70 77 84 91 98

Output: Maximum Sum: 735

Answer

```
import java.util.Scanner;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int N = sc.nextInt();
        int[] arr = new int[N];
        int sum = 0;
        for (int i = 0; i < N; i++) {
            arr[i] = sc.nextInt();
            sum += arr[i];
        }
        System.out.println("Maximum Sum: " + sum);
    }
}
```

Status : Correct

Marks : 10/10

2. Problem Statement:

Mason is participating in a coding challenge where he must manipulate an integer array. His task is to replace every element in the array with the next greatest element to its right. The last element of the array remains

unchanged, as there is no element to its right.

Your job is to help Mason write a program that performs this transformation and outputs the modified array.

Input Format

The first line of input contains an integer n representing the number of elements in the array.

The second line of input contains n space-separated integers representing the elements of the array.

Output Format

The output prints the modified array of n integers, where each element (except the last one) is replaced by the maximum element to its right, and the last element remains unchanged.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 6

12 3 91 15 12 14

Output: 91 91 15 14 14 14

Answer

```
import java.util.Scanner;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        for (int i = 0; i < n; i++) {
            arr[i] = sc.nextInt();
        }
        int maxSoFar = arr[n - 1];
        for (int i = n - 2; i >= 0; i--)
        {
            int temp = arr[i];
```

```

arr[i] = maxSoFar;
if (temp > maxSoFar) {
    maxSoFar = temp;
}
}

for (int i = 0; i < n; i++) {
    System.out.print(arr[i] + " ");
}
}
}

```

Status : Correct

Marks : 10/10

3. Problem Statement

Robin is a tech-savvy teenager who is diving into programming.

He is working on a project to find special elements in an array called 'leaders.' Leaders are those exceptional elements that are greater than the sum of all the elements to their right.

Assist Robin in writing this program.

Example

Input:

6

16 28 74 19 25 11

Output:

74 25 11

Explanation:

The element 16 is not greater than the sum of elements to its right ($28 + 74 + 19 + 25 + 11 = 157$)

The element 28 is not greater than the sum of elements to its right ($74 + 19 + 25 + 11 = 129$)

The element 74 is greater than the sum of elements to its right ($19 + 25 + 11 = 55$)

The element 19 is not greater than the sum of elements to its right ($25 + 11 = 36$)

The element 25 is greater than the sum of elements to its right (11)

The last element 11 is always a leader since there are no elements to its right.

So, the output is {74, 25, 11}.

Input Format

The first line of input consists of an integer N, representing the number of elements in the array.

The second line consists of N space-separated integers, representing the elements of the array.

Output Format

The output prints the special elements in the given array, that are greater than the sum of all the elements to their right.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5

3 4 2 5 1

Output: 5 1

Answer

```
import java.util.Scanner;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        for (int i = 0; i < n; i++) arr[i] = sc.nextInt();
```

```

int[] leaders = new int[n];
int count = 0, sumRight = 0;
for (int i = n - 1; i >= 0; i--) {
    if (arr[i] > sumRight) {
        leaders[count++] = arr[i];
    }
    sumRight += arr[i];
}
for (int i = count - 1; i >= 0; i--) {
    System.out.print(leaders[i] + " ");
}
}
}
}

```

Status : Correct

Marks : 10/10

4. Problem Statement

Rina is managing the inventory for a library, where each row of a 2D matrix represents the number of different genres of books available on each shelf.

She wants to perform the following operations:

Transformation: Replace each element in a row with the sum of all elements in that row. **Merging:** After transformation, Rina will provide one additional matrix, and specify whether to merge the transformed matrix with this new matrix row-wise or column-wise.

Input Format

The first line contains two integers R and C, representing the number of rows and columns of the initial matrix.

The next R lines contain C space-separated integers, representing the book counts in the library.

The next line contains two integers MR and MC, representing the dimensions of the second matrix (to be merged).

The next MR lines contain MC space-separated integers, representing the second matrix.

The last line contains an integer mergeType:

- 0 Row-wise merging (append the second matrix below the transformed matrix).
- 1 Column-wise merging (append the second matrix to the right of the transformed matrix).

Output Format

The output prints "Transformed matrix: " followed by the transformed 2D matrix where each element in a row is replaced with the sum of the elements in that row.

The output prints "Final merged matrix: ", followed by the merging based on mergeType.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 3 4

8 2 4 9

4 5 6 1

7 8 9 3

2 4

3 5 7 2

6 1 4 9

0

Output: Transformed matrix:

23 23 23 23

16 16 16 16

27 27 27 27

Final merged matrix:

23 23 23 23

16 16 16 16

27 27 27 27

3 5 7 2

6 1 4 9

Answer

```

import java.util.Scanner;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int R = sc.nextInt(), C = sc.nextInt();
        int[][] A = new int[R][C];
        for (int i = 0; i < R; i++)
            for (int j = 0; j < C; j++)
                A[i][j] = sc.nextInt();
        int[][] transformed = new int[R][C];
        for (int i = 0; i < R; i++) {
            int sum = 0;
            for (int j = 0; j < C; j++) sum += A[i][j];
            for (int j = 0; j < C; j++) transformed[i][j] = sum;
        }

        int MR = sc.nextInt(), MC = sc.nextInt();
        int[][] B = new int[MR][MC];
        for (int i = 0; i < MR; i++)
            for (int j = 0; j < MC; j++)
                B[i][j] = sc.nextInt();
        int mergeType = sc.nextInt();
        System.out.println("Transformed matrix:");
        for (int i = 0; i < R; i++) {
            for (int j = 0; j < C; j++) System.out.print(transformed[i][j] + " ");
            System.out.println();
        }

        System.out.println("Final merged matrix:");
        if (mergeType == 0) {
            for (int i = 0; i < R; i++) {
                for (int j = 0; j < C; j++) System.out.print(transformed[i][j] + " ");
                System.out.println();
            }

            for (int i = 0; i < MR; i++) {
                for (int j = 0; j < MC; j++) System.out.print(B[i][j] + " ");
                System.out.println();
            }
        } else {
            for (int i = 0; i < R; i++) {
                for (int j = 0; j < C; j++) System.out.print(transformed[i][j] + " ");
                for (int j = 0; j < MC; j++) System.out.print(B[i][j] + " ");
                System.out.println();
            }
        }
    }
}

```


}
}
}

Status : Correct

Marks : 10/10