

Map Reduce program to process a weather dataset.

Aim:

To implement MapReduce program to process a weather dataset

Procedure:

Step 1: Create Data File:

Create a file named "word_count_data.txt" and populate it with text data that you wish to analyse.

Login with your hadoop user.

Download the dataset (weather data)

Output:

dataset - Notepad

File	Edit	Format	View	Help												
23907	20150103	2.423	-98.08	30.62	15.9	2.3	9.1	7.5	3.1	11.00	C	16.4	2.9	7.3	100.0	
23907	20150104	2.423	-98.08	30.62	9.2	-1.3	3.9	4.2	0.0	13.24	C	12.4	-0.5	4.9	82.0	
23907	20150105	2.423	-98.08	30.62	10.9	-3.7	3.6	2.6	0.0	13.37	C	14.7	-3.0	3.8	77.9	
23907	20150106	2.423	-98.08	30.62	20.2	2.9	11.6	10.9	0.0	12.90	C	22.0	1.6	9.9	67.7	
23907	20150107	2.423	-98.08	30.62	10.9	-3.4	3.8	4.5	0.0	12.68	C	12.4	-2.1	5.5	82.7	
23907	20150108	2.423	-98.08	30.62	0.6	-7.9	-3.6	-3.3	0.0	4.98	C	3.9	-4.8	-0.5	57.7	
23907	20150109	2.423	-98.08	30.62	2.0	0.1	1.0	0.8	0.0	2.52	C	4.1	1.2	2.5	87.8	
23907	20150110	2.423	-98.08	30.62	0.5	-2.0	-0.8	-0.6	3.9	2.11	C	2.5	-0.1	1.4	99.9	
23907	20150111	2.423	-98.08	30.62	10.9	0.0	5.4	4.4	2.6	6.38	C	12.7	1.3	5.8	100.0	
23907	20150112	2.423	-98.08	30.62	6.5	1.4	4.0	4.3	0.0	1.55	C	6.9	2.7	5.1	100.0	
23907	20150113	2.423	-98.08	30.62	3.0	-0.7	1.1	1.2	0.0	3.26	C	5.6	0.7	2.9	99.7	
23907	20150114	2.423	-98.08	30.62	2.9	0.9	1.9	1.8	0.7	1.88	C	4.7	2.0	3.1	99.6	
23907	20150115	2.423	-98.08	30.62	13.2	1.2	7.2	6.4	0.0	13.37	C	16.4	1.4	6.7	98.9	
23907	20150116	2.423	-98.08	30.62	16.7	3.5	10.1	9.9	0.0	13.68	C	19.2	1.3	8.7	80.2	
23907	20150117	2.423	-98.08	30.62	19.5	5.0	12.2	12.3	0.0	10.96	C	20.9	3.3	10.6	87.7	
23907	20150118	2.423	-98.08	30.62	20.9	7.6	14.3	13.7	0.0	15.03	C	23.4	3.5	11.9	45.9	
23907	20150119	2.423	-98.08	30.62	23.9	6.7	15.3	14.3	0.0	14.10	C	25.6	3.8	12.6	65.3	
23907	20150120	2.423	-98.08	30.62	26.0	9.5	17.8	15.9	0.0	14.57	C	27.9	6.5	14.5	88.4	
23907	20150121	2.423	-98.08	30.62	11.0	6.9	8.9	8.9	1.7	2.71	C	13.1	6.8	9.7	99.2	
23907	20150122	2.423	-98.08	30.62	8.6	3.5	6.1	5.6	40.0	1.28	C	9.1	4.1	6.3	99.6	
23907	20150123	2.423	-98.08	30.62	9.4	2.2	5.8	4.2	7.5	6.58	C	11.1	2.0	4.8	98.4	
23907	20150124	2.423	-98.08	30.62	16.0	1.4	8.7	8.0	0.0	14.26	C	18.8	0.4	7.7	92.0	
23907	20150125	2.423	-98.08	30.62	20.2	6.4	13.3	12.7	0.0	14.99	C	22.0	4.4	11.0	69.2	
23907	20150126	2.423	-98.08	30.62	21.5	7.2	14.4	14.1	0.0	12.01	C	22.9	5.5	12.2	56.8	

Step 2: Mapper Logic - mapper.py:

Create a file named "mapper.py" to implement the logic for the mapper. The mapper will read input data from STDIN, split lines into words, and output each word with its count.

```
nano mapper.py
```

```
# Copy and paste the mapper.py code
```

```
#!/usr/bin/env python
```

```
import sys
```

```
# input comes from STDIN (standard input)
```

```
# the mapper will get daily max temperature and group it by month. so output will be (month,dailymax_temperature)
```

```

for line in sys.stdin:
    # remove leading and trailing whitespace
    line = line.strip()
    # split the line into words
    words = line.split()
    #See the README hosted on the weather website which help us understand how each
    position represents a column
    month = line[10:12]
    daily_max = line[38:45]
    daily_max = daily_max.strip()
    # increase counters
    for word in words:
        # write the results to STDOUT (standard output);
        # what we output here will be go through the shuffle process and then
        # be the input for the Reduce step, i.e. the input for reducer.py
        #
        # tab-delimited; month and daily max temperature as output
        print ('%s\t%s' % (month ,daily_max))
    .

```

Step 3: Reducer Logic - reducer.py:

Create a file named "reducer.py" to implement the logic for the reducer. The reducer will aggregate the occurrences of each word and generate the final output.

```

nano reducer.py
# Copy and paste the reducer.py code

```

reducer.py

```

#!/usr/bin/env python

from operator import itemgetter
import sys

#reducer will get the input from stdid which will be a collection of key, value(Key=month ,
value= daily max temperature)
#reducer logic: will get all the daily max temperature for a month and find max temperature
for the month
#shuffle will ensure that key are sorted(month)
current_month = None
current_max = 0
month = None

# input comes from STDIN
for line in sys.stdin:

```

```

# remove leading and trailing whitespace
line = line.strip()
# parse the input we got from mapper.py
month, daily_max = line.split('\t', 1)

# convert daily_max (currently a string) to float
try:
    daily_max = float(daily_max)
except ValueError:
    # daily_max was not a number, so silently
    # ignore/discard this line
    continue

# this IF-switch only works because Hadoop shuffle process sorts map output
# by key (here: month) before it is passed to the reducer
if current_month == month:
    if daily_max > current_max:
        current_max = daily_max
else:
    if current_month:
        # write result to STDOUT
        print ('%s\t%s' % (current_month, current_max))
    current_max = daily_max
    current_month = month

# output of the last month
if current_month == month:
    print ('%s\t%s' % (current_month, current_max))

```

Step 4: Prepare Hadoop Environment:

Start the Hadoop daemons and create a directory in HDFS to store your data.

```
start-all.sh
```

Step 6: Make Python Files Executable:

Give executable permissions to your mapper.py and reducer.py files.

```
chmod 777 mapper.py reducer.py
```

Step 7: Run the program using Hadoop Streaming:

Download the latest hadoop-streaming jar file and place it in a location you can easily access.

Then run the program using

Hadoop Streaming.hadoop fs -

mkdir -p /weatherdata

hadoop fs -copyFromLocal

/home/sx/Downloads/dataset.txt /weatherdatahdfs

dfs -ls /weatherdata

hadoop jar /home/sx/hadoop-3.2.3/share/hadoop/tools/lib/hadoop-streaming-3.2.3.jar \


-input /weatherdata/dataset.txt \
-output /weatherdata/output \
-file "/home/sx/Downloads/mapper.py" \
-mapper "python3 mapper.py" \
-file "/home/sx/Downloads/reducer.py" \
-reducer "python3 reducer.py"

hdfs dfs -text /weatherdata/output/* > /home/sx/Downloads/outputfile.txt

Step 8: Check Output:

Check the output of the program in the specified HDFS output directory.

OUTPUT:

A terminal window screenshot showing the execution of the HDFS command. The command is: `hdfs dfs -cat /weatherdata/output/part-00000`. The output shows a warning message: `2024-09-02 22:32:30,400 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable`. Below the warning, there is a list of numbers: `01 -2.9`, `02 9.3`, `03 10.4`, `04 15.7`, `05 20.1`, `06 28.3`, `07 28.2`, and `08 28.4`. The terminal window has a dark background and a sidebar with application icons on the left.

Result:

Thus, the program for weather dataset using Map Reduce has been executed successfully.