

**SANKALCHAND PATEL UNIVERSITY**  
**FACULTY OF COMPUTER SCIENCE**  
**SHRI C.J. PATEL COLLEGE OF COMPUTER STUDIES**  
**(BCA)**

**Subject Code: 1CS1010103**

**Subject Title: FUNDAMENTALS OF COMPUTER ORGANIZATION**

**UNIT-1**

**Computer basics, Computer generations, Classifications of Computers**

Digital & Analog systems, Logic levels and pulse wave forms, digital computer, Major parts of computer, Hardware, Software - Application and System Software. Computer generations, Classifications of computers

**Digital & Analog systems**

- **Analog** and **digital** signals are used to transmit information, usually through electric signals.
- In both these technologies, the information, such as any audio or video, is transformed into electric signals.
- In analog technology, information is translated into electric pulses of varying amplitude.
- In digital technology, translation of information is into binary format (zero or one) where each bit is representative of two distinct amplitudes.

	Analog	Digital
<b>Signal</b>	Analog signal is a continuous signal which represents physical measurements.	Digital signals are discrete time signals generated by digital modulation.
<b>Waves</b>	Denoted by sine waves	Denoted by square waves
<b>Representation</b>	Uses continuous range of values to represent <a href="#">information</a>	Uses discrete or discontinuous values to represent information
<b>Example</b>	Human voice in air, analog electronic devices.	Computers, CDs, DVDs, and other digital electronic devices.
<b>Technology</b>	Analog technology records waveforms as they are.	Samples analog waveforms into a limited set of numbers and records them.
<b>Data transmissions</b>	Subjected to deterioration by noise during transmission and write/read cycle.	Can be noise-immune without deterioration during transmission and write/read cycle.
<b>Response to Noise</b>	More likely to get affected reducing accuracy	Less affected since noise response are analog in nature
<b>Flexibility</b>	Analog hardware is not flexible.	Digital hardware is flexible in implementation.
<b>Uses</b>	Can be used in analog devices only. Best suited for audio and video transmission.	Best suited for Computing and digital electronics.
<b>Applications</b>	Thermometer	PCs, PDAs
<b>Bandwidth</b>	Analog signal processing can be done in real time and consumes less bandwidth.	There is no guarantee that digital signal processing can be done in real time and consumes more bandwidth to carry out the same information.
<b>Memory</b>	Stored in the form of wave signal	Stored in the form of binary bit
<b>Power</b>	Analog instrument draws large power	Digital instrument drawS only negligible power
<b>Cost</b>	Low cost and portable	Cost is high and not easily portable

What is a Computer?

- A computer is an electronic device that accepts data from the user, processes it, produces results, displays them to the users, and stores the results for future usage.
- Data is a collection of unorganized facts & figures and does not provide any further information regarding patterns, context, etc. Hence data means "unstructured facts and figures".
- Information is a structured data i.e. organized meaningful and processed data. To process the data and convert into information, a computer is used.

### Functions of Computers

A computer performs the following functions –

- **Receiving Input**

Data is fed into computer through various input devices like keyboard, mouse, digital pens, etc. Input can also be fed through devices like CD-ROM, pen drive, scanner, etc.

- **Processing the information**

Operations on the input data are carried out based on the instructions provided in the programs.

- **Storing the information**

After processing, the information gets stored in the primary or secondary storage area.


- **Producing output**

The processed information and other details are communicated to the outside world through output devices like monitor, printer, etc.

### Digital computer:-

Digital computers are programmable machines that use electronic technology to generate, store and process data. Also known as “personal computer” Includes workstations ,desktops ,servers, laptop and notebook . Examples are the IBM pc, Apple Macintoshes, Dell.

## Characteristics of Computer :-



- **Speed**

A computer works with much higher speed and accuracy compared to humans while performing mathematical calculations. Computers can process millions (1,000,000) of instructions per second. The time taken by computers for their operations is microseconds and nanoseconds.

- **Accuracy**

Computers perform calculations with 100% accuracy. Errors may occur due to data inconsistency or inaccuracy.

- **Diligence**

A computer can perform millions of tasks or calculations with the same consistency and accuracy. It doesn't feel any fatigue or lack of concentration. Its memory also makes it superior to that of human beings.

- **Versatility**

Versatility refers to the capability of a computer to perform different kinds of works with same accuracy and efficiency.

- **Reliability**

A computer is reliable as it gives consistent result for similar set of data i.e., if we give same set of input any number of times, we will get the same result.

- **Automation**


Computer performs all the tasks automatically i.e. it performs tasks without manual intervention.

- **Memory**

A computer has built-in memory called primary memory where it stores data. Secondary storage are removable devices such as CDs, pen drives, etc., which are also used to store data.

## Major parts of computer:-

The Digital computer system has three important parts- input device , central processing unit and output device.



**Input  
Unit**

Computers need to receive data and instruction in order to solve any problem. Therefore we need to input the data and instructions into the computers. The input unit consists of one or more input devices. Keyboard is the one of the most commonly used input device. Other commonly used input devices are the mouse, floppy disk drive, magnetic tape, etc. All the input devices perform the following functions:

- Accept the data and instructions from the outside world.
- Convert it to a form that the computer can understand.
- Supply the converted data to the computer system for further processing.

## Output Unit

The output unit of a computer provides the information and results of a computation to outside world. Printers, Visual Display Unit (VDU) are the commonly used output devices. Previously CRT monitor was used as VDU, now-a-days LCD monitors are widely in practice. Other commonly used output devices are floppy disk drive, hard disk drive, and magnetic tape drive.

## Storage Unit

48

The data and instructions that are entered into the computer system through input units have to be stored inside the computer before the actual processing starts. Similarly, the results produced by the computer after processing must also be kept somewhere inside the computer system before being passed on to the output units. Moreover, the intermediate results produced by the computer must also be preserved for ongoing processing. The Storage Unit or the primary / main storage of a computer system is designed to do all these things. It provides space for storing data and instructions, space for intermediate results and also space for the final results.

In short, the specific functions of the storage unit are to store:

- All the data to be processed and the instruction required for processing (received from input devices).
- Intermediate results of processing.
- Final results of processing before these results are released to an output device.

## **Central Processing Unit (CPU)**

The main unit inside the computer is the CPU. This unit is responsible for all events inside the computer. It controls all internal and external devices, performs "Arithmetic and Logical operations". The operations a Microprocessor performs are called "instruction set" of this processor. The instruction set is "hard wired" in the CPU and determines the machine language for the CPU. The more complicated the instruction set is, the slower the CPU works. Processors differed from one another by the instruction set. If the same program can run on two different computer brands they are said to be compatible. Programs written for IBM compatible computers will not run on Apple computers because these two architectures are not compatible.

The control Unit and the Arithmetic and Logic unit of a computer system are jointly known as the Central Processing Unit (CPU). The CPU is the brain of any computer system. In a human body, all major decisions are taken by the brain and the other parts of the body function as directed by the brain. Similarly, in a computer system, all major calculations and comparisons are made inside the CPU and the CPU is also responsible for activating and controlling the operations of other units of a computer system.

## **Arithmetic and Logic Unit (ALU)**

The arithmetic and logic unit (ALU) of a computer system is the place where the actual execution of the instructions take place during the processing operations. All calculations are performed and all comparisons (decisions) are made in the ALU. The data and instructions, stored in the primary storage prior to processing are transferred as and when needed to the ALU where processing takes place. No processing is done in the primary storage unit. Intermediate results generated in the ALU are temporarily transferred back to the primary storage until needed at a later time. Data may thus move from primary storage to ALU and back again as storage many times before the processing is over. After the completion of processing, the final results which are stored in the storage unit are released to an output device.

The arithmetic and logic unit (ALU) is the part where actual computations take place. It consists of circuits that perform arithmetic operations (e.g. addition, subtraction, multiplication, division over data received from memory and capable to compare numbers (less than, equal to, or greater than).

While performing these operations the ALU takes data from the temporary storage are inside the CPU named registers. Registers are a group of cells used for memory addressing, data manipulation and processing. Some of the registers are general purpose and some are reserved for certain functions. It is a high-speed memory which holds only data from immediate processing and results of this processing. If these results are not needed for the next instruction, they are sent back to the main memory and registers are occupied by the new data used in the next instruction.

All activities in the computer system are composed of thousands of individual steps. These steps should follow in some order in fixed intervals of time. These intervals are generated by the Clock Unit. Every operation within the CPU takes place at the clock pulse. No operation, regardless of how simple, can be performed in less time than transpires between ticks of this clock. But some operations required more than one clock pulse. The faster the clock runs, the faster the computer performs. The clock rate is measured in megahertz (Mhz) or Gigahertz (Ghz). Larger systems are even faster. In older systems the clock unit is external to the microprocessor and resides on a separate chip. In most modern microprocessors the clock is usually incorporated within the CPU.

## **Control Unit**


How the input device knows that it is time for it to feed data into the storage unit? How does the ALU know what should be done with the data once it is received? And how is it that only the final results are sent to the output devices and not the

intermediate results? All this is possible because of the control unit of the computer system. By selecting, interpreting, and seeing to the execution of the program instructions, the control unit is able to maintain order and directs the operation of the entire system. Although, it does not perform any actual processing on the data, the control unit acts as a central nervous system for the other components of the computer. It manages and coordinates the entire computer system. It obtains instructions from the program stored in main memory, interprets the instructions, and issues signals that cause other units of the system to execute them.

The control unit directs and controls the activities of the internal and external devices. It interprets the instructions fetched into the computer, determines what data, if any, are needed, where it is stored, where to store the results of the operation, and sends the control signals to the devices involved in the execution of the instructions.

## Computer hardware

- Computer hardware includes the physical parts of a computer, such as the case, central processing unit (CPU), monitor, mouse, keyboard, computer data storage, graphics card, sound card, speakers and motherboard.
- The term hardware refers to mechanical device that makes up computer. Computer hardware consists of interconnected electronic devices that we can use to control computer's operation, input and output. Examples of hardware are CPU, keyboard, mouse, hard disk, etc.



## Software

- Software is the set of instructions that can be stored and run by hardware.
- Software is a program that enables a computer to perform a specific task, as opposed to the physical components of the system (hardware). Computer software has to be "loaded" into the computer's storage.



## Software can be categorized into two types –

- System software
- Application software


### System Software

System software operates directly on hardware devices of computer. It provides a platform to run an application. It provides and supports user functionality. Examples of system software include operating systems such as Windows, Linux, Unix, etc.

### Application Software

An application software is designed for benefit of users to perform one or more tasks. Examples of application software include Microsoft Word, Excel, PowerPoint, Oracle, etc.

### Classification of Computer:-



Sr.N	Type	Specifications
1	PC (Personal Computer) or Micro-Computers	It is a single user computer system having a moderately powerful microprocessor. It is termed as a computer that is equipped microprocessor as its CPU.

<b>2</b>	<b>Workstation</b>	<b>It is also a single user computer system, similar to the personal computer, however, has a more powerful microprocessor.</b>
<b>3</b>	<b>Mini-Computer</b>	<b>It is a multi-user computer system, capable of supporting hundreds of users simultaneously.</b>
<b>4</b>	<b>Main Frame</b>	<b>It is a multi-user computer system, capable of supporting hundreds of users simultaneously. Software technology is different from minicomputer.</b>
<b>5</b>	<b>Super-Computer</b>	<b>It is an extremely fast computer, which can execute hundreds of millions of instructions per second.</b>

## **PC (Personal Computer)**

A PC can be defined as a small, relatively inexpensive computer designed for an individual user. PCs are based on the microprocessor technology that enables manufacturers to put an entire CPU on one chip. Businesses use personal computers for word processing, accounting, desktop publishing, and for running spreadsheet and database management applications. At home, the most popular use for personal computers is playing games and surfing the Internet.

Although personal computers are designed as single-user systems, these systems are normally linked together to form a network.

In terms of power, nowadays high-end models of the Macintosh and PC offer the same computing power and graphics capability as low-end workstations by Sun Microsystems, Hewlett-Packard, and Dell.



## Workstation

- The workstation is a computer used for engineering applications (CAD/CAM), desktop publishing, software development, and other such types of applications which require a moderate amount of computing power and relatively high-quality graphics capabilities.
- Workstations generally come with a large, high-resolution graphics screen, a large amount of RAM, inbuilt network support, and a graphical user interface. Most workstations also have mass storage device such as a disk drive, but a special type of workstation, called diskless workstations, comes without a disk drive.
- Common operating systems for workstations are UNIX and Windows NT. Like PC, workstations are also single-user computers like PC but are typically linked together to form a local area network, although they can also be used as stand-alone systems.



## Minicomputer

It is a midsize multi-processing system capable of supporting up to 250 users simultaneously.



## Mainframe

The mainframe is very large in size and is an expensive computer capable of supporting hundreds or even thousands of users simultaneously. Mainframe executes many programs concurrently and supports much simultaneous execution of programs



## Supercomputer

- Supercomputers are one of the fastest computers currently available. Supercomputers are very expensive and are employed for specialized applications that require an immense amount of mathematical calculations (number-crunching).
- For example, weather forecasting, scientific simulations, (animated)graphics, fluid dynamic calculations, nuclear energy research, electronic design, and analysis of geological data (e.g. in petrochemical prospecting)



# Generation in computer

- Generation in computer terminology is a change in technology a computer is/was being used. Initially, the generation term was used to distinguish between varying hardware technologies. Nowadays, generation includes both hardware and software, which together make up an entire computer system.
- There are five computer generations known till date. Each generation has been discussed in detail along with their time period and characteristics. In the following table, approximate dates against each generation have been mentioned, which are normally accepted.



## ***First Generation: Vacuum Tubes (1940-1956)***

- The first computer systems used vacuum tubes for circuitry and [magnetic drums](#) for [memory](#), and were often enormous, taking up entire rooms. These computers were very expensive to operate and in addition to using a great deal of electricity, the first computers generated a lot of heat, which was often the cause of malfunctions.
- First generation computers relied on [machine language](#), the lowest-level programming language understood by computers, to perform operations, and they could only solve one problem at a time. It would take operators days or

even weeks to set-up a new problem. Input was based on punched cards and paper tape, and output was displayed on printouts.

- The UNIVAC and [ENIAC](#) computers are examples of first-generation computing devices. The UNIVAC was the first commercial computer delivered to a business client, the U.S. Census Bureau in 1951.

### ***Second Generation: Transistors (1956-1963)***

- The world would see transistors replace vacuum tubes in the second generation of computers. The transistor was invented at Bell Labs in 1947 but did not see widespread use in computers until the late 1950s.
- The transistor was far superior to the vacuum tube, allowing computers to become smaller, faster, cheaper, more energy-efficient and more reliable than their first-generation predecessors. Though the transistor still generated a great deal of heat that subjected the computer to damage, it was a vast improvement over the vacuum tube. Second-generation computers still relied on punched cards for input and printouts for output.

### ***Third Generation: Integrated Circuits (1964-1971)***

- The development of the integrated circuit was the hallmark of the third generation of computers. Transistors were miniaturized and placed on silicon chips, called semiconductors, which drastically increased the speed and efficiency of computers.
- Instead of punched cards and printouts, users interacted with third generation computers through keyboards and monitors and interfaced with an operating system, which allowed the device to run many different applications at one time with a central program that monitored the memory. Computers for the first time became accessible to a mass audience because they were smaller and cheaper than their predecessors.

### ***Fourth Generation: Microprocessors (1971-Present)***

- The microprocessor brought the fourth generation of computers, as thousands of integrated circuits were built onto a single silicon chip. What in the first generation filled an entire room could now fit in the palm of the hand. The Intel 4004 chip, developed in 1971, located all the components of the computer—from the central processing unit and memory to input/output controls—on a single chip.

- In 1981 IBM introduced its first computer for the home user, and in 1984 Apple introduced the Macintosh. Microprocessors also moved out of the realm of desktop computers and into many areas of life as more and more everyday products began to use microprocessors.
- As these small computers became more powerful, they could be linked together to form networks, which eventually led to the development of the Internet. Fourth generation computers also saw the development of GUIs, the mouse and handheld devices.

### ***Fifth Generation: Artificial Intelligence (Present and Beyond)***

- Fifth generation computing devices, based on artificial intelligence, are still in development, though there are some applications, such as voice recognition, that are being used today. The use of parallel processing and superconductors is helping to make artificial intelligence a reality.
- Quantum computation and molecular and nanotechnology will radically change the face of computers in years to come. The goal of fifth-generation computing is to develop devices that respond to natural language input and are capable of learning and self-organization.