DB개론 Project5 (DeadLine 5월 16일 낮12시, 50점 만점) 조번호(

Figure 2.35

1번 8점

employee (person-name, street, city)
works (person-name, company-name, salary)
company (company-name, city)
manages (person-name, manager-name)

Consider the relational database of Figure 2.35, where the primary keys are underlined. Give an expression in the relational algebra to express each of the following queries:

- a. Find the names of all employees who work for First Bank Corporation.
- b. Find the names and cities of residence of all employees who work for First Bank Corporation.
- c. Find the names, street address, and cities of residence of all employees who work for First Bank Corporation and earn more than \$10,000 per annum.
- d. Find the names of all employees in this database who live in the same city

1

2번 8점

Consider the following relational schema

employee(empno, name, office, age) books(<u>isbn</u>, title, authors, publisher) loan(empno, <u>isbn</u>, date)

Write the following queries in relational algebra.

- a. Find the names of employees who have borrowed a book published by McGraw-Hill.
- b. Find the names of employees who have borrowed all books published by McGraw-Hill.
- c. Find the names of employees who have borrowed more than five different books published by McGraw-Hill.
- d. For each publisher, find the names of employees who have borrowed more than five books of that publisher.

3번 4점

Let R = (A, B, C), and let r_1 and r_2 both be relations on schema R. Give an expression in SQL that is equivalent to each of the following queries.

- $a.\; r_1 \cup r_2 \text{\tiny d}$
- b. $r_1 \cap r_2$
- c. $r_1 r_2$
- d. $\pi_{AB}(r_1) \bowtie \pi_{BC}(r_2)$

4번 4점

Consider an employee database with two relations

employee(employee-name, street, city) works(employee-name, company-name, salary)

where the primary keys are underlined. Write a query to find companies whose employees earn a higher salary, on average, than the average salary at First Bank Corporation.

- a. Using SQL functions as appropriate.
- b. Without using SQL functions.

5번 6점

Figure 5.14
 emplyee(person_name, street, city)
 works(person_name, company_name, salary)
 company(company_name, city)
 managers(person_name, manager_name)

Consider the employee database of Figure 5.14. Give expressions in tuple rela-tional calculus and domain relational calculus for each of the following queries:

- a. Find the names of all employees who work for First Bank Corporation
- b. Find the names and cities of residence of all employees who work for First Bank Corporation

6번 7점

Let R = (A, B, C), and let r_1 and r_2 both be relations on schema R. Give an expression in the domain relational calculus that is equivalent to each of the following:

- a. $\Pi_A(r_1)$
- b. $\sigma_{B=17}(r_1)$
- c. $r_1 \cup r_2$
- d. $r_1 \cap r_2$
- e. $r_1 r_2$
- f. $\Pi_{A,B}(r_1) \bowtie \Pi_{B,C}(r_2)$

7번 8점

- A. Describe four common features in JDBC and ODBC in detail
- B. Write benefits and drawbacks of external language functions/ procedures in detail