

---

# Type977 fitting for heat pump SINH-90TU

## Parametric Heat Pump calculation

---

Dani Carbonell  
[dani.carbonell@spf.ch](mailto:dani.carbonell@spf.ch)

*2019/03/12 at: 16:05:10 h*

Table 1: Fitted coefficients for the heat pump.

Coefficient	Description	[kW]
$P_{Q_1}$	1 <sup>st</sup> condenser polynomial coefficient	9.3598e+01
$P_{Q_2}$	2 <sup>st</sup> condenser polynomial coefficient	8.9027e+02
$P_{Q_3}$	3 <sup>st</sup> condenser polynomial coefficient	8.4207e+01
$P_{Q_4}$	4 <sup>st</sup> condenser polynomial coefficient	-2.0915e+02
$P_{Q_5}$	5 <sup>st</sup> condenser polynomial coefficient	-1.0850e+02
$P_{Q_6}$	6 <sup>st</sup> condenser polynomial coefficient	-5.4773e+02
$P_{COP_1}$	1 <sup>st</sup> COP polynomial coefficient	5.2039e+00
$P_{COP_2}$	2 <sup>st</sup> COP polynomial coefficient	4.7782e+01
$P_{COP_3}$	3 <sup>st</sup> COP polynomial coefficient	4.2360e+00
$P_{COP_4}$	4 <sup>st</sup> COP polynomial coefficient	-1.0991e+02
$P_{COP_5}$	5 <sup>st</sup> COP polynomial coefficient	-1.1073e+02
$P_{COP_6}$	6 <sup>st</sup> COP polynomial coefficient	-8.2000e+01
$\dot{m}_{cond}$	15500.00 [kg/h]	
$\dot{m}_{evap}$	15500.00 [kg/h]	
$COP_{nom}$ (A0W35)	4.22	
$Q_{cond,nom}$ (A0W35)	87.93 [kW]	
$Q_{evap,nom}$ (A0W35)	67.10 [kW]	
$W_{comp,nom}$ (A0W35)	20.84 [kW]	
$RMS_{COP}$	$3.73e - 02$	
$RMS_{Q_{cond}}$	$4.01e - 01$	
$RMS_{W_{comp}}$	$2.47e - 01$	
Fit model	Average Temperature	

Table 2: Differences between experiments and fitted data for the heat pump.  $error = 100 \cdot \left| \frac{Q_{exp} - Q_{num}}{Q_{exp}} \right|$   
and  $RMS = \sqrt{\sum \frac{(Q_{exp} - Q_{num})^2}{n_p}}$  where  $n_p$  is the number of data points.

$T_{cond,out}$ °C	$T_{evap,in}$ °C	$COP$ [-]	$COP_{exp}$ [-]	error [%]	$Q_{cond}$ [kW]	$Q_{cond,exp}$ [kW]	error [%]	$W_{comp}$ [kW]	$W_{comp,exp}$ [kW]	error [%]
35.00	-5.00	3.62	3.60	0.5	74.69	75.50	1.1	20.64	20.97	1.59
35.00	0.00	4.27	4.30	0.7	89.25	88.60	0.7	20.89	20.60	1.40
35.00	5.00	4.88	4.87	0.2	103.80	103.40	0.4	21.29	21.25	0.22
50.00	-5.00	2.69	2.64	1.7	71.50	70.50	1.4	26.62	26.70	0.31
50.00	0.00	3.26	3.24	0.5	85.96	86.13	0.2	26.40	26.59	0.71
50.00	5.00	3.77	3.70	1.7	100.40	100.43	0.0	26.66	27.12	1.69
45.00	-5.00	3.05	3.06	0.3	72.85	73.00	0.2	23.86	23.83	0.10
45.00	0.00	3.65	3.70	1.4	87.35	87.37	0.0	23.93	23.59	1.44
45.00	5.00	4.19	4.21	0.6	101.83	101.92	0.1	24.30	24.18	0.48
55.00	0.00	2.81	2.87	2.1	84.34	84.90	0.7	30.01	29.58	1.45
55.00	5.00	3.29	3.29	0.2	98.71	98.95	0.2	30.04	30.06	0.07
35.00	10.00	5.42	5.40	0.4	118.31	118.20	0.1	21.82	21.89	0.30
35.00	15.00	5.91	5.90	0.1	132.78	133.00	0.2	22.46	22.54	0.31
50.00	10.00	4.22	4.15	1.7	114.80	114.73	0.1	27.22	27.66	1.59
50.00	15.00	4.61	4.58	0.8	129.18	129.03	0.1	28.00	28.19	0.69
45.00	10.00	4.68	4.70	0.5	116.27	116.47	0.2	24.87	24.77	0.38
45.00	15.00	5.10	5.17	1.2	130.69	131.02	0.3	25.60	25.36	0.95
55.00	10.00	3.71	3.70	0.2	113.07	113.00	0.1	30.51	30.54	0.09
55.00	15.00	4.07	4.10	0.7	127.41	127.05	0.3	31.31	31.02	0.95
Sum				15.4			6.3			14.72
$RMS_{COP}$	3.73e - 02									
$RMS_{Q_{cond}}$	4.01e - 01									
$RMS_{W_{comp}}$	2.47e - 01									

Meier/SINH-90TU/SINH-90TU-Qcond.pdf




Figure 1:  $Q_{cond}$  differences between experiments and fitted data

Meier/SINH-90TU/SINH-90TU-Qcomp.pdf




Figure 2:  $W_{comp}$  differences between experiments and fitted data

Meier/SINH-90TU/SINH-90TU-COP.pdf




Figure 3:  $COP$  differences between experiments and fitted data