

# 天津医科大学实验课教案首页

(共 5 页、第 1 页)

课程名称：分子生物计算		实验名称：实验 4 基序和循环	
教师姓名：伊现富	职称：讲师	教学日期：2019 年 9 月 18 日 13:30-15:10	
授课对象：生物医学工程与技术学院 2017 级生信班（本）		实验人数：28	
实验类型（验证型、综合型、设计型、创新型）：验证型		实验分组：一人一机	
学时数：2		教材版本：Perl 语言在生物信息学中的应用——基础篇	

## 实验目的与要求：

- 了解 Perl 语言中的流程控制。
- 熟悉 Perl 语言中的 if-elsif-else 和 while；写入文件的方法。
- 掌握 Perl 语言在生物序列数据处理中的应用。

## 实验内容及学时分配：

- (5') 流程控制：总结 Perl 语言中的条件判断和循环语句。
- (5') 字符串操作：总结 Perl 语言中常见的字符串操作。
- (5') 写入文件：总结在 Perl 语言中写入文件的基本步骤。
- (75') 实验操作：应用 Perl 语言处理生物序列数据。

## 主要仪器和实验材料：

- 主要仪器：一台安装有 Perl 语言（Linux 操作系统）的计算机。

## 实验重点、难点及解决策略：

- 重点难点：应用 Perl 语言处理生物序列数据。
- 解决策略：通过演示进行学习，通过练习熟练掌握。

## 思考题：

- 总结 Perl 语言中的流程控制。
- 总结 Perl 语言中常见的字符串操作。
- 总结 Perl 语言中写入文件的基本步骤。

## 参考资料：

- Beginning Perl for Bioinformatics, James Tisdall, O'Reilly Media, 2001.
- Perl 语言入门（第六版），Randal L. Schwartz, brian d foy & Tom Phoenix 著，盛春 译，东南大学出版社，2012。
- Mastering Perl for Bioinformatics, James Tisdall, O'Reilly Media, 2003.
- 维基百科等网络资源。

主任签字：

年 月 日

教务处制

## 一、 流程控制 (5 分钟)

1. 条件判断: if, if-else, unless
2. 循环: while, for, foreach

## 二、 字符串操作 (5 分钟)

1. 数组变标量: join
2. 字符串变数组: split

## 四、 实验操作 (75 分钟)

### 1. if-elsif-else

```
#!/usr/bin/perl -w

$word = 'MNIDDKL';
if ( $word eq 'QSTVSGE' ) {
    print "QSTVSGE\n";
}
elsif ( $word eq 'MRQQDMISHDEL' ) {
    print "MRQQDMISHDEL\n";
}
elsif ( $word eq 'MNIDDKL' ) {
    print "MNIDDKL-the magic word!\n";
}
else {
    print "Is \"$word\" a peptide? This program is not sure.\n";
}
```

### 2. 在蛋白质序列中查找用户指定的基序

```
#!/usr/bin/perl -w

$proteinfilename = <STDIN>;
chomp $proteinfilename;
unless ( open( PROTEINFILE, $proteinfilename ) ) {
    print "Cannot open file \"$proteinfilename\"\n\n";
    exit;
}
@protein = <PROTEINFILE>;
close PROTEINFILE;

$protein = join( ' ', @protein );
$protein =~ s/\s//g;
do {
    print "Enter a motif to search for: ";
    $motif = <STDIN>;
    chomp $motif;
    if ( $protein =~ /$motif/ ) {
        print "I found it!\n\n";
    }
    else {
        print "I couldn't find it.\n\n";
    }
} until ( $motif =~ /^$s*$$/ );
```

## 3. 提取子字符串: substr

## 4. 计数: tr

## 三、 写入文件 (5 分钟)

1. 关联文件和文件句柄
2. 通过文件句柄写入数据
3. 解关联文件和文件句柄

## 3. 对 DNA 序列中的碱基进行计数 (策略一)

```
#!/usr/bin/perl -w

print "Please type the filename of the DNA sequence data: ";
$dna_filename = <STDIN>;
chomp $dna_filename;
unless ( open( DNAFILE, $dna_filename ) ) {
    print "Cannot open file \"$dna_filename\"\n\n";
    exit;
}
@DNA = <DNAFILE>;
close DNAFILE;

$DNA = join( ' ', @DNA );
$DNA =~ s/\s//g;
@DNA = split( ' ', $DNA );

$count_of_A = 0;
$count_of_C = 0;
$count_of_G = 0;
$count_of_T = 0;
$errors      = 0;

foreach $base (@DNA) {
    if ( $base eq 'A' ) {
        ++$count_of_A;
    }
    elsif ( $base eq 'C' ) {
        ++$count_of_C;
    }
    elsif ( $base eq 'G' ) {
        ++$count_of_G;
    }
    elsif ( $base eq 'T' ) {
        ++$count_of_T;
    }
    else {
        print "!!!!!!! Error - I don't recognize this base: $base\n";
        ++$errors;
    }
}

print "A = $count_of_A\n";
print "C = $count_of_C\n";
print "G = $count_of_G\n";
print "T = $count_of_T\n";
print "errors = $errors\n";
```

## 4. 对 DNA 序列中的碱基进行计数 (策略二)

```
#!/usr/bin/perl -w

print "Please type the filename of the DNA sequence data: ";
$dna_filename = <STDIN>;
chomp $dna_filename;
unless ( -e $dna_filename ) {
    print "File \"$dna_filename\" doesn't seem to exist!!\n";
    exit;
}
unless ( open( DNAFILE, $dna_filename ) ) {
    print "Cannot open file \"$dna_filename\"\n\n";
    exit;
}
@DNA = <DNAFILE>;
close DNAFILE;

$DNA = join( '', @DNA );
$DNA =~ s/\s//g;
$count_of_A = 0;
$count_of_C = 0;
$count_of_G = 0;
$count_of_T = 0;
$errors      = 0;

for ( $position = 0 ; $position < length $DNA ; ++$position ) {
    $base = substr( $DNA, $position, 1 );
    if ( $base eq 'A' ) {
        ++$count_of_A;
    }
    elsif ( $base eq 'C' ) {
        ++$count_of_C;
    }
    elsif ( $base eq 'G' ) {
        ++$count_of_G;
    }
    elsif ( $base eq 'T' ) {
        ++$count_of_T;
    }
    else {
        print "Error - I don't recognize this base: $base\n";
        ++$errors;
    }
}

print "A = $count_of_A\n";
print "C = $count_of_C\n";
print "G = $count_of_G\n";
print "T = $count_of_T\n";
print "errors = $errors\n";
```

## 5. 对 DNA 序列中的碱基进行计数（策略三），结果保存到文件

```
#!/usr/bin/perl -w

print "Please type the filename of the DNA sequence data: ";
$dna_filename = <STDIN>;
chomp $dna_filename;
unless ( -e $dna_filename ) {
    print "File \"$dna_filename\" doesn't seem to exist!!\n";
    exit;
}
unless ( open( DNAFILE, $dna_filename ) ) {
    print "Cannot open file \"$dna_filename\"\n\n";
    exit;
}
@DNA = <DNAFILE>;
close DNAFILE;

$DNA = join( ' ', @DNA );
$DNA =~ s/\s//g;

$a = 0; $c = 0; $g = 0; $t = 0; $e = 0;

while ( $DNA =~ /a/ig ) { $a++ }
while ( $DNA =~ /c/ig ) { $c++ }
while ( $DNA =~ /g/ig ) { $g++ }
while ( $DNA =~ /t/ig ) { $t++ }
while ( $DNA =~ /[^\acgt]/ig ) { $e++ }
print "A=$a C=$c G=$g T=$t errors=$e\n";

$outputfile = "countbase";
unless ( open( COUNTBASE, ">$outputfile" ) ) {
    print "Cannot open file \"$outputfile\" to write to!!\n\n";
    exit;
}
print COUNTBASE "A=$a C=$c G=$g T=$t errors=$e\n";
close(COUNTBASE);
```

## 6. Perl 对数字和字符串的智能化处理

```
#!/usr/bin/perl -w

$num = 1234;
$str = '1234';
print $num, " ", $str, "\n";

$num_or_str = $num + $str;
print $num_or_str, "\n";

$num_or_str = $num . $str;
print $num_or_str, "\n";
```