# Rajalakshmi Engineering College

Name: NITHIN S P 🗘

Email: 240801229@rajalakshmi.edu.in

Roll no: 240801229 Phone: 6369443065

Branch: REC

Department: I ECE AF

Batch: 2028

Degree: B.E - ECE



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 3\_COD\_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Milton is a diligent clerk at a school who has been assigned the task of managing class schedules. The school has various sections, and Milton needs to keep track of the class schedules for each section using a stack-based system.

He uses a program that allows him to push, pop, and display class schedules for each section. Milton's program uses a stack data structure, and each class schedule is represented as a character. Help him write a program using a linked list.

### **Input Format**

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the class schedule to be pushed onto the stack.

Choice 2: Pop class schedule from the stack

Choice 3: Display the class schedules in the stack.

Choice 4: Exit the program.

#### **Output Format**

The output displays messages according to the choice and the status of the stack:

- If the choice is 1, push the given class schedule to the stack and display the following: "Adding Section: [class schedule]"
- If the choice is 2, pop the class schedule from the stack and display the following: "Removing Section: [class schedule]"
- If the choice is 2, and if the stack is empty without any class schedules, print "Stack is empty. Cannot pop."
- If the choice is 3, print the class schedules in the stack in the following: "Enrolled Sections: " followed by the class schedules separated by space.
- If the choice is 3, and there are no class schedules in the stack, print "Stack is empty"
- If the choice is 4, exit the program and display the following: "Exiting the program"
  - If any other choice is entered, print "Invalid choice"

Refer to the sample output for the exact format.

## Sample Test Case

Input: 1 d

1 h

3

2

```
Output: Adding Section: d
Adding Section: h
Enrolle
    Removing Section: h
    Enrolled Sections: d
    Exiting program
    Answer
    #include <stdio.h>
    #include <stdlib.h>
    struct Node {
    char data;
      struct Node* next;
    struct Node* top = NULL;
    void push(char value) {
      if ((value < 'A' || value > 'Z') && (value < 'a' || value > 'z')) {
         printf("Invalid input. Only alphabetic characters are allowed.\n");
         return;
      struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
      if (!newNode) {
       printf("Memory allocation failed.\n");
         return;
      newNode->data = value;
      newNode->next = top;
      top = newNode;
      printf("Adding Section: %c\n", value);
    }
    void pop() {
      if (top == NULL) {
         printf("Stack is empty. Cannot pop.\n");
         return;
struct Node* temp = top;
```

```
top = top->next;
free(temp):
}
       printf("Removing Section: %c\n", top->data);
     void displayStack() {
       if (top == NULL) {
         printf("Stack is empty\n");
         return;
       }
       printf("Enrolled Sections: ");
       struct Node* temp = top;
       while (temp) {
         printf("%c ", temp->data);
         temp = temp->next;
       printf("\n");
     int main() {
       int choice;
       char value;
       do {
         scanf("%d", &choice);
         switch (choice) {
            case 1:
              scanf(" %c", &value);
push(value);
              break;
            case 2:
              pop();
              break;
            case 3:
              displayStack();
              break;
            case 4:
              printf("Exiting program\n");
              break;
            default:
                                                        240801229
              printf("Invalid choice\n");
while (choice != 4);
```

240801229

return 0; Marks : 10/10 Status: Correct