

.NET Connector 1.2.0

SQream Technologies

2019-03-27 | Version 1.2.0

Table of Contents

1. Prerequisites	1
2. Install the SQream .NET Driver.....	1
3. Create a connection to SQream DB	1
4. Run a Query.....	2
5. Run a Query with Dynamic Data	2
6. Error Handling	4
Copyright	5

This guide describes:

- The required prerequisites, and installation of the SQream .NET driver.
- How to create and maintain a connection to SQream DB for a .NET application.

1. Prerequisites

Install .NET Framework 4.0 or newer.

2. Install the SQream .NET Driver

- Download the SQream Node.js driver file: sqream-connector-[version].tgz.
- Unzip it.
- From your .NET project, add a reference to SqreamNet.dll.



To upgrade the provider for an existing project, just replace the exiting DLL file, or point the project to the new driver location.

3. Create a connection to SQream DB

Connecting to SQream DB is established by creating a SqreamConnection object with a connection string.

Import the SqreamNet namespace to your source code.

The following example shows how to connect to a server that listens on port 5000 on the local machine.

Example:

```
using SqreamNet;

var connectionString = "Data Source=127.0.0.1,5000;User=sqream;Password=sqream;Initial \
  \ Catalog=master;Integrated Security=true";
var connection = new SqreamConnection(connectionString);
connection.Open();
// Tip: Validate the connection was opened
if (connection.State != System.Data.ConnectionState.Open)
{
    throw new SqreamException(string.Format("failed to connect to sqream"));
}
```

4. Run a Query

Reading data from SQream DB is achieved by using the SqreamDataReader Object which implements the IDataReader interface.

The following example shows how to read all the records in the **books** table.

```
public class Book
{
    public int Id { get; set; }
    public string Title { get; set; }
    public string Author { get; set; }
}

public List<Book> GetAllBooks(SqreamConnection connection)
{
    var sql = "select id , title , author from books;";
    var command = new SqreamCommand(sql, connection);
    var reader = (SqreamDataReader)command.ExecuteReader();
    var result = new List<Book>();
    while (reader.Read())
    {
        var book = new Book
        {
            Id = reader.GetInt32(0),
            Title = reader.GetString(1),
            Author = reader.GetString(2)
        };

        result.Add(book);
    }
    return result;
}
```

5. Run a Query with Dynamic Data

When the data structure of the object is unknown, saving pre-defined indexes will not help. It is therefore recommended that you implement an extension method, which is an ability the .NET framework provides.

The following sample suggests a possible implementation to “wrap” the reader object so it would read the data, independent from query or data types.

Classes and list object are used to illustrate the functionality. This should be adjusted in your own program according to your needs.

```
/// <summary>
```

```

/// Extension to a collection class which contains rows of data
/// </summary>
public class ScreamCollectionEx
{
    public List<ScreamRowEx> Rows;
}

/// <summary>
/// Row of data which contains columns data
/// </summary>
public class ScreamRowEx
{
    public List<ScreamColumnEx> Columns;
}

/// <summary>
/// Column Data
/// </summary>
[DebuggerDisplay("Index: {Index} , Name: {Name} , Type: {TypeName} , Value: {Value}")]
public class ScreamColumnEx
{
    public int Index { get; set; }
    public string Name { get; set; }
    public string TypeName { get; set; }
    public object Value { get; set; }
}

/// <summary>
/// Reads the collection, extends scream data reader
/// </summary>
public static class ScreamNetEx
{
    public static ScreamCollectionEx ReadCollectionEx(this ScreamDataReader
reader)
    {
        var result = new ScreamCollectionEx();
        result.Rows = new List<ScreamRowEx>();
        while (reader.Read())
        {
            var row = new ScreamRowEx();
            row.Columns = new List<ScreamColumnEx>();
            for (int i = 0; i < reader.FieldCount; i++)
            {
                var column = new ScreamColumnEx();
                column.Index = i;
                column.TypeName = reader.GetDataTypeName(i);
                column.Name = reader.GetName(i);

                switch (reader.GetDataTypeName(i))
                {

```

```

        case "Boolean":
            column.Value = reader.GetBoolean(i);
            break;
        case "Int32":
            column.Value = reader.GetInt32(i);
            break;
        case "Int64":
            column.Value = reader.GetInt64(i);
            break;
        case "Single":
            column.Value = reader.GetFloat(i);
            break;
        case "Double":
            column.Value = reader.GetDouble(i);
            break;
        case "DateTime":
            column.Value = reader.GetDateTime(i);
            break;
        case "String":
            column.Value = reader.GetString(i);
            break;
        default:
            throw new SqreamException(string.Format("invalid type in
index: {0}", i));
    }
    row.Columns.Add(column);
}
result.Rows.Add(row);
}
return result;
}
}

// This code uses the extension method to retrieve the data:
var sql = "select id , title , author from books;";
var command = new SqreamCommand(sql, connection);
var reader = (SqreamDataReader)command.ExecuteReader();
var result = reader.ReadCollectionEx();

```

6. Error Handling

When working with the provider, it is recommended to implement the error handling on a per-project level.

Common Exceptions are:

Unsupported Functionalities – NotSupportedException
 Functionality that was not implemented – NotImplementedException
 SQream DB parsing or runtime errors – SqreamException

Copyright

Copyright © 2010-2019. All rights reserved.

This document is provided for information purposes only and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchant- ability or fitness for a particular purpose.

We specifically disclaim any liability with respect to this document and no contractual obligations are formed either directly or indirectly by this document.

This document may not be reproduced in any form, for any purpose, without our prior written permission.