



SRIRAM S (12/08/2006) 2024-IT ▾

**S2**

Started on	Wednesday, 5 November 2025, 4:05 AM
State	Finished
Completed on	Wednesday, 5 November 2025, 4:06 AM
Time taken	1 min 10 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

**Question 1** | Correct Mark 1.00 out of 1.00**Problem Statement:**

Given a sorted array of integers say arr[] and a number x. Write a recursive program using divide and conquer strategy to check if there exist two elements in the array whose sum = x. If there exist such two elements then return the numbers, otherwise print as "No".

Note: Write a Divide and Conquer Solution

**Input Format**

First Line Contains Integer n – Size of array

Next n lines Contains n numbers – Elements of an array

Last Line Contains Integer x – Sum Value

**Output Format**

First Line Contains Integer – Element1

Second Line Contains Integer – Element2 (Element 1 and Elements 2 together sums to value "x")

**Answer:** (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  void findPair(int arr[], int x, int left, int right) {
4      if (left >= right) {
5          printf("No\n");
6          return;
7      }
8
9      int sum = arr[left] + arr[right];
10     if (sum == x) {
11         printf("%d\n%d\n", arr[left], arr[right]);
12         return;
13     } else if (sum < x) {
14         findPair(arr, x, left + 1, right);
15     } else {
16         findPair(arr, x, left, right - 1);
17     }
18 }
19
20 int main() {
21     int n, x;
22     scanf("%d", &n);
23     int arr[n];
24
25     for (int i = 0; i < n; i++) {
26         scanf("%d", &arr[i]);
27     }
28
29     scanf("%d", &x);
30
31     findPair(arr, x, 0, n - 1);
32
33     return 0;
34 }
35

```

	Input	Expected	Got	
✓	4	4	4	✓
	2	10	10	
	4			
	8			
	10			
	14			
✓	5	No	No	✓
	2			
	4			
	6			
	8			
	10			
	100			

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)