

Project Proposal

due October 11, 2021 by 11:59 PM

Your names and team name here

Load Packages

```
library(tidyverse)
library(sf)
library(viridis)
library(ggspatial)
#devtools::install_github("thebioengineer/tidytuesdayR")

#tuesdata <- tidytuesdayR::tt_load('2020-02-25')
#tuesdata <- tidytuesdayR::tt_load(2020, week = 9)

#measles <- tuesdata$measles
```

Load Data

```
measles <- readr::read_csv('https://raw.githubusercontent.com/rfordatascience/tidytuesday/master/data/2020/02/02/measles.csv')
```

Introduction and Data, including Research Questions

We are choosing to study a data set about Measles Vaccination rates in schools across the country. That data set pulls from about 46,412 schools across 32 states in the years of 2017-2019. The data comes from a Wall Street Journal article published in October 2019 called “What’s the Measles Vaccination Rate at Your Child’s School?” which discusses the increasing rates of unvaccinated people that caused a high number of measles cases in the beginning of 2019. The Wall Street Journal compiled the data by reaching out to state health departments for kindergarten rates for individual schools across the country. Thus, our overarching research question is: How does measles vaccination rates vary across the country and demographics in schools? To do this we will look at the reasons why students are exempted from being vaccinated such as religious, medical or personal reasons and examine if there are any trends between the reason and geographic location. Additionally we will examine trends between the type of school, public, private, or charter, and schools overall vaccination rate. For our analysis we will mostly be using the variables state, type of school, vaccination rate, percentage of students with religious exemptions, percentage with personal exemptions, and percentage with medical exemptions. Since this data is a pre-COVID demonstration of vaccination rates, we can use it to help us tackle the current problem of COVID-19 vaccination. We can look at the vaccination trends of measles to target the geographic areas and types of schools which are less likely to be vaccinated. Furthermore, the rates of different measles vaccine exemptions can shed light on the reasoning behind lagging Covid-19 vaccination rates. We hypothesize that there will be a lower vaccination rate in private and religious schools rather than other types of schools. We also hypothesize that geographically, there will be a higher vaccination rate in states that have historically more progressive or liberal political standings, as well as less of a connection to

religion.

Glimpse

(Please use `glimpse` for your data, uploaded into the data folder, here.)

```
measles %>%  
  glimpse()  
  
## Rows: 66,113  
## Columns: 16  
## $ index      <dbl> 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 10, 11, 12, 13, 14, 15, 15, 16~  
## $ state      <chr> "Arizona", "Arizona", "Arizona", "Arizona", "Arizona", "Arizo~  
## $ year       <chr> "2018-19", "2018-19", "2018-19", "2018-19", "2018-19", "2018--  
## $ name       <chr> "A J Mitchell Elementary", "Academy Del Sol", "Academy Del So~  
## $ type       <chr> "Public", "Charter", "Charter", "Charter", "Charter", "Public~  
## $ city       <chr> "Nogales", "Tucson", "Tucson", "Phoenix", "Phoenix", "Phoenix~  
## $ county     <chr> "Santa Cruz", "Pima", "Pima", "Maricopa", "Maricopa", "Marico~  
## $ district   <lgl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, N~  
## $ enroll     <dbl> 51, 22, 85, 60, 43, 36, 24, 22, 26, 78, 78, 35, 54, 54, 34, 5~  
## $ mmr        <dbl> 100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 100, 1~  
## $ overall    <dbl> -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -1, -~  
## $ xrel       <lgl> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, N~  
## $ xmed       <dbl> NA, NA, NA, NA, 2.33, NA, NA, NA, NA, NA, NA, NA, 2.86, NA, 7.41,~  
## $ xper       <dbl> NA, NA, NA, NA, 2.33, NA, 4.17, NA, NA, NA, NA, NA, NA, NA, NA, N~  
## $ lat        <dbl> 31.34782, 32.22192, 32.13049, 33.48545, 33.49562, 33.43532, 3~  
## $ lng        <dbl> -110.9380, -110.8961, -111.1170, -112.1306, -112.2247, -112.1~
```

Data Analysis Plan

(Specify the outcome (response, Y) and predictor (explanatory, X) variables you will use to answer your question, as well as the comparison groups you will use, if applicable. You may include very preliminary exploratory data analysis, including some summary statistics and visualizations, along with some explanation on how they help you learn more about your data. Note the statistical method(s) that you believe will be useful in answering your question(s). What results from these specific statistical methods are needed to support your hypothesized answer?)

```
measles%>%  
  group_by(type, mmr) %>%  
  ggplot(aes(x=type, y=mmr)) +  
  geom_col()
```

