ICPSR 25504

National Health and Nutrition Examination Survey (NHANES), 2005-2006

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Prescription Medications

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25504.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25504

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 2005-2006

Questionnaire: Prescription Medications

SEQN	Respondent sequence number

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number. English Instructions:

RXDUSE Taken prescription medicine, past month

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In the past month have you used or taken medication for

which a prescription is needed? Do not include prescription vitamins or minerals you may have

already told me about. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	11431	63.5 %
2	No	6565	36.5 %
7	Refused	8	0.0 %
9	Don't know	1	0.0 %

RXDDRUG Generic drug name

Location: 7-68 (width: 62; decimal: 0)

Variable Type: character

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Generic drug name English Instructions:

RXDDRGID Generic drug code

Location: 69-74 (width: 6; decimal: 0)

Variable Type: character

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Generic drug code English Instructions:

RXQSEEN Medicine container seen by interviewer

Location: 75-75 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was prescription container seen by interviewer? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	9921	55.1 %
2	No	1421	7.9 %
. (M)	-	6663	37.0 %

RXDDAYS Number of days taken medicine

Location: 76-80 (width: 5; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: For how long have you been using or taking {PRODUCT NAME}? English Instructions:

Value	Label
77777	Refused
99999	Don't know

RXDCOUNT Number of prescription medicines taken

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: The number of prescription medicines reported English

Instructions:

Value	Unweighted Frequency	%
1	1427	7.9 %
2	1518	8.4 %
3	1425	7.9 %
4	1244	6.9 %
5	1150	6.4 %
6	990	5.5 %
7	868	4.8 %
8	608	3.4 %
9	666	3.7 %
10	520	2.9 %
11	319	1.8 %
12	240	1.3 %
13	169	0.9 %
14	140	0.8 %
15	60	0.3 %
16	32	0.2 %
17	17	0.1 %
18	18	0.1 %
20	20	0.1 %
. (M)	6574	36.5 %

SDDSRVYR Data Release Number

Location: 83-83 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
4	NHANES 2005-2006 Public Release	18005	100.0 %

RIDSTATR Interview/Examination Status

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	693	3.8 %
2	Both Interviewed and MEC examined	17312	96.2 %

RIDEXMON Six month time period

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Six month time period when the examination was performed

- two categories: November 1 through April 30, May 1 through October 31. English Instructions:

Value	Label	Unweighted Frequency	%
1	November 1 through April 30	8150	45.3 %
2	May 1 through October 31	9162	50.9 %
. (M)	-	693	3.8 %

RIAGENDR Gender

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	8558	47.5 %
2	Female	9447	52.5 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH

screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
0	-	568	3.2 %
1	-	418	2.3 %
2	-	399	2.2 %
3	-	250	1.4 %
4	-	271	1.5 %
5	-	275	1.5 %
6	-	251	1.4 %
7	-	197	1.1 %
8	-	224	1.2 %

Value	Label	Unweighted Frequency	%
9	-	222	1.2 %
10	-	257	1.4 %
11	-	193	1.1 %
12	-	323	1.8 %
13	-	327	1.8 %
14	-	299	1.7 %
15	-	346	1.9 %
16	-	341	1.9 %
17	-	313	1.7 %
18	-	358	2.0 %
19	-	304	1.7 %
20	-	112	0.6 %
21	-	116	0.6 %
22	-	125	0.7 %
23	-	124	0.7 %
24	-	143	0.8 %
25	-	141	0.8 %
26	-	119	0.7 %
27	-	117	0.6 %
28	-	127	0.7 %
29	-	152	0.8 %
30	-	130	0.7 %
31	-	108	0.6 %
32	-	100	0.6 %
33	-	106	0.6 %
34	-	140	0.8 %
35	-	130	0.7 %
36	-	123	0.7 %
37	-	114	0.6 %
38	-	135	0.7 %
39	-	128	0.7 %
40	-	185	1.0 %
41	-	180	1.0 %
42	-	126	0.7 %
43	-	138	0.8 %
44	-	143	0.8 %
45	-	172	1.0 %
46	-	197	1.1 %
47	-	133	0.7 %
48	-	167	0.9 %

- Study 25504 -

Value	Label	Unweighted Frequency	%
49	-	142	0.8 %
50	-	214	1.2 %
51	-	210	1.2 %
52	-	128	0.7 %
53	-	182	1.0 %
54	-	185	1.0 %
55	-	163	0.9 %
56	-	169	0.9 %
57	-	120	0.7 %
58	-	183	1.0 %
59	-	238	1.3 %
60	-	262	1.5 %
61	-	246	1.4 %
62	-	246	1.4 %
63	-	258	1.4 %
64	-	230	1.3 %
65	-	235	1.3 %
66	-	253	1.4 %
67	-	247	1.4 %
68	-	126	0.7 %
69	-	263	1.5 %
70	-	211	1.2 %
71	-	226	1.3 %
72	-	174	1.0 %
73	-	244	1.4 %
74	-	209	1.2 %
75	-	166	0.9 %
76	-	199	1.1 %
77	-	180	1.0 %
78	-	188	1.0 %
79	-	149	0.8 %
80	-	218	1.2 %
81	-	286	1.6 %
82	-	192	1.1 %
83	-	189	1.0 %
84	-	133	0.7 %
85	>= 85 years of age	674	3.7 %

RIDAGEMN

Age in Months - Recode

Location: 89-92 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 93-96 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	3683	20.5 %
2	Other Hispanic	447	2.5 %
3	Non-Hispanic White	8500	47.2 %
4	Non-Hispanic Black	4570	25.4 %
5	Other Race - Including Multi-Racial	805	4.5 %

DMQMILIT Veteran/Military Status

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	2398	13.3 %
2	No	10441	58.0 %
7	Refused	5	0.0 %
. (M)	-	5161	28.7 %

DMDBORN Country of Birth - Recode

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	15754	87.5 %
2	Born in Mexico	1289	7.2 %
3	Born Elsewhere	957	5.3 %
7	Refused	5	0.0 %

DMDCITZN Citizenship Status

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	16622	92.3 %
2	Not a citizen of the US	1375	7.6 %
7	Refused	7	0.0 %
9	Don't know	1	0.0 %

DMDYRSUS Length of time in US

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	56	0.3 %
2	1 yr., less than 5 yrs.	377	2.1 %
3	5 yrs., less than 10 yrs.	403	2.2 %
4	10 yrs., less than 15 yrs.	299	1.7 %
5	15 yrs., less than 20 yrs.	176	1.0 %
6	20 yrs., less than 30 yrs.	277	1.5 %
7	30 yrs., less than 40 yrs.	243	1.3 %
8	40 yrs., less than 50 yrs.	132	0.7 %
9	50 years or more	215	1.2 %
77	Refused	23	0.1 %
99	Don't know	37	0.2 %
. (M)	-	15767	87.6 %

DMDEDUC3 Education Level - Children/Youth 6-19

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
0	Never Attended / Kindergarten Only	290	1.6 %

Value	Label	Unweighted Frequency	%
1	1st Grade	219	1.2 %
2	2nd Grade	222	1.2 %
3	3rd Grade	249	1.4 %
4	4th Grade	248	1.4 %
5	5th Grade	218	1.2 %
6	6th Grade	334	1.9 %
7	7th Grade	311	1.7 %
8	8th Grade	347	1.9 %
9	9th Grade	332	1.8 %
10	10th Grade	362	2.0 %
11	11th Grade	307	1.7 %
12	12th Grade, No Diploma	51	0.3 %
13	High School Graduate	244	1.4 %
14	GED or Equivalent	11	0.1 %
15	More than high school	165	0.9 %
66	Less Than 9th Grade	43	0.2 %
99	Don't know	1	0.0 %
. (M)	-	14051	78.0 %

DMDEDUC2 **Education Level - Adults 20+**

Location: 105-105 (width: 1; decimal: 0)

Variable Type:

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	1555	8.6 %
2	9-11th Grade (Includes 12th grade with no diploma)	1834	10.2 %
3	High School Grad/GED or Equivalent	2987	16.6 %
4	Some College or AA degree	3285	18.2 %
5	College Graduate or above	2196	12.2 %
7	Refused	6	0.0 %
9	Don't Know	6	0.0 %
. (M)	-	6136	34.1 %

DMDSCHOL Now attending school?

Location: 106-106 (width: 1; decimal: 0)

Variable Type:

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	2685	14.9 %
2	On vacation from school (between grades)	650	3.6 %
3	Neither in school or on vacation from school (btwn grades)	325	1.8 %
. (M)	-	14345	79.7 %

DMDMARTL Marital Status

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	6331	35.2 %
2	Widowed	1839	10.2 %
3	Divorced	1406	7.8 %
4	Separated	388	2.2 %
5	Never married	3165	17.6 %
6	Living with partner	691	3.8 %
77	Refused	8	0.0 %
99	Don't know	1	0.0 %
. (M)	-	4176	23.2 %

DMDHHSIZ Total number of people in the Household

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	2476	13.8 %
2	-	4876	27.1 %
3	-	3020	16.8 %
4	-	3034	16.9 %
5	-	2295	12.7 %
6	-	1134	6.3 %
7	7 or more people in the Household	1170	6.5 %

DMDFMSIZ Total number of people in the Family

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Family English Instructions:

Value	Label	Unweighted Frequency	%
1	-	3216	17.9 %
2	-	4553	25.3 %
3	-	2906	16.1 %
4	-	2940	16.3 %
5	-	2216	12.3 %
6	-	1139	6.3 %
7	7 or more people in the Family	1035	5.7 %

INDHHINC Annual Household Income

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	353	2.0 %
2	\$ 5,000 to \$ 9,999	1040	5.8 %
3	\$10,000 to \$14,999	1559	8.7 %
4	\$15,000 to \$19,999	1413	7.8 %
5	\$20,000 to \$24,999	1493	8.3 %
6	\$25,000 to \$34,999	2382	13.2 %
7	\$35,000 to \$44,999	1726	9.6 %
8	\$45,000 to \$54,999	1589	8.8 %
9	\$55,000 to \$64,999	961	5.3 %
10	\$65,000 to \$74,999	870	4.8 %
11	\$75,000 and Over	3575	19.9 %
12	Over \$20,000	379	2.1 %
13	Under \$20,000	127	0.7 %
77	Refused	104	0.6 %
99	Don't know	265	1.5 %
. (M)	-	169	0.9 %

INDFMINC Annual Family Income

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	484	2.7 %
2	\$ 5,000 to \$ 9,999	1122	6.2 %

Value	Label	Unweighted Frequency	%
3	\$10,000 to \$14,999	1685	9.4 %
4	\$15,000 to \$19,999	1436	8.0 %
5	\$20,000 to \$24,999	1541	8.6 %
6	\$25,000 to \$34,999	2406	13.4 %
7	\$35,000 to \$44,999	1737	9.6 %
8	\$45,000 to \$54,999	1567	8.7 %
9	\$55,000 to \$64,999	885	4.9 %
10	\$65,000 to \$74,999	835	4.6 %
11	\$75,000 and Over	3396	18.9 %
12	Over \$20,000	301	1.7 %
13	Under \$20,000	126	0.7 %
77	Refused	120	0.7 %
99	Don't know	224	1.2 %
. (M)	-	140	0.8 %

INDFMPIR Family PIR

Location: 115-119 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value Label
5 PIR value greater than or equal to 5.00

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab pregnancy test or self-reported pregnant	425	2.4 %
2	SP not pregnant at exam	4456	24.7 %
3	Cannot ascertain if SP is pregnant at exam	289	1.6 %
. (M)	-	12835	71.3 %

DMDHRGND HH Ref Person Gender

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	9669	53.7 %
2	Female	8336	46.3 %

DMDHRAGE

HH Ref Person Age

Location:

122-123 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
17	-	4	0.0 %
18	-	115	0.6 %
19	-	143	0.8 %
20	-	129	0.7 %
21	-	138	0.8 %
22	-	137	0.8 %
23	-	168	0.9 %
24	-	241	1.3 %
25	-	248	1.4 %
26	-	271	1.5 %
27	-	272	1.5 %
28	-	251	1.4 %
29	-	303	1.7 %
30	-	263	1.5 %
31	-	323	1.8 %
32	-	285	1.6 %
33	-	330	1.8 %
34	-	356	2.0 %
35	-	430	2.4 %
36	-	329	1.8 %
37	-	344	1.9 %
38	-	377	2.1 %
39	-	334	1.9 %
40	-	521	2.9 %
41	-	409	2.3 %
42	-	418	2.3 %
43	-	386	2.1 %
44	-	321	1.8 %
45	-	355	2.0 %
46	-	344	1.9 %
47	-	410	2.3 %

Value	Label	Unweighted Frequency	%
48	-	303	1.7 %
49	-	251	1.4 %
50	-	300	1.7 %
51	-	371	2.1 %
52	-	215	1.2 %
53	-	280	1.6 %
54	-	265	1.5 %
55	-	163	0.9 %
56	-	202	1.1 %
57	-	165	0.9 %
58	-	218	1.2 %
59	-	249	1.4 %
60	-	304	1.7 %
61	-	242	1.3 %
62	-	307	1.7 %
63	-	239	1.3 %
64	-	239	1.3 %
65	-	290	1.6 %
66	_	271	1.5 %
67	-	274	1.5 %
68	-	107	0.6 %
69	-	318	1.8 %
70	-	225	1.2 %
71	-	235	1.3 %
72	-	131	0.7 %
73		260	1.4 %
74		196	1.1 %
7 4 75	-	139	0.8 %
76	-	316	1.8 %
	-		
77 70	-	96	0.5 %
78 70	-	170	0.9 %
79	-	154	0.9 %
80	-	196	1.1 %
81	-	250	1.4 %
82	-	192	1.1 %
83	-	163	0.9 %
84	-	105	0.6 %
85	>= 85 years of age	649	3.6 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 124-124 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	14156	78.6 %
2	Born in Mexico	2066	11.5 %
3	Born Elsewhere	1356	7.5 %
7	Refused	8	0.0 %
9	Don't know	2	0.0 %
. (M)	-	417	2.3 %

DMDHREDU HH Ref Person Education Level

Location: 125-125 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	2155	12.0 %
2	9-11th Grade (Includes 12th grade with no diploma)	2920	16.2 %
3	High School Grad/GED or equivalent	4405	24.5 %
4	Some College or AA degree	4842	26.9 %
5	College Graduate or above	3192	17.7 %
7	Refused	15	0.1 %
9	Don't know	61	0.3 %
. (M)	-	415	2.3 %

DMDHRMAR HH Ref Person Marital Status

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeri

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	10216	56.7 %
2	Widowed	1842	10.2 %
3	Divorced	1895	10.5 %
4	Separated	734	4.1 %
5	Never married	2012	11.2 %
6	Living with partner	864	4.8 %
77	Refused	58	0.3 %

Value	Label	Unweighted Frequency	%
99	Don't know	2	0.0 %
. (M)	-	382	2.1 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	1295	7.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	1138	6.3 %
3	High School Grad/GED or equivalent	2300	12.8 %
4	Some College or AA degree	2653	14.7 %
5	College Graduate or above	2037	11.3 %
7	Refused	4	0.0 %
9	Don't know	42	0.2 %
. (M)	-	8536	47.4 %

SIALANG Language of SP Interview

Location: 129-129 (width: 1; decimal: 0)

Variable Type: numeri

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Sample Person Interview Instrument

English Instructions:

Value	Label	Unweighted Frequency	%
1	English	16176	89.8 %
2	Spanish	1824	10.1 %
. (M)	-	5	0.0 %

SIAPROXY Proxy used in SP Interview?

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Sample

Person (SP) interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	5085	28.2 %
2	No	12915	71.7 %
. (M)	-	5	0.0 %

SIAINTRP Interpreter used in SP Interview?

Location: 131-131 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Sample Person

(SP) interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	353	2.0 %
2	No	17647	98.0 %
. (M)	-	5	0.0 %

FIALANG Language of Family Interview

Location: 132-132 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the Family Interview Instrument English

Instructions:

Value	Label	Unweighted Frequency	%
1	English	16655	92.5 %
2	Spanish	1205	6.7 %
. (M)	-	145	0.8 %

FIAPROXY Proxy used in Family Interview?

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the Family

Interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	67	0.4 %
2	No	17793	98.8 %
. (M)	-	145	0.8 %

FIAINTRP Interpreter used in Family Interview?

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the Family interview?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	285	1.6 %
2	No	17575	97.6 %
. (M)	-	145	0.8 %

MIALANG Language of MEC Interview

Location: 135-135 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the CAPI MEC Interview Instrument English

Instructions:

Value	Label	Unweighted Frequency	%
1	English	12749	70.8 %
2	Spanish	910	5.1 %
. (M)	-	4346	24.1 %

MIAPROXY Proxy used in MEC Interview?

Location: 136-136 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was a Proxy respondent used in conducting the MEC

CAPI Interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	180	1.0 %
2	No	13479	74.9 %
. (M)	-	4346	24.1 %

MIAINTRP Interpreter used in MEC Interview?

Location: 137-137 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Was an interpreter used to conduct the MEC CAPI

interview? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	29	0.2 %
2	No	13630	75.7 %
. (M)	-	4346	24.1 %

AIALANG Language of ACASI Interview

Location: 138-138 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Language of the MEC ACASI Interview Instrument English

Instructions:

Value	Label	Unweighted Frequency	%
1	English	13144	73.0 %
2	Spanish	920	5.1 %
. (M)	-	3941	21.9 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 139-152 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 153-166 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 167-167 (width: 1; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

 Value
 Unweighted Frequency
 %

 1
 8678
 48.2 %

 2
 9327
 51.8 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
44	1488	8.3 %
45	1123	6.2 %
46	1408	7.8 %
47	1270	7.1 %
48	1058	5.9 %
49	1771	9.8 %
50	1414	7.9 %
51	1040	5.8 %
52	1112	6.2 %
53	1042	5.8 %
54	1062	5.9 %
55	1075	6.0 %
56	1176	6.5 %
57	1025	5.7 %
58	941	5.2 %