

# Approximate Algorithm example

KRZYSZTOF BARTOSZEK

732A94 Advanced R Programming

Department of Computer and Information Science, Linköping University

29 IX, 1 X 2025 (U2)

The approximate algorithm example here is taken from the below book.

1. Vazirani, V. V., 2005, *Algoritmy aproksymacyjne* (in Polish). WNT, Warsaw, Poland.  
(English original: Vazirani, V. V., 2003, *Approximation algorithms*. Springer)

## Vertex covering problem

For a given graph  $G = (V, E)$ , where  $V$  is the set of vertices and  $E$  the set of edges, find the smallest subset  $V' \subseteq V$  of vertices from  $V$  such that each edge from  $E$  has an ending in  $V'$ . The vertex covering problem is NP-hard.




Figure 1: Minimum vertex covering examples.

By Miyam—Own work, CC BY-SA 3.0, [https://en.wikipedia.org/wiki/Vertex\\_cover](https://en.wikipedia.org/wiki/Vertex_cover)

## Maximal matching problem

For a given graph  $G = (V, E)$  find a *matching*, i.e. set  $M$  of edges in  $E$  such that they do not have any common vertices, that is maximal (i.e. no edge can be added to it).




Figure 2: Maximal matching examples.

By Miyam—Own work, CC BY-SA 3.0, [https://en.wikipedia.org/wiki/Matching\\_\(graph\\_theory\)](https://en.wikipedia.org/wiki/Matching_(graph_theory))

For any given graph a maximal matching can be found in polynomial time using a greedy approach.

1. Set  $M := \emptyset$
2. Choose any edge,  $e$ .
3. Set  $M := M \cup \{e\}$ .
4. Remove the ends of the edge from the graph (i.e. remove  $e$ 's vertices from  $V$  and edges with  $e$ 's vertices from  $E$ ).
5. Repeat steps 2–4 until the graph is empty (i.e.  $V = \emptyset$  and  $E = \emptyset$ ).

**Remark** Notice that any maximal matching induces a vertex covering set (not necessarily the smallest). If it were not the case, i.e. that there would be edges that do not have endings in the set of vertices induced by the matching, then these edges could be added to the matching.

### Approximate algorithm for the vertex covering problem

Finding a maximal matching is a 2–approximate algorithm for the vertex covering problem.

**Proof** If  $OPT$  is the power of  $V'$ , i.e.  $OPT = |V'|$ , then  $|M| \leq OPT$  as any vertex cover must contain at least one ending of the matching (since its induced vertices cover each edge). But then  $2|M| \leq 2OPT$  is the size of the covering from the approximate algorithm. We hence obtain  $S_{\text{approx}} \leq 2S_{\text{opt}}$ .