1. HKDSE MATH Core Practice Paper II Q1

 $x^3(2x+x) =$

- A. $3x^4$.
- B. $2x^5$.
- C. $3x^5$.
- D. $2x^6$.

2. HKDSE MATH Core Practice Paper II Q2

If 3a + 1 = 3(b - 2), then b =

- A. a + 1.
- B. a + 3.
- C. $a + \frac{7}{3}$.
- D. $a \frac{5}{3}$.

3. HKDSE MATH Core Practice Paper II Q3

 $p^2 - q^2 - p - q =$

- A. (p+q)(p-q-1).
- B. (p+q)(p+q-1).
- C. (p-q)(p-q+1).
- D. (p-q)(p+q-1).

4. HKDSE MATH Core Practice Paper II Q4

Let m and n be constants. If $m(x-3)^2 + n(x+1)^2 \equiv x^2 - 38x + 41$, then m =

- A. -4.
- B. -1.
- C. 3.
- D. 5.

5. HKDSE MATH Core Practice Paper II Q5

Let $f(x) = x^4 - x^3 + x^2 - x + 1$. When f(x) is divided by x + 2, the remainder is

- A. -2.
- B. 0.
- C. 11.


Let k be a constant. If the quadratic equation $3x^2 + 2kx - k = 0$ has equal roots, then k =

- A. -3.
- B. 3.
- C. -3 or 0.
- D. 0 or 3.


7. HKDSE MATH Core Practice Paper II Q7

In the figure, the x-intercept of the straight lines L_1 and L_2 are 5 while the y-intercepts of the straight lines L_2 and L_3 are 3. Which og the following are true?

- I. The solution of the inequality f(x) > k is x < 1 or x > 7.
- II. The roots of the equation f(x) = k are 1 and 7.
- III. The equation of the axis of symmetry of the quadratic graph of y = f(x) is x = 3.



- B. I and III only
- C. II and III only
- D. I, II and III




8. HKDSE MATH Core Practice Paper II Q8

The figure shows the graph of $y = ax^2 - 2x + b$, where a and b are constants. Which of the following is/are true?

I.
$$a > 0$$

II.
$$b < 0$$


III.
$$ab < 1$$



- A. I only
- B. II only
- C. I and III only
- D. II and III only

In the figure, the quadratic graph of y = f(x) intersects the straight line L at A(1, k) and B(7, k). Which of the following are true?

- I. The equation of L_3 is x = 5.
- II. The slope of L_2 is $\frac{3}{5}$.
- III. The point (2,3) lies on L_3 .
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III



10. HKDSE MATH Core Practice Paper II Q10

Mary sold two bags for \$240 each. She gained 20% on one and lost 20% on the other. After the two transactions, Mary

- A. lost \$20.
- B. gained \$10.
- C. gained \$60.
- D. had no gain and no loss.

11. HKDSE MATH Core Practice Paper II Q11

Let a_n be the *n*th term of a sequence. If $a_1 = 4$, $a_2 = 5$ and $a_{n+2} = a_n + a_{n+1}$ for any positive integer n, then $a_{10} =$

A. 13.B. 157.C. 254.D. 411.

12. HKDSE MATH Core Practice Paper II Q12

If the length and the width of a rectangle are increased by 20% and x% respectively so that its area is increased by 50%, then x =

- A. 20.
- B. 25.
- C. 30.
- D. 35.

13. HKDSE MATH Core Practice Paper II Q13

If x, y and z are non-zero numbers such that 2x = 3y and x = 2z, then (x + z) : (x + y) =

- A. 3:5.
- B. 6:7.
- C. 9:7.
- D. 9:10.

14. HKDSE MATH Core Practice Paper II Q14

It is given that z varies directly as x and inversely as y. When x=3 and y=4, z=18. When x=2 and z=8, y=


- A. 1.
- B. 3.
- C. 6.
- D. 9.

15. HKDSE MATH Core Practice Paper II Q15

The lengths of the three sides of a triangle are measured as 15 cm, 24 cm and 25 cm respectively. If the three measurements are correct to the nearest cm, find the percentage error in calculating the perimeter of the triangle correct to the nearest 0.1%.

- A. 0.8%
- B. 2.3%
- C. 4.7%
- D. 6.3%


In the figure, O is the centre of the circle. C and D are points lying on the circle. OBC and BAD are straight lines. If OC = 20 cm and OA = AB = 10 cm, find the area of the shaded region BCD correct to the nearest cm².



- A. 214 cm^2
- $B. 230 cm^2$
- $C. 246 \text{ cm}^2$
- D. 270 cm^2

17. HKDSE MATH Core Practice Paper II Q17


The figure shows a right circular cylinder, a hemisphere and a right circular cone with equal base radii. Their curved surface areas are $a~{\rm cm}^2$, $b~{\rm cm}^2$ and $c~{\rm cm}^2$ respectively.



Which of the following is true?

- A. a < b < c
- B. a < c < b
- C. c < a < b

In the figure, ABCD is a parallelogram. T is a point lying on AB such that DT is perpendicular to AB. It is given that Cd = 9 cm and AT : TB = 1 : 2. If the area of the parallelogram ABCDis 36 cm^2 , then the perimeter of the parallelogram ABCD is




- A. 26 cm.
- B. 28 cm.
- C. 30 cm.
- D. 32 cm.

19. HKDSE MATH Core Practice Paper II Q19
$$\frac{\sin\theta}{\cos60^{\circ}} + \frac{\cos{(270^{\circ}-\theta)}}{\tan45^{\circ}} =$$

- A. $\sin \theta$.
- B. $3\sin\theta$.
- C. $2\sin\theta \cos\theta$.
- D. $2\sin\theta + \cos\theta$.


20. HKDSE MATH Core Practice Paper II Q20

In the figure, AB = 1 cm, BC = CD = DE = 2 cm and EF = 3 cm. Find the distance between A and F correct to the nearest 0.1 cm.



- A. 7.2 cm
- B. 7.4 cm
- $C.~8.0~\mathrm{cm}$
- D. 8.1 cm

In the figure, ABCD is a semi-circle. If BC = CD, then $\angle ADC =$



В.	. 121°.	
С.	. 124°.	
D.	. 126°.	
In t		MATH Core Practice Paper II Q22 are, O is the centre of the circle $ABCDE$. If $\angle ABE = 30^{\circ}$ and $\angle CDE = 105^{\circ}$, then
		SPFigure2.22.png
Α.	. 120°.	
В.	. 135°.	
С.	. 150°.	
D.	. 165°.	
		MATH Core Practice Paper II Q23 ure ABCD is a parallelogram E is a point lying on AD BE produced and CD
111 (ле пв	ure, $ABCD$ is a parallelogram. F is a point lying on AD . BF produced and CD


produced meet at E . If CD:DE=2:1, then AF:BC=

A. 118°.



- A. 1:2.
- B. 2:3.
- C. 3:4.
- D. 8:9.


In the figure, ABC is a straight line. If BD=CD and AB=10 cm, find BC corrent to the nearest cm.



- A. 8 cm
- B. 13 cm
- $C.\ 14\ cm$
- $D.\ 15\ cm$

$25.\ \mathbf{HKDSE}\ \mathbf{MATH}\ \mathbf{Core}\ \mathbf{Practice}\ \mathbf{Paper}\ \mathbf{II}\ \mathbf{Q25}$

In the figure, the two 6-sided polygons show



- B. a reflection transformation.
- C. a translation transformation.
- D. a dilation transformation.

If the point (-4,3) is rotated anti-clockwise about the origin through 180° , then the coordinates of its image are

- A. (-3, -4).
- B. (3,4).
- C. (-4, -3).
- D. (4, -3).

27. HKDSE MATH Core Practice Paper II Q27

The box-and-whisker diagram below shows the distribution of the scores (in marks) of the students of a class in a test.



If the passing score of the test is 50 marks, then the passing percentage of the class is

- A. 25%.
- B. 50%.
- C. 70%.
- D. 75%.

28. HKDSE MATH Core Practice Paper II Q28

The stem-and-leaf diagram below shows the distribution of heights (in cm) of 23 staff members in an office. Find the median of the distribution.

	Leaf (units)		
15	3 3 4 5 6 7 9		
16	1 2 2 3 5 6 6 8		
17	$1\ 2\ 6\ 7\ 9$		
18	3 3 4 5 6 7 9 1 2 2 3 5 6 6 8 1 2 6 7 9 2 6 7		

- A. 164 cm
- B. 165 cm
- C. 165.5 cm

D. 166 cm

29. HKDSE MATH Core Practice Paper II Q29

 $\{a-7, a-1, a, a+2, a+4, a+8\}$ and $\{a-9, a-2, a-1, a+3, a+4, a+6\}$ are two groups of numbers. Which of the following is/are true?

- I. The two groups of numbers have the same mean.
- II. The two groups of numbers have the same median.
- III. The two groups of numbers have the same range.
 - A. I only
 - B. II only
 - C. I and III only
 - D. II and III only

30. HKDSE MATH Core Practice Paper II Q30

The students' union of a school of 950 students wants to investigate the opinions of students in the school on the services provided by the tuck shop. A questionnaire is designed by the students' union and only the chairperson and vice-chairperson of the students' union are selected as a Practice to fill in the questionnaire. Which of the following are the disadvantages of this sampling method?

- I. The Practice size is very small.
- II. Not all students in the school are selected.
- III. Not all students in the school have an equal chance of being selected.
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III

31. HKDSE MATH Core Practice Paper II Q31

$$\frac{1}{2-x} + \frac{x-1}{(x-2)^2} =$$

A.
$$\frac{-2}{(2-x)^2}$$
.

B.
$$\frac{1}{(2-x)^2}$$
.

C.
$$\frac{-2x+3}{(2-x)^2}$$
.

D.
$$\frac{2x-3}{(2-x)^2}$$
.

The graph in the figure shows the linear relation between x and $\log_5 y$. If $y = ab^x$, then a =

 ${\tt SPFigure 2.32.png}$

- A. 1.
- B. 2.
- C. 5.
- D. 25.

$33.\ HKDSE\ MATH\ Core\ Practice\ Paper\ II\ Q33$

 $1010010001001_2 =$

A.
$$2^{12} + 2^{10} + 137$$
.

B.
$$2^{12} + 2^{10} + 273$$
.

C.
$$2^{13} + 2^{11} + 137$$
.

D.
$$2^{13} + 2^{11} + 273$$
.

34. HKDSE MATH Core Practice Paper II Q34

If k is a real number, then $4k - \frac{6 + ki}{i} =$

A.
$$3k + 6i$$
.

- B. 3k 6i.
- C. 5k + 6i.
- D. 5k 6i.

Which of the triangular regions in the figure may represent the solution of $\begin{cases} 0 \le x \le 6 \\ 0 \le y \le 3? \\ x \le 2y \end{cases}$

- A. $\triangle OAC$
- B. $\triangle OBD$
- C. $\triangle OCE$
- D. $\triangle ODF$


36. HKDSE MATH Core Practice Paper II Q36

If the 3rd term and the 6th term of an arithmetic sequence are 18 and -6 respectively, then 2nd term of the sequence is

- A. -8.
- B. 10.
- C. 26.
- D. 34.

37. HKDSE MATH Core Practice Paper II Q37

If the figure shows the graph of y = f(x) and the graph of y = g(x) on the same rectangular coordinate system, then



A.
$$g(x) = f(x-2) - 3$$
.

B.
$$g(x) = f(x-2) + 3$$
.

C.
$$g(x) = f(x+2) - 3$$
.

D.
$$g(x) = f(x+2) + 3$$
.

$38.\ \mathbf{HKDSE}\ \mathbf{MATH}\ \mathbf{Core}\ \mathbf{Practice}\ \mathbf{Paper}\ \mathbf{II}\ \mathbf{Q38}$

In the figure, y =




- A. $\frac{x\sin 77^{\circ}}{\sin 56^{\circ}}.$
- B. $\frac{x\sin 47^{\circ}}{\sin 56^{\circ}}$
- C. $\frac{x \sin 56^{\circ}}{\sin 77^{\circ}}$
- D. $\frac{x \sin 77^{\circ}}{\sin 47^{\circ}}$

Peter invests P at the beginning of each month in a year at an interest rate of 6% per annum, compounded monthly. If he gets 10~000 at the end of the year, find P correct to the 2 decimal places.

- A. 806.63
- B. 829.19
- C. 833.33
- D. 882.18


40. HKDSE MATH Core Practice Paper II Q40

The figure shows a cuboid ABCDEFGH. If the angle between the triangle ACE and the plane ABCD is θ , then $\tan \theta =$




- A. 2.
- B. $\frac{3}{2}$.
- C. $\frac{5}{2}$.
- D. $\frac{12}{5}$.

In the figure, A, B and C are points lying on the circle. TA is the tangent to the circle at A. The straight line CBT is perpendicular to TA. If BC = 6 cm, find the radius of the circle correct to the nearest 0.1 cm.



- A. 3.2 cm
- B. 3.9 cm
- $C.\ 4.2\ cm$
- D. 4.7 cm

Let a be a constant and $-90^{\circ} < b < 90^{\circ}$. If the figure shows the graph of $y = a \cos{(x^{\circ} + b)}$, then



A.
$$a = -3$$
 and $b = -40^{\circ}$.

B.
$$a = -3$$
 and $b = 40^{\circ}$.

C.
$$a = 3 \text{ and } b = -40^{\circ}$$
.

D.
$$a = 3 \text{ and } b = 40^{\circ}$$
.

Bag A contains 2 red balls, 3 green balls and 4 white balls while bag B contains 2 red balls, 3 green balls and 4 yellow balls. If one ball is drawn randomly from each bag, then the probability that the two balls drawn are of different colours is

A.
$$\frac{13}{81}$$
.

B.
$$\frac{29}{81}$$
.

C.
$$\frac{52}{81}$$
.

D.
$$\frac{68}{81}$$
.

44. HKDSE MATH Core Practice Paper II Q44

If 2 girls and 5 boys randomly form a queue, find the probability that the two girls are next to each other in the queue.

- A. $\frac{1}{7}$
- B. $\frac{2}{7}$
- C. $\frac{6}{7}$
- D. $\frac{1}{21}$

70

D.

45. HKDSE MATH Core Practice Paper II Q45

A set of numbers has a mode of 32, an inter-quartile range of 27 and a variance of 25. If 3 is added to each number of the set and each resulting number is then doubled to form a new set of numbers, find the mode, the inter-quartile range and the variance of the new set of numbers.

100

Mode Inter-quartile range Variance

		1	O
A.	64	60	50
В.	70	60	100
C.	70	54	50

54