## 1. HKDSE MATH Core Practice Paper II Q1

 $x^3(2x+x) =$ 

- A.  $3x^4$ .
- B.  $2x^5$ .
- C.  $3x^5$ .
- D.  $2x^6$ .

### 2. HKDSE MATH Core Practice Paper II Q2

If 3a + 1 = 3(b - 2), then b =

- A. a + 1.
- B. a + 3.
- C.  $a + \frac{7}{3}$ .
- D.  $a \frac{5}{3}$ .

### 3. HKDSE MATH Core Practice Paper II Q3

 $p^2 - q^2 - p - q =$ 

- A. (p+q)(p-q-1).
- B. (p+q)(p+q-1).
- C. (p-q)(p-q+1).
- D. (p-q)(p+q-1).

## 4. HKDSE MATH Core Practice Paper II Q4

Let m and n be constants. If  $m(x-3)^2 + n(x+1)^2 \equiv x^2 - 38x + 41$ , then m =

- A. -4.
- B. -1.
- C. 3.
- D. 5.

## 5. HKDSE MATH Core Practice Paper II Q5

Let  $f(x) = x^4 - x^3 + x^2 - x + 1$ . When f(x) is divided by x + 2, the remainder is

- A. -2.
- B. 0.
- C. 11.


Let k be a constant. If the quadratic equation  $3x^2 + 2kx - k = 0$  has equal roots, then k =

- A. -3.
- B. 3.
- C. -3 or 0.
- D. 0 or 3.


### 7. HKDSE MATH Core Practice Paper II Q7

In the figure, the x-intercept of the straight lines  $L_1$  and  $L_2$  are 5 while the y-intercepts of the straight lines  $L_2$  and  $L_3$  are 3. Which og the following are true?

- I. The solution of the inequality f(x) > k is x < 1 or x > 7.
- II. The roots of the equation f(x) = k are 1 and 7.
- III. The equation of the axis of symmetry of the quadratic graph of y = f(x) is x = 3.



- B. I and III only
- C. II and III only
- D. I, II and III




## 8. HKDSE MATH Core Practice Paper II Q8

The figure shows the graph of  $y = ax^2 - 2x + b$ , where a and b are constants. Which of the following is/are true?

I. 
$$a > 0$$

II. 
$$b < 0$$

III. 
$$ab < 1$$



- A. I only
- B. II only
- C. I and III only
- D. II and III only

The solution of 4x > x - 3 or 3 - x < x + 7 is

- A. x > -2.
- B. x < -2.
- C. x > -1
- D. x < -2 or x > -1.

#### 10. HKDSE MATH Core Practice Paper II Q10

John buys a vase for \$1600. He then seels the vase to Susan at a profit of 20%. At what price should Susan sell the vase in order to have a profit of 20%?

- A. \$2240
- B. \$2304
- C. \$2400
- D. \$2500

#### 11. HKDSE MATH Core Practice Paper II Q11

If the circumference of a circle is increased by 40%, then the area of the circle is increased by

- A. 18%.
- B. 20%.
- C. 40%.
- D. 96%.

## 12. HKDSE MATH Core Practice Paper II Q12

Let  $\alpha$  and  $\beta$  be non-zero constants. If  $(\alpha + \beta) : (3\alpha - \beta) = 7 : 3$ , then  $\alpha : \beta =$ 

- A. 5:9.
- B. 9:5.

- C. 19:29.
- D. 29:19.

If z varies directly as x and inversely as  $y^2$ , which of the following must be constant?

- A.  $\frac{x}{y^2z}$ B.  $\frac{z}{xy^2}$ C.  $\frac{yz}{x^2}$ D.  $\frac{xz}{y^2}$


### 14. HKDSE MATH Core Practice Paper II Q14

0.009049999 =

- A. 0.00905 (correct to 3 decimal places).
- B. 0.00905 (correct to 3 significant figures).
- C. 0.00905 (correct to 6 decimal places).
- D. 0.00905 (correct to 6 significant figures).

## 15. HKDSE MATH Core Practice Paper II Q15

In the figure, O is the centre of the sector OABC. If the area of  $\triangle OAC$  is 12 cm<sup>2</sup>, find the area of the segment ABC.




A. 
$$3(\pi - 2)$$
 cm<sup>2</sup>

B. 
$$3(\pi - 1) \text{ cm}^2$$

C. 
$$6(\pi - 2)$$
 cm<sup>2</sup>


D. 
$$6(\pi - 1) \text{ cm}^2$$

The figure shows a right circular cone of height 8 cm and slant height 17 cm. Find the volume of the circular cone.



- B.  $345\pi \text{ cm}^3$
- C.  $480\pi \text{ cm}^3$
- D.  $600\pi~\mathrm{cm}^3$


In the figure, ABCD is a rectangular. E is the mid-point of BC. F is a point lying on CD such that DF = 2CF. If the area of  $\triangle CEF$  is 1 cm<sup>2</sup>, then the area of  $\triangle AEF$  is



- $A. 2 cm^3$
- B.  $3 \text{ cm}^3$
- $C.\ 4\ cm^3$
- $D.~6~\mathrm{cm}^3$

#### 18. HKDSE MATH Core Practice Paper II Q18

In the figure, AB=4 cm, BC=CD=DE=8 cm and FG=9 cm. Find the perimeter of  $\triangle AEH$ .




- A. 60 cm.
- B. 74 cm.
- $C.\ 150\ cm.$
- D. 164 cm.

In the figure, AB = BC and D is a point lying on BC such that CD = DE. If AB//CE, find  $\angle CDE$ .

- A.  $\sin \theta$ .
- B.  $3\sin\theta$ .
- C.  $2\sin\theta \cos\theta$ .
- D.  $2\sin\theta + \cos\theta$ .


## 20. HKDSE MATH Core Practice Paper II Q20

In the figure, AB=1 cm, BC=CD=DE=2 cm and EF=3 cm. Find the distance between A and F correct to the nearest 0.1 cm.



- A. 7.2 cm
- B. 7.4 cm
- $C.~8.0~\mathrm{cm}$
- D. 8.1 cm

In the figure, ABCD is a semi-circle. If BC = CD, then  $\angle ADC =$ 



В.	. 121°.	
С.	. 124°.	
D.	. 126°.	
In t		MATH Core Practice Paper II Q22 are, $O$ is the centre of the circle $ABCDE$ . If $\angle ABE = 30^{\circ}$ and $\angle CDE = 105^{\circ}$ , then
		SPFigure2.22.png
Α.	. 120°.	
В.	. 135°.	
С.	. 150°.	
D.	. 165°.	
		MATH Core Practice Paper II Q23  ure ABCD is a parallelogram E is a point lying on AD BE produced and CD
111 (	ле пв	ure, $ABCD$ is a parallelogram. $F$ is a point lying on $AD$ . $BF$ produced and $CD$


produced meet at E . If CD:DE=2:1, then AF:BC=

A. 118°.



- A. 1:2.
- B. 2:3.
- C. 3:4.
- D. 8:9.


In the figure, ABC is a straight line. If BD=CD and AB=10 cm, find BC corrent to the nearest cm.



- A. 8 cm
- B. 13 cm
- $C.\ 14\ cm$
- D. 15 cm

# $25.\ \mathbf{HKDSE}\ \mathbf{MATH}\ \mathbf{Core}\ \mathbf{Practice}\ \mathbf{Paper}\ \mathbf{II}\ \mathbf{Q25}$

In the figure, the two 6-sided polygons show



- B. a reflection transformation.
- C. a translation transformation.
- D. a dilation transformation.

If the point (-4,3) is rotated anti-clockwise about the origin through  $180^{\circ}$ , then the coordinates of its image are

- A. (-3, -4).
- B. (3,4).
- C. (-4, -3).
- D. (4, -3).

## 27. HKDSE MATH Core Practice Paper II Q27

The box-and-whisker diagram below shows the distribution of the scores (in marks) of the students of a class in a test.



If the passing score of the test is 50 marks, then the passing percentage of the class is

- A. 25%.
- B. 50%.
- C. 70%.
- D. 75%.

## 28. HKDSE MATH Core Practice Paper II Q28

The stem-and-leaf diagram below shows the distribution of heights (in cm) of 23 staff members in an office. Find the median of the distribution.

	Leaf (units)		
15	3 3 4 5 6 7 9		
16	1 2 2 3 5 6 6 8		
17	$1\ 2\ 6\ 7\ 9$		
18	3 3 4 5 6 7 9 1 2 2 3 5 6 6 8 1 2 6 7 9 2 6 7		

- A. 164 cm
- B. 165 cm
- C. 165.5 cm

#### D. 166 cm

#### 29. HKDSE MATH Core Practice Paper II Q29

 $\{a-7, a-1, a, a+2, a+4, a+8\}$  and  $\{a-9, a-2, a-1, a+3, a+4, a+6\}$  are two groups of numbers. Which of the following is/are true?

- I. The two groups of numbers have the same mean.
- II. The two groups of numbers have the same median.
- III. The two groups of numbers have the same range.
  - A. I only
  - B. II only
  - C. I and III only
  - D. II and III only

### 30. HKDSE MATH Core Practice Paper II Q30

The students' union of a school of 950 students wants to investigate the opinions of students in the school on the services provided by the tuck shop. A questionnaire is designed by the students' union and only the chairperson and vice-chairperson of the students' union are selected as a Practice to fill in the questionnaire. Which of the following are the disadvantages of this sampling method?

- I. The Practice size is very small.
- II. Not all students in the school are selected.
- III. Not all students in the school have an equal chance of being selected.
  - A. I and II only
  - B. I and III only
  - C. II and III only
  - D. I, II and III

## 31. HKDSE MATH Core Practice Paper II Q31

$$\frac{1}{2-x} + \frac{x-1}{(x-2)^2} =$$

A. 
$$\frac{-2}{(2-x)^2}$$
.

B. 
$$\frac{1}{(2-x)^2}$$
.

C. 
$$\frac{-2x+3}{(2-x)^2}$$
.

D. 
$$\frac{2x-3}{(2-x)^2}$$
.

The graph in the figure shows the linear relation between x and  $\log_5 y$ . If  $y = ab^x$ , then a =

 ${\tt SPFigure 2.32.png}$ 

- A. 1.
- B. 2.
- C. 5.
- D. 25.

## $33.\ HKDSE\ MATH\ Core\ Practice\ Paper\ II\ Q33$

 $1010010001001_2 =$ 

A. 
$$2^{12} + 2^{10} + 137$$
.

B. 
$$2^{12} + 2^{10} + 273$$
.

C. 
$$2^{13} + 2^{11} + 137$$
.

D. 
$$2^{13} + 2^{11} + 273$$
.

## 34. HKDSE MATH Core Practice Paper II Q34

If k is a real number, then  $4k - \frac{6 + ki}{i} =$ 

A. 
$$3k + 6i$$
.

- B. 3k 6i.
- C. 5k + 6i.
- D. 5k 6i.

Which of the triangular regions in the figure may represent the solution of  $\begin{cases} 0 \le x \le 6 \\ 0 \le y \le 3? \\ x \le 2y \end{cases}$ 

- A.  $\triangle OAC$
- B.  $\triangle OBD$
- C.  $\triangle OCE$
- D.  $\triangle ODF$


#### 36. HKDSE MATH Core Practice Paper II Q36

If the 3rd term and the 6th term of an arithmetic sequence are 18 and -6 respectively, then 2nd term of the sequence is

- A. -8.
- B. 10.
- C. 26.
- D. 34.

## 37. HKDSE MATH Core Practice Paper II Q37

If the figure shows the graph of y = f(x) and the graph of y = g(x) on the same rectangular coordinate system, then



A. 
$$g(x) = f(x-2) - 3$$
.

B. 
$$g(x) = f(x-2) + 3$$
.

C. 
$$g(x) = f(x+2) - 3$$
.

D. 
$$g(x) = f(x+2) + 3$$
.

# $38.\ \mathbf{HKDSE}\ \mathbf{MATH}\ \mathbf{Core}\ \mathbf{Practice}\ \mathbf{Paper}\ \mathbf{II}\ \mathbf{Q38}$

In the figure, y =




- A.  $\frac{x\sin 77^{\circ}}{\sin 56^{\circ}}.$
- B.  $\frac{x\sin 47^{\circ}}{\sin 56^{\circ}}$
- C.  $\frac{x \sin 56^{\circ}}{\sin 77^{\circ}}$
- D.  $\frac{x \sin 77^{\circ}}{\sin 47^{\circ}}$

Peter invests P at the beginning of each month in a year at an interest rate of 6% per annum, compounded monthly. If he gets 10~000 at the end of the year, find P correct to the 2 decimal places.

- A. 806.63
- B. 829.19
- C. 833.33
- D. 882.18


### 40. HKDSE MATH Core Practice Paper II Q40

The figure shows a cuboid ABCDEFGH. If the angle between the triangle ACE and the plane ABCD is  $\theta$ , then  $\tan \theta =$ 




- A. 2.
- B.  $\frac{3}{2}$ .
- C.  $\frac{5}{2}$ .
- D.  $\frac{12}{5}$ .

In the figure, A, B and C are points lying on the circle. TA is the tangent to the circle at A. The straight line CBT is perpendicular to TA. If BC = 6 cm, find the radius of the circle correct to the nearest 0.1 cm.



- A. 3.2 cm
- B. 3.9 cm
- $C.\ 4.2\ cm$
- D. 4.7 cm

Let a be a constant and  $-90^{\circ} < b < 90^{\circ}$ . If the figure shows the graph of  $y = a \cos{(x^{\circ} + b)}$ , then



A. 
$$a = -3$$
 and  $b = -40^{\circ}$ .

B. 
$$a = -3$$
 and  $b = 40^{\circ}$ .

C. 
$$a = 3 \text{ and } b = -40^{\circ}$$
.

D. 
$$a = 3 \text{ and } b = 40^{\circ}$$
.

Bag A contains 2 red balls, 3 green balls and 4 white balls while bag B contains 2 red balls, 3 green balls and 4 yellow balls. If one ball is drawn randomly from each bag, then the probability that the two balls drawn are of different colours is

A. 
$$\frac{13}{81}$$
.

B. 
$$\frac{29}{81}$$
.

C. 
$$\frac{52}{81}$$
.

D. 
$$\frac{68}{81}$$
.

## 44. HKDSE MATH Core Practice Paper II Q44

If 2 girls and 5 boys randomly form a queue, find the probability that the two girls are next to each other in the queue.

- A.  $\frac{1}{7}$
- B.  $\frac{2}{7}$
- C.  $\frac{6}{7}$
- D.  $\frac{1}{21}$

A set of numbers has a mode of 32, an inter-quartile range of 27 and a variance of 25. If 3 is added to each number of the set and each resulting number is then doubled to form a new set of numbers, find the mode, the inter-quartile range and the variance of the new set of numbers.

Mode Inter-quartile range Variance

A.	64	60	50
В.	70	60	100
С.	70	54	50

D. 70 54 100