HONG KONG EXAMINATIONS AND ASSESSMENT AUTHORITY
HONG KONG DIPLOMA OF SECONDARY EDUCATION EXAMINATION 2018

## MATHEMATICS Compulsory Part PAPER 2

11:30 am - 12:45 pm (11/4 hours)

## **INSTRUCTIONS**

- 1. Read carefully the instructions on the Answer Sheet. After the announcement of the start of the examination, you should first stick a barcode label and insert the information required in the spaces provided. No extra time will be given for sticking on the barcode label after the 'Time is up' announcement.
- 2. When told to open this book, you should check that all the questions are there. Look for the words 'END OF PAPER' after the last question.
- 3. All questions carry equal marks.
- 4. ANSWER ALL QUESTIONS. You are advised to use an HB pencil to mark all the answers on the Answer Sheet, so that wrong marks can be completely erased with a clean rubber. You must mark the answers clearly; otherwise you will lose marks if the answers cannot be captured.
- 5. You should mark only ONE answer for each question. If you mark more than one answer, you will receive NO MARKS for that question.
- 6. No marks will be deducted for wrong answers.

Not to be taken away before the end of the examination session

There are 30 questions in Section A and 15 questions in Section B. The diagrams in this paper are not necessarily drawn to scale. Choose the best answer for each question.

## Section A

1. 
$$\frac{8^{2n+1}}{4^{3n+1}} =$$

- A. I.
- B. 2.
- C. 2"
- D. 2<sup>-n</sup>.

2. If 
$$\frac{\alpha}{1-x} = \frac{\beta}{x}$$
, then  $x = \frac{\beta}{x}$ 

- A.  $\frac{\alpha}{\alpha \beta}$ .
- B.  $\frac{\alpha}{\alpha + \beta}$ .
- C.  $\frac{\beta}{\alpha \beta}$ .
- D.  $\frac{\beta}{\alpha + \beta}$ .

3. 
$$h^2 - 6h - 4k^2 - 12k =$$


A. 
$$(h-2k)(h-2k+6)$$
.

B. 
$$(h-2k)(h+2k+6)$$
.

C. 
$$(h+2k)(h-2k-6)$$
.


D. 
$$(h+2k)(h+2k-6)$$
.

- 4.  $\frac{1}{3x+7} \frac{1}{3x-7} =$ 
  - A.  $\frac{14}{49-9x^2}$ .
  - B.  $\frac{14}{9x^2-49}$ .
  - $C. \qquad \frac{6x}{49-9x^2} \ .$
  - $D. \qquad \frac{6x}{9x^2 49} \ .$
- 5. Which of the following statements about the graph of  $y = 16 (x 6)^2$  is true?
  - A. The graph cuts the x-axis.
  - B. The graph opens upwards.
  - C. The y-intercept of the graph is 16.
  - D. The graph passes through the origin.
- 6. In the figure, the equations of the straight lines  $L_1$  and  $L_2$  are 3x + ay = b and cx + y = d respectively. Which of the following is/are true?
  - I. ac < 3
  - II. ad < b
  - III. bc < 3d
    - A. II only
    - B. III only
    - C. I and II only
    - D. I and III only




- 7. If  $f(x) = 3x^2 2x + 1$ , then f(2m-1) =
  - A.  $6m^2 4m + 2$ .
  - B.  $6m^2 4m + 6$ .
  - C.  $12m^2 16m + 2$ .
  - D.  $12m^2 16m + 6$ .
- 8. Let  $g(x) = x^8 + ax^7 + b$ , where a and b are constants. If g(x) is divisible by x-1, find the remainder when g(x) is divided by x+1.
  - A. 0
  - B. 2a
  - C. -2a
  - D. -2a+2
- 9. A sum of \$100 000 is deposited at an interest rate of 2% per annum for 3 years, compounded monthly. Find the interest correct to the nearest dollar.
  - A. \$6000
  - B. \$6121
  - C. \$6176
  - D. \$6178
- 10. Let a, b and c be non-zero numbers. If 3a = 4b and a:c=2:5, then  $\frac{a+3b}{b+3c} =$ 
  - A.  $\frac{5}{3}$ .
  - B.  $\frac{13}{33}$ .
  - C.  $\frac{30}{53}$
  - D.  $\frac{75}{38}$ .


- 11. If w varies directly as the square root of u and inversely as the square of v, which of the following must be constant?
  - A.  $u^4vw^2$
  - B.  $uv^4w^2$
  - $C. \qquad \frac{v \, w^2}{u^4}$
  - D.  $\frac{v^4w^2}{v^4}$
- 12. Let  $a_n$  be the *n*th term of a sequence. If  $a_3 = 21$ ,  $a_6 = 89$  and  $a_{n+2} = a_n + a_{n+1}$  for any positive integer n, then  $a_1 =$ 
  - A. 8.
  - B. 13.
  - C. 34.
  - D. 55.
- 13. The solution of  $\frac{1-2x}{3} \ge x-3$  or 4x+9<1 is
  - A. x < -2.
  - B. x > -2.
  - C.  $x \le 2$ .
  - D.  $x \ge 2$ .
- 14. In the figure, ABCDEFGH is an octagon, where all the measurements are correct to the nearest cm. Let  $x \text{ cm}^2$  be the actual area of the octagon. Find the range of values of x.
  - A. 13 < x < 23
  - B. 13 < x < 27
  - C. 17 < x < 23
  - D. 17 < x < 27




- 15. In the figure, the volume of the solid right triangular prism is
  - A.  $544 \text{ cm}^3$ .
  - B.  $600 \, \text{cm}^3$ .
  - C.  $660 \, \text{cm}^3$ .
  - D.  $720 \text{ cm}^3$ .




- 16. In the figure, ABCD is a parallelogram. E is a point lying on BC such that BE: EC = 5:3. AE and BD intersect at the point F. If the area of  $\triangle ABF$  is  $120 \text{ cm}^2$ , then the area of the quadrilateral CDFE is
  - A.  $237 \text{ cm}^2$ .
  - B.  $307 \text{ cm}^2$ .
  - C.  $312 \text{ cm}^2$ .
  - D.  $429 \text{ cm}^2$ .




- 17. In the figure, O is the centre of the sector OABCD. AD and OC are perpendicular to each other and intersect at the point E. F is a point lying on AD such that BF is perpendicular to AD. If AF = 9 cm, DF = 39 cm and OE = 18 cm, then the area of the sector OBC is
  - A.  $48\pi \text{ cm}^2$ .
  - B.  $75\pi \text{ cm}^2$ .
  - C.  $96\pi \text{ cm}^2$ .
  - D.  $150\pi \text{ cm}^2$ .




- 18. In the figure, ABCD is a rhombus. E and F are points lying on AB and AD respectively such that AE = AF and  $\angle ECF = 42^{\circ}$ . If  $\angle BAD = 110^{\circ}$ , then  $\angle BEC =$ 
  - A. 70°.
  - B. 76°.
  - C. 80°.
  - D. 84°.



- 19. In the figure, ABCDE is a regular pentagon. AD and CE intersect at the point F. Which of the following are true?
  - I. CD = CF
  - II.  $\triangle ABF \cong \triangle CBF$
  - III.  $\angle AFB + \angle EAF = 90^{\circ}$ 
    - A. I and II only
    - B. I and III only
    - C. II and III only
    - D. I, II and III



- 20. In the figure, ABCD is a square. E is a point lying on AB produced such that BE = 4 cm. BC and DE intersect at the point F. If EF = 5 cm, then DF =
  - A. 12 cm.
  - B. 15 cm.
  - C. 16 cm.
  - D. 20 cm.



21. In the figure, ABCD is a trapezium with  $\angle ABC = \angle BAD = 90^{\circ}$ . E and F are points lying on AB such that E and F divide AB into three equal parts. Which of the following must be true?

I.  $AF \sin \alpha = BE \sin \beta$ 

II.  $CE\cos\alpha = DF\cos\beta$ 


III.  $AD \tan \alpha = BC \tan \beta$ 

A. I and II only

B. I and III only

C. II and III only

D. I, II and III




22. In the figure, ABCD is a circle. AD produced and BC produced meet at the point E. It is given that BD = DE,  $\angle BAC = 66^{\circ}$  and  $\angle ABD = 30^{\circ}$ . Find  $\angle CED$ .

A. 20°

B. 28°

C. 36°

D. 42°




23. The figure below consists of eight identical squares. The number of folds of rotational symmetry of the figure is

A. 2.

B. 4.

C. 6.

D. 8.



- 24. The polar coordinates of the points C, D and E are (16,127°), (12,217°) and (5,307°) respectively. Find the perimeter of  $\Delta CDE$ .
  - A. 54
  - B. 78
  - C. 126
  - D. 130
- 25. The equations of the straight lines  $L_1$  and  $L_2$  are 3x-y+7=0 and 12x-4y-11=0 respectively. Let P be a moving point in the rectangular coordinate plane such that the perpendicular distance from P to  $L_1$  is equal to the perpendicular distance from P to  $L_2$ . Find the equation of the locus of P.
  - A. 8x 24y 17 = 0
  - B. 8x 24y + 17 = 0
  - C. 24x 8y 17 = 0
  - D. 24x 8y + 17 = 0
- 26. The equation of the straight line  $L_1$  is 4x+3y-36=0. The straight line  $L_2$  is perpendicular to  $L_1$  and intersects  $L_1$  at a point lying on the y-axis. Find the area of the region bounded by  $L_1$ ,  $L_2$  and the x-axis.
  - A. 96
  - B. 108
  - C. 150
  - D. 192
- 27. The equation of the circle C is  $5x^2 + 5y^2 30x + 10y + 6 = 0$ . Which of the following is true?
  - A. The origin lies inside C.
  - B. C lies in the second quadrant.
  - C. The circumference of C is less than 20.
  - D. The coordinates of the centre of C are (15, -5).

- 28. Two numbers are randomly drawn at the same time from seven cards numbered 1, 1, 1, 2, 2, 3 and 4 respectively. Find the probability that the sum of the numbers drawn is 5.
  - A.  $\frac{5}{21}$
  - B.  $\frac{5}{42}$
  - C.  $\frac{5}{49}$
  - D.  $\frac{10}{49}$
- 29. The mean of the numbers of pages of 10 magazines is 132. If the mean of the numbers of pages of 6 of these 10 magazines is 108, then the mean of the numbers of pages of the remaining 4 magazines is
  - A. 148.
  - B. 156.
  - C. 168.
  - D. 176.
- 30. The stem-and-leaf diagram below shows the distribution of the numbers of books read by 20 students in a year.


Stem (tens)	Leaf (units)						
2	1	2	2	8			
3	a	a					
4	0	2	4	5	5	7	8
5	3						
6	ь	Ь	9	9			
7	0	8					

If the inter-quartile range of the above distribution is at most 25, which of the following must be true?


- I.  $5 \le a \le 9$
- II.  $0 \le b \le 4$
- III.  $1 \le a b \le 6$ 
  - A. I and II only
  - B. I and III only
  - C. II and III only
  - D. I, II and III

## Section B

- 31. Let f(x) be a quadratic function. The figure below may represent the graph of y = f(x) and
  - A. the graph of y = -3f(x).
  - B. the graph of y = f(-3x).
  - C. the graph of y = -f(x+4).
  - D. the graph of y = f(-x+11).




- 32. The figure shows the graph of  $y = \log_a x$  and the graph of  $y = \log_b x$  on the same rectangular coordinate system, where a and b are positive constants. If a vertical line cuts the graph of  $y = \log_a x$ , the graph of  $y = \log_b x$  and the x-axis at the points A, B and C respectively, which of the following is/are true?
  - I. a > 1
  - II. a > b
  - III.  $\frac{AB}{BC} = \log_a \frac{b}{a}$ 
    - A. I only
    - B. II only
    - C. I and III only
    - D. II and III only



33. In the figure, the straight line L shows the relation between  $\log_4 x$  and  $\log_4 y$ . It is given that L passes through the points (1,2) and (9,6). If  $y=kx^a$ , then k=








34. Consider the following system of inequalities:

$$\begin{cases} x - 21 \le 0 \\ x - y - 35 \le 0 \end{cases}$$
$$\begin{cases} x + 5y - 91 \le 0 \\ 3x + 2y \ge 0 \end{cases}$$


Let D be the region which represents the solution of the above system of inequalities. If (x, y) is a point lying in D, then the least value of 5x + 6y + 234 is

- 35. If the sum of the first n terms of a sequence is  $6n^2 n$ , which of the following is/are true?
  - I. 22 is a term of the sequence.
  - II. The 1st term of the sequence is 5.
  - III. The sequence is a geometric sequence.

- 36. If  $m \neq n$  and  $2m^2 + 5m = 2n^2 + 5n = 14$ , then (m+2)(n+2) =
  - A. -8.
  - B. 2.
  - C. 6.
  - D. 16.
- 37. The real part of  $\frac{2i^{12}+3i^{13}+4i^{14}+5i^{15}+6i^{16}}{1-i}$  is
  - A. -3.
  - B. -1.
  - C. 1.
  - D. 3.
- 38. For  $0^{\circ} \le x < 360^{\circ}$ , how many roots does the equation  $6\cos^2 x = \cos x + 5$  have?
  - A. 2
  - B. 3
  - C. 4
  - D. 5
- 39. In the figure, TA is the tangent to the circle ABCD at the point  $A \cdot CD$  produced and TA produced meet at the point E. It is given that AB = CD,  $\angle BAT = 24^{\circ}$  and  $\angle AED = 72^{\circ}$ . Find  $\angle ABC$ .
  - A. 60°
  - B. 66°
  - C. 72°
  - D. 78°



- 40. It is given that a is a positive constant. The straight line 2x + 5y = a cuts the x-axis and the y-axis at the points P and Q respectively. Let R be a point lying on the y-axis such that the x-coordinate of the orthocentre of  $\Delta PQR$  is 10. Find the y-coordinate of R.
  - A. -25
  - B. -4
  - C. 4
  - D. 25
- 41. In the figure, ABCDEFGH is a rectangular block. Let X be a point lying on DE such that DX = 9 cm and EX = 4 cm. Denote the angle between BX and the plane ABGF by  $\theta$ . Find  $\cos \theta$ .
  - A.  $\frac{3}{5}$
  - B.  $\frac{4}{5}$
  - C.  $\frac{8}{17}$
  - D.  $\frac{15}{17}$



- 42. In a class, there are 14 boys and 15 girls. If 3 students of the same gender are selected from the class to form a team, how many different teams can be formed?
  - A. 819
  - B. 3654
  - C. 4914
  - D. 165 620

- 43. John and Mary take turns to throw a fair die until one of them gets a number '1' or '6'. John throws the die first. Find the probability that John gets a number '6'.
  - A.  $\frac{1}{2}$
  - B.  $\frac{1}{6}$
  - C.  $\frac{3}{10}$
  - D.  $\frac{7}{10}$

- 44. In a test, the mean of the test scores is 68 marks. Peter gets 46 marks in the test and his standard score is -2.2. If Susan gets 52 marks in the test, then her standard score is
  - A. -2.5.
  - B. -1.6.
  - C. -0.6.
  - D. 1.6.

- 45. There are 49 terms in an arithmetic sequence. If the variance of the first 7 terms of the sequence is 9, then the variance of the last 7 terms of the sequence is
  - A. 9.
  - B. 18.
  - C. 49.
  - D. 81.

**END OF PAPER**