

# **PROJECT PROPOSAL**

**ELECTION POLLS** 

Phase 1: EDA Analysis

Section-002

Jayraj Radadiya-Team leader

Harshil Patel

Rajvi Mehta

Surbhi Patel

Krim Patel

Karan Patel

# **INDEX**

- 1 Introduction.
- 2 Problem Statement.
  - Target Audience
  - Motivation
- 3 Proposal.
  - Data Description
- 4 EDA Analysis.
  - Invalid and missing values
  - Outliers
  - Segmentation
  - Data Imbalance
  - Correlation
  - Preliminary Visualization
  - References
- 5 Data Cleaning.
- 6 Data Transformation.
- 7 Data Visualization.
- 8 References.

# 1.INTRODUCTION

Decisions in the United States are held for government authorities at the administrative, state, and neighborhood levels. At the government level, the country's head of express, the president, is chosen by implication by individuals of each state, through an Electoral College. Today, these voters quite often vote with the well-known vote of their state.

The most well-known technique utilized in U.S. decisions is the first-past-the-post (Plurality voting system) framework, where the most noteworthy surveying applicant wins the election. Under this system, a candidate needs only a majority of the votes to win, instead of a direct majority. Some may use a two-round system, where if no one gets the required votes then there is competition between the two who gets the most votes.

Citizens rank the competitors arranged by inclination as opposed to deciding in favor of a solitary applicant. Assuming a competitor gets the greater part of the votes cast, that up-and-comer wins. In any case, the competitor with the least votes is wiped out. Voting forms appointed to the disposed of the competitor are related and allocated to those of the excess applicants who rank next arranged by inclination on each voting form. All individuals from the government council, the Congress, are straightforwardly chosen by individuals of each state.

### 2. PROBLEM STATEMENT

Pollster has created vivid type of polls to collect vote through different methodology namely, Online, IVR/Online, Live Phone, IVR/Online/Text, Live Phone/Online.

Usage of different method to collect vote is convenience for Candidate to use preferable polls to give vote. This makes more votes for Politician to elect.

There is a unique id for certain variable to keep data secure like Question id, Polls id, Pollster id, Pollster rating id, Race id, Candidate id and Politician id.

- Candidate-specific information, such as State, methodology used, and so on, will be included in the polls.
- To avoid identity theft and duplication, the first upload must be done under the supervision of a trustworthy pollster.
- The votes recorded on the identity details MUST be secret, and the counting of votes is done from the polls itself once the votes have been read.

# **Target Audience**

Mostly government political parties (both ruling and opposition) will make use of historical data to forecast the future poll and media will telecast by analyzing the election poll.

**Political campaigns** have information about Americans and how they utilize it to design their plans. In the United States, political campaigns employ data on more than 200 million eligible voters to influence their strategy and tactics.

The two major political parties in the United States strive to utilize the most precise statistics to target voters in several ways. Republicans and Democrats collaborate with data businesses to develop national voter databases, gathering data from a variety of sources to produce complete voter profiles with hundreds of data points and algorithms that predict people's attitudes toward topics and candidates.

This information may be used by political campaigns to assist them decide who to reach out to, how to contact them, and how they might react to various messages.

#### Motivation

As Americans, a person must cultivate patience, accept the uncertainties of the present, and wait for election results and reliable polling data to reveal what voters decided and why. Pre-election polls are an effective attempt to get into people's brains. They try to figure out why Americans have the attitudes, beliefs, and worries that they have.

In the past, polls have been quite accurate in predicting popular sentiments, but not so much in predicting public conduct. It is easy to dismiss the decision to vote or not vote in an election as insignificant. It is a minor decision that occasionally and that has little or no societal or personal consequences. Because the likelihood of a single vote deciding an election's outcome is negligible, whether one votes will determine which party will win the election. However, the decision to vote or abstain is not one that should be taken lightly. With the help of the data, The method that is highly preferred by people can be identified as well.

## 3. PROPOSAL

Opinion polls are often aimed to depict a population's views by asking a series of questions and then extrapolating generalities in ratios or within confidence intervals. The term "pollster" refers to someone who conducts polls. To educate people about the voting process. To inform residents about the relevance of Electors Photo Identity Cards (EPIC) and how to utilize them in various government initiatives, such as passport processing and bank account opening.

Encourage citizens to participate in democracy by enrolling in electoral rolls and voting at election time. Examine how the United States' election administration contributes to the functioning of democracy. Define the role of polling stations and local precincts in the electoral process. Describe the numerous methods for voters to cast ballots. Describe the role of voting machines in the electoral process.

# **Data Description**

This is the dataset of election polls which contains 12 CSV files. Each CSV files provide information about various polls such as generic ballot polls, governor polls, house polls, president polls, senate polls, president approval polls, and president primary polls.

The data can be compared easily because this dataset contains both current polls and historical polls files except president approval polls and president primary polls as it has only current polls files. There is numeric as well as categorical data in all the files.

Current polls files include data from the most recent election whereas historical files contain data prior to the most recent election.

President approval polls contain 28 variables, generic ballot polls contain 32 variables, president primary polls contain 34 variables, and governor polls, house polls, president polls and senate polls contain 38 variables in both current and historical files.


The data is imported from Kaggle website.

Reference link: www.kaggle.com/gmkeshav/election-polls-datasets


Data Source: <a href="www.usa.gov/government-works/">www.usa.gov/government-works/</a>

### 4. EDA ANALYSIS


From this dataset analysis can be done regarding the Recent Election of US. There are many different groped data such as data regarding the pollsters, Sponsors, and candidate. In this data, main analysis is going to be the flow of election. which party won the elections. It can also determine which candidates have won how many votes and through which method and from where.



Generic Ballot Polls



Historical Generic Ballot Polls




# **Invalid and missing values**

The csv files do contain missing values in a few fields. Most of the fields have 100% valid records, but there are some fields from sponsor id, sponsor, fte\_grade or notes that have some missing values, and state, seat number, sponsor candidate, tracking with 100% missing values.

### **Outliers**

Identification of Outlier values has been done on all the column of all csv files. Mostly, fields do not have any outlier but some of them such as **sample\_size**, **dem**, **pct**, **candidate\_id**, **pollster\_id**, **pollster\_rating\_id** and few more showed an outlier.Below are some boxplot graphs which were produced during the Analysis of



dataset, in these graphs' dots are located at outside of the lower bound and upper bound of boxplot those are the outliers of that fields.

# Segmentation

The data is segmented into the group in this election poll dataset. In some fields such as pollster, state, sponsors data divided in groups.

Let's take pollster for an example, pollster column has same name of pollster like Rasmussen (pulse opinion research), YouGov, Morning Consult, IBD/TIPP, Ipsos, Harris Poll, NBC, RMG Research, AP-NORC, Saint Leo U, which is grouped with pollster\_id. Because of the same pollsters are making some polls in year


In sponsors column also sponsor's names are same likewise Wayne Allyn Root, Economist, Reuters, Harvard, The Canadian Press, Politico, The ANTIFA, Yahoo News, CNN, CNBC-All America Economic Survey. This filed is in group with sponsor\_id, due to these all sponsors are giving a sponsorship for polls.


Lastly, state field contains all US states is also in group with question\_id, because some polls has taken from same state.

### **Data Imbalance**

Most of the data in data elements are not imbalance in our dataset, but some missing values still present in few columns like methodology, state, partisan, etc.

bar graph and pie chart are used to display the imbalance of data. From the bar graph it's clear there are different types of method used for election, but online method is most common as compared to others methodology. The pie chart depicts the total number of states participate in election. As per the graph, it is observed that there are 75% of missing data present in state column which is a good example of imbalance data.





#### Correlation

Many variables are highly correlated with each other by finding a correlation of senate\_polls\_historical dataset variables it concludes that most of categorical values like states, URL and notes are correlated with unique values such as Question ID, Polls ID, Pollster ID, Pollster rating ID, Candidate Id, Politician ID, Race Id. All these ID variables are also highly correlated with other because of unique values.

By analyzing it can be visible that unique values are mostly correlated with each other's than numerical variable. There are very few numerical variables like cycle, sample size, pct and seat number are present but there is minimal correlation found between them.

#### Table of senate\_polls\_historical shows correlation:


The statistical links between variables by using the correlation function are discoverable. The correlation of one variable to another is shown numerically in the table below.

	question_id	poll_id	cycle	pollster_id	pollster_rating_id	sample_size	seat_number	internal
question_id	1.000000	0.991621	0.923447	0.081409	0.233528	-0.004383	0.489758	0.011691
poll_id	0.991621	1.000000	0.901376	0.088746	0.228375	-0.004711	0.478123	-0.000256
cycle	0.923447	0.901376	1.000000	0.062336	0.219128	-0.023214	0.530514	0.051195
pollster_id	0.081409	0.088746	0.062336	1.000000	0.445479	0.168118	0.039514	-0.084160
pollster_rating_id	0.233528	0.228375	0.219128	0.445479	1.000000	0.104535	0.116008	-0.053486
sample_size	-0.004383	-0.004711	-0.023214	0.168118	0.104535	1.000000	-0.027740	-0.055319
seat_number	0.489758	0.478123	0.530514	0.039514	0.116008	-0.027740	1.000000	0.034576
internal	0.011691	-0.000256	0.051195	-0.084160	-0.053486	-0.055319	0.034576	1.000000

#### Heatmap visualization of correlation.

The degree of relatedness between variables is measured by correlation and for the accurate result the correlation through Pearson's coefficient will help.

Below mentioned graph indicate Positive correlation (+1) to Negative correlation (-1) and in between Pearson's coefficient correlation "r" (0). If r is near to -1 it denotes there is inverse relation between two variables if it is +1 or near to +1 it indicates perfect positive correlation. If else "r" coefficient correlation is 0 it shows no relation between data points between data points.



\*Note: Blank white color shows missing values. (ranked\_choice\_reallocated and nationwide batch)

#### 5. DATA CLEANING

Data cleaning of 12 CSV files includes following steps:


- Missing Values
  - Most of the variable has missing values (NaN), So it has been replaced based on variable data type.
  - Categorical variable is replaced with Unknown values.
  - Replacing NaN values for Numerical column with 0.
- Dropping Irrelevant Column
  - Column with 100% values or more than 50% are dropped.
  - Column which are dropped listed below:
  - Partisan, seat number, sponsor candidate, tracking, notes, url, dem, rep, ind, Party, Politician
    I'd, Politician, Source, yes, No, Alternate answer.
  - After dropping useless column now total there are 33 columns with 32602 entries.
- Converting Datatype for Date containing columns
  - Three variables with Dates are: Start Date, End Date, Created at are converted from datatype object to datetime.
- Creating new CSV
  - After cleaning each CSV files using python on jupyter notebook and generating New CSV files by converting data frame to csv format.
  - o Technology used: Microsoft Excel, Power Query, Tableau.

#### 6. DATA TRANSFORMATION

- Merging data into single DataFrame
  - After Cleaning each csv files and creating new one will get merged into single dataframe for further analysis.
- Need to do Data cleaning Again
  - After Merging all files data cleaning phase should be repeated for better visualization.
  - Repeated Steps:
  - Replacing NaN values with 0 for Numeric variable.
  - o Filling Categorical variable with Unknown.
  - Converting Data Type of Date variable with datetime.
- Renaming all columns
  - All columns are renamed with valid names. Total 33 columns with dtypes: datetime64[ns](3), float64(2), int64(4), object(24)


### 7. DATA VISUALIZATION

## What medium of voting is preferred the most by the voters?



Today, there are a plethora of voting technologies available, but there is a notable absence of remote voting options. But with the increasing technology, there is an increase in options open for the voters. There are six options available which are face to face, IVR (Interactive Voice Response), live phone, Mail, online and text. With the data we have when we perform analysis the highest method which is preferred by the voters is the online method. Secure, simple, and easy online voting to modernize and simplify elections. Voting online has its own benefits like you cannot vote from your phone or online if you are in the military or a citizen of a foreign country registered in specific US states. During this time online voting comes as a solution. With this analysis as we know that online voting is highly preferred, we can make it easier, safer, and secure for the future elections.

## Which political party rules the election and has the highest number of members?



The electoral system in the U. S. is called a two-party system. There are more than 69 registered political parties, each with its own set of political beliefs. The Republicans and Democrats, on the other hand, are the only two national political parties.

There are other minor parties in the United States the Libertarian Party, the Green Party, the Constitution Party, and other minor parties have less influence than the main parties. With the graph above it is certain that both parties' rule but there is a minor difference between them with minimal numbers. Lower taxes, deregulation, more military expenditures, abortion restrictions, immigration limitations, gun rights restrictions, and labor union restrictions are all priorities for the Republic party.

Americans who share the same political views as candidates from one of the third parties may instead vote for either the Democratic or Republican parties.


They do this to guarantee that their vote goes to the candidate with the best possibility of winning. This maintains the two-party system. A two-party system has the advantage of ensuring that the two major parties in power have a broad platform that represents the overall public. Because the two parties are so vast, each can accommodate a wide spectrum of political positions. This means that within any party, there may be minor differences in political perspectives on certain issues.

#### How many people come out to vote?

The right to vote is one of the most essential rights that American citizens have. Citizens over the age of 18 cannot be refused the right to vote based on their race, religion, gender, disability, or sexual orientation. The types of voters are divided into four major categories according to the data used, that is LV (likely voters), RV (registered voters), A(adults), V(voters). Likely voters own most of the number and voters have the least. Likely voters (LV) are those who have indicated to polling companies that they have a strong will to vote on election day.

Some characteristics of likely voters are higher levels of income, education, and occupational status associated with a keen sense of party identity and the belief that voting is a critical act.

#### Distribution of Population



Registered voters (RV) are individuals who declare they are "registered to vote in their precinct or election district" in response to a typical poll question. This is the group whose data Gallup most frequently publishes since it represents an estimate of Americans who are eligible to vote and who might vote if they so choose. Not all the people who have registered to vote will cast a ballot. As a result, over the years, Gallup has developed algorithms to identify likely voters, or those who the business believes are most likely to vote.

All adult citizens(A), except for a few minor exclusions, have the right to vote regardless of their money, income, gender, social standing, race, ethnicity, political attitude, or any other restriction. Voters(V) are the citizens who have the right to vote.

#### The different pollster assigned to each state?




Different type of pollster is allocated to a specific state to conduct an election poll in United State of America.

#### According to the different office types, which candidate has the highest/lowest fte grades?


By analyzing, There are total of four office types:

- Governor
- U.S.House
- U.S.President
- U.S.Senate



U.S.President and U.S.House's office candidate receives more grades than others. There are a total of 6020 candidate of U.S.President office who achieves c grades, however very few candidates from U.S.Senate and Governor's office has c grades, which is 337 and 82 respectively. On the other hand, there are many candidates that receive c, a-,b/c, and b+ grades according to their office types. Moreover, none of the candidates receives c- and f grades of a different office. Only 21 candidates have c- grades from U.S.Senate and merely 13 candidates have f grades from the U.S.House office.


#### Which party won the most vote?



It is obvious that those parties which work hard get highest vote. But as a future perspective it will not be identified which party covers the most vote as every year, parties work very hard to win the election.


There is total 5 parties involved in election. DEM and REP has highest number of candidates. As the data describes the candidates from REP has won the highest number of seats by beating all other parties which were fighting election against them.

# Which pollster counts more winning probability for election in USA?



Pollster is a person who conducts an election survey to gather information based on the opinions of a sample of people. By analyzing the above graph, SurveyMonkey has the highest number of polls counting as compared to others, whereas civics countless number of the pollster. However, there are many others who conduct a survey for elections like Harris insights & analysis, public policy, YouGov, SSRS,etc.

# Dashboard



8.References
https://en.wikipedia.org/wiki/Elections in the United States#Election information on the web
https://www.pewresearch.org/fact-tank/2020/10/29/what-we-can-trust-2020-election-polls-to-tell-us/
https://www.ubcpress.ca/asse