Rajalakshmi Engineering College

Name: Sweta Suresh

Email: 240701549@rajalakshmi.edu.in

Roll no: 2116240701549 Phone: 9344119216

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20 Marks Obtained : 2

Section 1: MCQ

1. How do you create a user-defined exception in Python?

Answer

By using the raise keyword

Status: Wrong Marks: 0/1

2. What is the default value of reference_point in the following code?

file_object.seek(offset [,reference_point])

Answer

garbage

Status: Wrong Marks: 0/1

3. Fill in the blanks in the following code of writing data in binary files.

```
import
      rec=[]
      while True:
        rn=int(input("Enter"))
        nm=input("Enter")
        temp=[rn, nm]
        rec.append(temp)
        ch=input("Enter choice (y/N)")
        if ch.upper=="N":
           break
      f.open("stud.dat",",
                __.dump(rec,f)(3
                 .close()(4)
      Answer
      (f,rw,pickle,pickle)
      Status: Wrong
      4. What will be the output of the following Python code?
      # Predefined lines to simulate the file content
      lines = [
        "This is 1st line"
        "This is 2nd line"
        "This is 3rd line"
        "This is 4th line"
        "This is 5th line"
      print("Name of the file: foo.txt")
      # Print the first 5 lines from the predefined list
print("Line No %d - %s" % (index + 1, line.strip()))
```

Marks: 0/1

Answer

Syntax Error

Status: Wrong Marks : 0/1

5. What happens if an exception is not caught in the except clause?

Answer

The program will exit automatically

Status: Wrong Marks: 0/1

- Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/

7. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

2110 Uptput:

```
['John,21\n','Raj,20\n']
f = open("exp.txt", "w+"
print _
Answer
1) f.seek(0, 0)2) f.rlines()
Status: Wrong
                                                                    Marks: 0/1
8. Which of the following is true about the finally block in Python?
Answer
The finally block is executed only if an exception occurs
Status: Wrong
                                                                    Marks: 0/1
9. How do you rename a file?
Answer
os.rename(existing_name, new_name)
Status: Correct
10. What is the output of the following code?
try:
  x = 1 / 0
except ZeroDivisionError:
  print("Caught division by zero error")
finally:
  print("Executed")
Answer
```

ZeroDivisionError

Marks: 0/1 Status: Wrong 11. What will be the output of the following Python code? f = None for i in range (5): with open("data.txt", "w") as f: if i > 2: break print(f.closed) Answer Compile Time Error Status: Wrong Marks: 0/ 12. What is the difference between r+ and w+ modes? Answer depends on the operating system Status: Wrong Marks: 0/1 What is the output of the following code? try: x = "hello" + 5except TypeError: print("Type Error occurred") finally: print("This will always execute") Answer Marks: 0/1,01549 This will always execute

Status: Wrong

An	Which clause is used to clean up resources, s thon? swer	such as closing files in
	cept atus : Wrong	Marks : 0/1
15	. What is the output of the following code?	
ex	ass MyError(Exception): pass : raise MyError("Something went wrong") cept MyError as e: print(e)	2116240101549
	swer .	
	ecuted atus : Wrong	Marks : 0/1
16 16 10 10	Fill in the code in order to get the following output: ame of the file: ex.txt	itput:
pr	= open((1), "wb") nt("Name of the file: ",)(2) swer	
	ex.txt2) fo.name()	
•	witus: Wrong 7. What is the purpose of the except clause in P	Marks: 0/1 ython?

Answer

To exit the program abruptly

Status: Wrong Marks: 0/1

18. What is the correct way to raise an exception in Python?

Answer

throw Exception()

Status: Wrong Marks: 0/1

19. What happens if no arguments are passed to the seek function?

Answer

file position is set to the end of file

Status: Wrong Marks: 0/1

20. Which of the following is true about

fp.seek(10,1)

Answer

Move file pointer ten characters behind from the current position

Status: Wrong Marks: 0/1