
## **CheckMyMetal(CMM)** report for PDB code: 6en5

PDB title: Crystal structure a of the angiotensin-1 converting enzyme n-domain in complex with a diprolyl inhibitor. (1.8Å)

Ю	Res.	Metal	Occupancy	B factor (env.) <sup>1</sup>	Ligands	Valence <sup>2</sup>	nVECSUM <sup>3</sup>	Geometry <sup>1,4</sup>	gRMSD(°) <sup>1</sup>	Vacancy <sup>1</sup>	Bidentate	Alt. metal
A:701	ZN	Zn	1	17.6 (18.8)	O <sub>3</sub> N <sub>2</sub>	1.9	<u>0.14</u>	<u>Trigonal</u> <u>Bipyramidal</u>	<u>14.4°</u>	0	0	Co, Zn
A:703	CL	Cl	1	19.1 (21.5)		N/A	N/A	<u>Free</u>	N/A	N/A	N/A	
A:704	MG	Mg	1	<u>23.7</u> (33.9)	O <sub>4</sub>	<u>0.7</u>	0.46	Octahedral	6.5°	<u>33%</u>	0	Na
B:701	ZN	Zn	1	18.5 (18)	O <sub>3</sub> N <sub>2</sub>	1.9	0.1	<u>Trigonal</u> <u>Bipyramidal</u>	<u>14.6°</u>	0	0	Co, Zn
B:703	CL	Cl	1	20.4 (23.1)		N/A	N/A	<u>Free</u>	N/A	N/A	N/A	
B:704	MG	Mg	1	<u>29.7</u> (35.3)	O <sub>4</sub>	<u>0.7</u>	0.41	Octahedral	7.6°	<u>33%</u>	0	Na
C:701	ZN	Zn	1	20.3 (20.7)	O <sub>3</sub> N <sub>2</sub>	1.8	0.072	<u>Trigonal</u> <u>Bipyramidal</u>	<u>15.3°</u>	0	0	Co, Zn
C:703	CL	Cl	1	22.2 (23.2)		N/A	N/A	<u>Free</u>	N/A	N/A	N/A	
C:704	MG	Mg	1	31.1 (35.9)	O <sub>4</sub>	<u>0.7</u>	0.47	Octahedral	8.5°	33%	0	Na
D:701	ZN	Zn	1	16.7 (16.8)	O <sub>3</sub> N <sub>2</sub>	1.8	0.071	<u>Trigonal</u> <u>Bipyramidal</u>	<u>14.8°</u>	0	0	Co, Zn
D:703	CL	Cl	1	18 (19.5)		N/A	N/A	<u>Free</u>	N/A	N/A	N/A	
D:704	MG	Mg	1	<u>17.5</u> (24.6)	O <sub>5</sub>	<u>0.7</u>	<u>0.22</u>	Octahedral	7.2°	<u>16%</u>	0	Na
	Le	gend:	Not applicable	utlier Bo	rderline A	cceptable						

Column	Description								
Occupancy	Occupancy of ion under consideration								
B factor (env.) <sup>1</sup>	Metal ion B factor, with valence-weighted environmental average B factor in parenthesis								
Ligands	Elemental composition of the coordination sphere								
Valence <sup>2</sup>	Summation of bond valence values for an ion binding site. <i>Valence</i> accounts for metal-ligand distances								
nVECSUM <sup>3</sup>	Summation of ligand vectors, weighted by bond valence values and normalized by overall valence. Increase when the coordination sphere is not symmetrical due to incompleteness.								
Geometry <sup>1,4</sup>	Arrangement of ligands around the ion, as defined by the NEIGHBORHOOD algorithm								
gRMSD(°) <sup>1</sup>	R.M.S. Deviation of observed geometry angles (L-M-L angles) compared to ideal geometry, in degrees								
Vacancy <sup>1</sup>	Percentage of unoccupied sites in the coordination sphere for the given geometry								
Bidentate	Number of residues that form a bidentate interaction instead of being considered as multiple ligands								
Alt. metal	A list of alternative metal(s) is proposed in descending order of confidency, assuming metal environment is accurately determined. This feature is still experimental. It requires user discrimination and cannot be blindly accepted								

## Metal-ligand distance distributions for pdb6en5.ent in comparison with CSD



(1) Zheng H, Chordia MD, Cooper DR, Chruszcz M, Müller P, Sheldrick GM, Minor W (2014) Nature Protocols, 9(1), 156-70.

(2) Brown ID (2009) *Chem. Rev., 109,* 6858-6919.
(3) Müller P, Köpke S, Sheldrick GM (2003) *Acta Crystallogr. D Biol. Crystallogr., 59,* 32-37.
(4) Kuppuraj G, Dudev M, Lim C (2009) *J. Phys. Chem. B, 113,* 2952-2960.

(5) CSD: Cambridge Structural Database

Maintained by: Heping Zheng <<u>dust@iwonka.med.virginia.edu</u>>

## Citing CheckMyMetal (CMM):

Validation of metal-binding sites in macromolecular structures with the CheckMyMetal web server. Zheng, H., Chordia, M.D., Cooper, D.R., Chruszcz, M., Müller, P., Sheldrick, G.M., Minor, W. (2014) Nature Protocols, 9(1), 156-70.