


Macchina virtuale windows 7 pingata con meta e kali



The screenshot shows a Windows 7 desktop environment within a virtual machine. A command prompt window is open, displaying the results of two ping commands. The first command is 'ping 192.168.50.100', which shows four successful responses with 32 bytes of data, response times of 3ms, 2ms, 2ms, and 2ms, and a TTL of 64. The second command is 'ping 192.168.50.101', which also shows four successful responses with 32 bytes of data, response times of 2ms, 2ms, 3ms, and 4ms, and a TTL of 64. The desktop background is dark, and the taskbar at the bottom shows several icons, including the Start button, Internet Explorer, File Explorer, and a few others. The window title bar indicates the command prompt is running 'C:\Windows\system32\cmd.exe'.

```
ca. C:\Windows\system32\cmd.exe
Microsoft Windows [Versione 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. Tutti i diritti riservati.

C:\Users\ vboxuser>ping 192.168.50.100

Esecuzione di Ping 192.168.50.100 con 32 byte di dati:
Risposta da 192.168.50.100: byte=32 durata=3ms TTL=64
Risposta da 192.168.50.100: byte=32 durata=2ms TTL=64
Risposta da 192.168.50.100: byte=32 durata=2ms TTL=64
Risposta da 192.168.50.100: byte=32 durata=2ms TTL=64

Statistiche Ping per 192.168.50.100:
    Pacchetti: Trasmessi = 4, Ricevuti = 4,
    Persi = 0 (0% persi),
    Tempo approssimativo percorsi andata/ritorno in millisecondi:
        Minimo = 2ms, Massimo = 3ms, Medio = 2ms

C:\Users\ vboxuser>ping 192.168.50.101

Esecuzione di Ping 192.168.50.101 con 32 byte di dati:
Risposta da 192.168.50.101: byte=32 durata=2ms TTL=64
Risposta da 192.168.50.101: byte=32 durata=2ms TTL=64
Risposta da 192.168.50.101: byte=32 durata=3ms TTL=64
Risposta da 192.168.50.101: byte=32 durata=4ms TTL=64

Statistiche Ping per 192.168.50.101:
    Pacchetti: Trasmessi = 4, Ricevuti = 4,
    Persi = 0 (0% persi),
    Tempo approssimativo percorsi andata/ritorno in millisecondi:
        Minimo = 2ms, Massimo = 4ms, Medio = 2ms

C:\Users\ vboxuser>_
```

Ping da Kali a Meta

kali-linux-2024.1-virtualbox-amd64 [In esecuzione] - Oracle VM VirtualBox

File Macchina Visualizza Inserimento Dispositivi Aiuto

```
kali@kali: ~  
File Actions Edit View Help  
- (kali@kali)-[~]  
$ sudo /etc/rc.d/networking restart  
[sudo] password for kali:  
sudo: /etc/rc.d/networking: command not found  
  
- (kali@kali)-[~]  
$ sudo nano /etc/network/interfaces  
  
- (kali@kali)-[~]  
$ sudo /etc/init.d/networking restart  
Restarting networking (via systemctl): networking.service.  
  
- (kali@kali)-[~]  
$ ip a  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host noprefixroute  
        valid_lft forever preferred_lft forever  
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000  
    link/ether 08:00:27:1e:36:4a brd ff:ff:ff:ff:ff:ff  
    inet 192.168.50.100/24 brd 192.168.50.255 scope global eth0  
        valid_lft forever preferred_lft forever  
  
- (kali@kali)-[~]  
$ ping 192.168.50.101  
PING 192.168.50.101 (192.168.50.101) 56(84) bytes of data.  
64 bytes from 192.168.50.101: icmp_seq=1 ttl=64 time=0.894 ms  
64 bytes from 192.168.50.101: icmp_seq=2 ttl=64 time=2.62 ms  
64 bytes from 192.168.50.101: icmp_seq=3 ttl=64 time=0.934 ms  
64 bytes from 192.168.50.101: icmp_seq=4 ttl=64 time=0.867 ms  
64 bytes from 192.168.50.101: icmp_seq=5 ttl=64 time=1.05 ms  
64 bytes from 192.168.50.101: icmp_seq=6 ttl=64 time=2.48 ms  
64 bytes from 192.168.50.101: icmp_seq=7 ttl=64 time=2.57 ms  
64 bytes from 192.168.50.101: icmp_seq=8 ttl=64 time=0.628 ms  
64 bytes from 192.168.50.101: icmp_seq=9 ttl=64 time=0.564 ms  
64 bytes from 192.168.50.101: icmp_seq=10 ttl=64 time=0.678 ms  
64 bytes from 192.168.50.101: icmp_seq=11 ttl=64 time=0.855 ms
```

Ping da Meta a Kali

```
msfadmin@metasploitable:~$ ping 192.168.50.100 ip
ping: unknown host ip
msfadmin@metasploitable:~$
msfadmin@metasploitable:~$ ping 192.168.50.100
PING 192.168.50.100 (192.168.50.100) 56(84) bytes of data:
64 bytes from 192.168.50.100: icmp_seq=1 ttl=64 time=10.7 ms
64 bytes from 192.168.50.100: icmp_seq=2 ttl=64 time=2.77 ms
64 bytes from 192.168.50.100: icmp_seq=3 ttl=64 time=1.69 ms
64 bytes from 192.168.50.100: icmp_seq=4 ttl=64 time=1.88 ms
64 bytes from 192.168.50.100: icmp_seq=5 ttl=64 time=2.49 ms
64 bytes from 192.168.50.100: icmp_seq=6 ttl=64 time=0.721 ms
64 bytes from 192.168.50.100: icmp_seq=7 ttl=64 time=0.795 ms
64 bytes from 192.168.50.100: icmp_seq=8 ttl=64 time=1.62 ms
64 bytes from 192.168.50.100: icmp_seq=9 ttl=64 time=3.31 ms
64 bytes from 192.168.50.100: icmp_seq=10 ttl=64 time=3.06 ms
64 bytes from 192.168.50.100: icmp_seq=11 ttl=64 time=0.606 ms
64 bytes from 192.168.50.100: icmp_seq=12 ttl=64 time=3.07 ms
64 bytes from 192.168.50.100: icmp_seq=13 ttl=64 time=1.80 ms
13/13 packets, 0% loss, min/avg/euma/max = 0.606/2.663/3.788/10.784 ms
64 bytes from 192.168.50.100: icmp_seq=14 ttl=64 time=2.06 ms
64 bytes from 192.168.50.100: icmp_seq=15 ttl=64 time=2.44 ms
64 bytes from 192.168.50.100: icmp_seq=16 ttl=64 time=0.668 ms
64 bytes from 192.168.50.100: icmp_seq=17 ttl=64 time=3.34 ms
```