

Sample Document Using the Glossaries Package With Xindy

Nicola Talbot

March 19, 2020

1 Karl Friedrich Gauss

This is a section on **Karl Friedrich Gauss**. This section spans several pages.



This paragraph has been shoved to the bottom of the page using a rule. This paragraph spans a page break for testing purposes to ensure the glossary entry



in this paragraph has the correct location. Here's the glossary entry: [Gaussian function](#). Check that the location is correct.

This page talks about [Gaussian integers](#). Since it's the principle definition, the user-defined hyperbfit format is used.



The section on [Gauss](#) ends here.

2 Series Expansions

This section is about series expansions. It mentions [Colin Maclaurin](#) and [Brook Taylor](#). It also discusses [Taylor's theorem](#) which is related to the [Taylor series](#). The [Maclaurin series](#) is a special case of the [Taylor series](#).

3 Archimedes' principle

This section discusses [Archimedes' principle](#) which was introduced by [Archimedes of Syracuse](#).

4 Another section

This section covers [Ernst Mach](#) who introduced the [Mach number](#). It also mentions [André-Marie Ampère](#) after whom the SI unit [ampere](#) is named. It then discusses [Sir Francis Galton](#) and [Thomas Robert Malthus](#). Finally it mentions [John Loudon McAdam](#).



This page discusses Quinn McNemar who introduced McNemar's test and Giuseppe Peano who discovered Peano's curve.

Glossary

A

ampere

SI unit of electric current named after Ampère. [\[1\]](#)

Ampère, André-Marie

French mathematician and physicist. [\[2\]](#)

Archimedes of Syracuse

Greek mathematician. [\[3\]](#)

Archimedes' principle

Principle that if a body is submerged in a fluid it experiences upthrust equal to the weight of the displaced fluid. Named after Archimedes. [\[4\]](#)

G

Galton, Sir Francis

English anthropologist. [\[5\]](#)

Gauss, Karl Friedrich

German mathematician. [\[6\] – \[7\]](#)

Gaussian function

A function of the form:

$$f(x) = a \exp\left(-\frac{(x-b)^2}{2c^2}\right)$$

for some constants a , b and c . [\[8\]](#)

Gaussian integer

Complex number where both real and imaginary parts are integers. [\[9\]](#)

M

Mach number

Ratio of the speed of a body in a fluid to the speed of sound in that fluid named after Mach. [\[10\]](#)

Mach, Ernst

Czech/Austrian physicist and philosopher. [\[2\]](#)

Maclaurin series

Series expansion. [\[1\]](#), see [Taylor's theorem](#)

Maclaurin, Colin

Scottish mathematician best known for the [Maclaurin series](#). [\[2\]](#)

Malthus, Thomas Robert

English mathematician, sociologist and classicist. [\[3\]](#)

McAdam, John Loudon

Scottish engineer. [\[4\]](#)

McNemar, Quinn

Mathematician who introduced [McNemar's test](#). This entry has the number list suppressed.

McNemar's test

A nonparametric test introduced by [McNemar](#) in 1947. [\[5\]](#)

P**Peano, Giuseppe**

Italian mathematician. [\[6\]](#)

Peano's curve

A space-filling curve discovered by [Peano](#). [\[7\]](#)

T**Taylor series**

Series expansion. [\[1\]](#), see [Taylor's theorem](#)

Taylor, Brook

English mathematician. [\[8\]](#)

Taylor's theorem

Theorem expressing a function $f(x)$ as the sum of a polynomial and a remainder:

$$f(x) = f(a) + f'(a)(x - a) + f''(a)(x - a^2)/2! + \dots + R_n$$

If $n \rightarrow \infty$ the expansion is a [Taylor series](#) and if $a = 0$, the series is called a [Maclaurin series](#). [\[9\]](#)

