D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

SAMPLE COLLECTED AT:

REF. BY: WELLNESS - DSA

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

TEST ASKED : AAROGYAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

SECTOR-48/A,CHANDIGARH - 160047

| TEST NAME | TECHNOLOGY | VALUE | UNITS |
|--------------------|------------|-------|-------|
| 17 OH PROGESTERONE | E.L.I.S.A | 0.75 | na/mL |

Reference Range :-

Children:

3 - 14 Yrs 0.07 - 1.70

Adult Males 0.50 - 2.10

Adult Females:

Follicular Phase 0.10 - 0.80 Luteal Phase 0.60 - 2.30 Ovulation 0.30 - 1.40 Post ACTH < 3.20 Third Trimester 2.0 - 12 Postmenopausal 0.13 - 0.51

Please correlate with clinical conditions.

Method:- COMPETITIVE ENZYME IMMUNOASSAY

Sample Collected on (SCT): 03 Jun 2016 08:00Sample Received on (SRT): 05 Jun 2016 04:05Report Released on (RRT): 06 Jun 2016 00:16

Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

3R27.

Dr.Caesar Sengupta MD

Page : 1 of 17

Dr.Durgaprasad N Agrawal MD

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

SAMPLE COLLECTED AT:

REF. BY: WELLNESS - DSA

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

TEST ASKED: AAROGYAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

| TEST NAME | TECHNOLOGY | VALUE UNITS | | |
|-----------|------------|-------------|-----|--|
| AMYLASE | PHOTOMETRY | 54.6 | U/L | |

Reference Range :-

Adults: 30-118 U/L

Interpretation:

Lipemic Sera (Hypertriglyceridemia) may contain inhibitors, Which falsely depress results. About 20% of patients with Acute Pancreatitis have abnormal lipids. Normal serum amylase may occur in Pancreatitis, Especially relapsing and chronic pancreatitis. Moderate increases may be reported in normal pregnancy.

Clinical Significance:

Causes of high Serum Amylase include Acute Pancreatitis, Pancreatic Pseudocyst, Pancreatic Ascites, Pancreatic Abscess, Neoplasm in or adjacent to Pancreas, Trauma to Pancreas, and common Duct Stones. Nonpancreatic Causes include inflammatory salivary lesions (Eg, Mumps), Perforated Peptic Ulcer, Intestinal Obstruction, Biliary Tract Disease, Peritonitis, Acute Appendicitis, Diabetic Ketoacidosis, and Extrapancreatic Carcinomas. Amylase levels more than 25-fold the upper limit of normal are often found when metastatic tumors produce Ectopic Amylase.

Specifications:

Precision: Within run %CV has been recorded 1% and between run %CV of 1.5%. Analytical sensitivity (Lower Detection Limit) 3 U/I

Kit Validation References:

Tietz Nw, Huang WY, Rauh DF ET Al. Laboratory tests in the differential diagnosis of Hyperamylasemia. Clin Chem 1986;32: 301–307

Please correlate with clinical conditions.

Method:- ENZYMATIC PHOTOMETRIC TEST.

Sample Collected on (SCT) : 03 Jun 2016 08:00

Sample Received on (SRT) : 05 Jun 2016 04:05

Report Released on (RRT) : 06 Jun 2016 00:16

Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

3R2).

Dr.Durgaprasad N Agrawal MD

Dr.Caesar Sengupta MD

Page: 2 of 17

REF. BY



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

: WELLNESS - DSA

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

TEST ASKED: AAROGYAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

| TEST NAME | TECHNOLOGY | VALUE | UNITS |
|-------------------------|------------|-------|-------|
| DHEA - SULPHATE (DHEAS) | C.L.I.A | 197.8 | µg/dl |

Reference Range :-

| Age (Years) | Females | Males |
|-------------|-------------|------------|
| 10 - 14 | 33.9 - 280 | 24.4 - 247 |
| 15 - 19 | 65.1 - 368 | 70.2 - 492 |
| 20 - 24 | 148 - 407 | 211 - 492 |
| 25 - 34 | 98.8 - 340 | 160 - 449 |
| 35 - 44 | 60.9 - 337* | 88.9 - 427 |
| 45 - 54 | 35.4 - 256* | 44.3 - 331 |
| 55 - 64 | 18.9 - 205 | 51.7 - 295 |
| 65 – 74 | 9.40 - 246 | 33.6 - 249 |
| > 75 | 12.0 - 154 | 16.2 - 123 |
| | | |

^{*} Effects of menopause on the results obtained for the women of the corresponding Age group were tested and found to be negligible.

Clinical Significance:

Elevated levels of DHEA are found in the plasma of patients with Adrenal Tumors or Congential Adrenal Hyperplasia or Polycystic Ovaries. For diagnostic purpose, results should always be assessed in conjunction with the patient's medical history, Clinical Examination and other findings.

External Quality Control Program:

College of American Pathologists (CAP): Ligand Assay (Special) Survey. CAP Certification Number: 7193855-01

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED CHEMI LUMINESCENT IMMUNO ASSAY

Sample Collected on (SCT) : 03 Jun 2016 08:00 Sample Received on (SRT) : 05 Jun 2016 04:05

Report Released on (RRT) : 06 Jun 2016 00:16
Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

3R2).

Dr.Durgaprasad N Agrawal MD

ب

Dr.Caesar Sengupta MD

Page: 3 of 17

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

: AASTHA (28Y/F) NAME

: WELLNESS - DSA

TEST ASKED: AAROGYAM

REF. BY

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A, CHANDIGARH - 160047

| TEST NAME | : | TECHNOLOGY | VALUE | UNITS |
|--------------|-------------------------|------------|-------|--------|
| TEST NAME | • | TECHNOLOGI | VALUE | ONTIS |
| | | | | |
| CHLORIDE | | I.S.E | 112 | mmol/l |
| Reference R | ange : | | | |
| Adults: 98 - | 106 mmol/l | | | |
| Method: | Ion selective electrode | | | |

Please correlate with clinical conditions.

Sample Collected on (SCT) Sample Received on (SRT)

: 06 Jun 2016 00:16 Report Released on (RRT)

: SERUM **Sample Type**

: 040603277/PUN61 Labcode

: 03 Jun 2016 08:00

: 05 Jun 2016 04:05

Barcode : 70855372

Dr.Durgaprasad N Agrawal MD

Dr.Caesar Sengupta MD

Page: 4 of 17

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♀ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

© 022 - 3090 0000 / 4125 2525 ■ wellness@thyrocare.com ⊕ www.thyrocare.com

REPORT

NAME : AASTHA (28Y/F)

SAMPLE COLLECTED AT:

REF. BY: WELLNESS - DSA

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

TEST ASKED: AAROGYAM

1.3,HOMO,FTES,170H,TSH-LH-FSH-PRL,DHEA,AMYL,

| TEST NAME | TECHNOLOGY | VALUE | UNITS |
|-------------------|------------|-------|-------|
| FREE TESTOSTERONE | E.L.I.S.A | 2.21 | pa/ml |

Reference Range :-

Males: 4.25 - 30.37

Females: 0.04 - 4.18

Please correlate with clinical conditions.

Method:- SOLID PHASE ENZYME IMMUNOASSAY

Sample Collected on (SCT): 03 Jun 2016 08:00Sample Received on (SRT): 05 Jun 2016 04:05Report Released on (RRT): 06 Jun 2016 00:16

Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

3R27.

Dr.Durgaprasad N Agrawal MD

Dr.Caesar Sengupta MD

Page: 5 of 17

Thyrocare D-37/1,TTC MIDC,Turbhe,

Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

SAMPLE COLLECTED AT:

REF. BY: WELLNESS - DSA

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

TEST ASKED: AAROGYAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

| TEST NAME | TECHNOLOGY | VALUE | UNITS |
|--------------|------------|-------|--------|
| HOMOCYSTEINE | C.L.I.A | 11.8 | umol/L |

Reference Range :-

Adult : < 30

Clinical Significance:

Homocysteine is linked to increased risk of premature coronary artery disease, stroke and thromboembolism. Moreover, alzheimer's disease, osteoporosis, venous thrombosis, schizophrenia, cognitive deficiency and pregnancy complications also elevates Homocysteine levels.

High Values:

Elevated homocysteine levels might be due to increasing age, genetic traits, drugs, renal dysfunction and dietary deficiency of vitamins or smoking. To lower your homocysteine, eat more green vegetables, stop smoking, alcohol. Folic acid helps lowering elevated levels.

Caution While Interpretation:

To get most accurate results, it is mandatory to separate serum immediately. In separated serum, homocysteine remains stable for at least 48 hours at room temperature.

Please correlate with clinical conditions.

Method:- COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

Sample Collected on (SCT) : 03 Jun 2016 08:00

Sample Received on (SRT) : 05 Jun 2016 04:05

Report Released on (RRT) : 06 Jun 2016 00:16

Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

3R27.

Dr.Durgaprasad N Agrawal MD

بسك

Dr.Caesar Sengupta MD

Page: 6 of 17

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♀ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

REF. BY: WELLNESS - DSA

TEST ASKED: AAROGYAM

1.3,HOMO,FTES,170H,TSH-LH-FSH-PRL,DHEA,AMYL,

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

| TEST NAME | | TECHNOLOGY | VALUE | UNITS | |
|---------------------------|----------------------|------------------|-------|-------|--|
| | | | | | |
| IRON | | PHOTOMETRY | 113.7 | μg/dl | |
| Reference Range : | | | | | |
| Male: 70 - 180 | | | | | |
| Female: 60 - 180 | | | | | |
| Method: FERROZIN | E METHOD WITHOUT (| DEPROTEINIZATION | | | |
| TOTAL IRON BINDING CA | PACITY (TIBC) | PHOTOMETRY | 322 | μg/dl | |
| Reference Range: | | | | | |
| Male: 225 - 535 μg/dl Fem | ale: 215 - 535 µg/dl | | | | |
| Method: SPECTROP | HOTOMETRIC ASSAY | | | | |
| % TRANSFERRIN SATURA | ATION | CALCULATED | 35.31 | % | |
| Reference Range : | | | | | |
| 13 - 45 | | | | | |
| Method: DERIVED F | ROM IRON AND TIBC | VALUES | | | |

Please correlate with clinical conditions.

Sample Collected on (SCT) : 03 Jun 2016 08:00 Sample Received on (SRT) : 05 Jun 2016 04:05

Report Released on (RRT) : 06 Jun 2016 00:16

Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

SPA.

Dr.Durgaprasad N Agrawal MD Dr.

Dr.Caesar Sengupta MD

Page: 7 of 17

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited 9 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

© 022 - 3090 0000 / 4125 2525

wellness@thyrocare.com

www.thyrocare.com

REPORT

NAME : AASTHA (28Y/F) **REF. BY**

: WELLNESS - DSA

TEST ASKED : AAROGYAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

SAMPLE COLLECTED AT :

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A, CHANDIGARH - 160047

| TEST NAME | TECHNOLOGY | VALUE | UNITS | NORMAL RANGE |
|---------------------------|------------|-------|--------|-----------------------------------|
| BLOOD UREA NITROGEN (BUN) | PHOTOMETRY | 7.6 | mg/dl | 7.9 - 20 |
| CREATININE - SERUM | PHOTOMETRY | 0.66 | mg/dl | Male: 0.6 - 1.1 Female: 0.5 - 0.8 |
| URIC ACID | PHOTOMETRY | 4.1 | mg/dl | Male: 3.5 - 7.2 Female: 2.6 - 6.0 |
| CALCIUM | PHOTOMETRY | 9.56 | mg/dl | 8.8 - 10.6 |
| BUN / SR.CREATININE RATIO | CALCULATED | 11.52 | Ratio | 9:1 - 23:1 |
| SODIUM | I.S.E | 143 | mmol/l | 136 - 146 |

Please correlate with clinical conditions.

Method:

BUN - KINETIC UV ASSAY.

SCRE - CREATININE ENZYMATIC METHOD

URIC - Uricase / Peroxidase Method

CALC - ARSENAZO III METHOD, END POINT.

B/CR - DERIVED FROM SERUM BUN AND CREATININE VALUES

SOD - Ion Selective Electrode in Olympus AU2700

Sample Collected on (SCT) : 03 Jun 2016 08:00 Sample Received on (SRT) : 05 Jun 2016 04:05 Report Released on (RRT) : 06 Jun 2016 00:16

Sample Type : SERUM

: 040603277/PUN61 Labcode

Barcode : 70855372

Dr.Durgaprasad N Agrawal MD

Dr.Caesar Sengupta MD

Page: 8 of 17

Thyrocare D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

: WELLNESS - DSA

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

TEST ASKED: AAROGYAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

| TEST NAME | TECHNOLOGY | VALUE | UNITS |
|-----------|------------|-------|-------|
| LIPASE | PHOTOMETRY | 53 | U/L |

Reference Range :-

Adults: 13 - 60 U/L

Interpretation:

REF. BY

For diagnostic purposes, the results should always be assessed in conjunction with the patient's medical history, clinical examination and other findings like serum amylase. Serum Lipase is usually normal in patients with elevated serum amylase, having peptic ulcer, salivary adenitis, inflammatory bowel disease, intestinal obstruction, and macroamylasemia. Lipemic sera may interfere with results.

Clinical Significance:

High serum Lipase is a specific marker for pancreatitis; after acute pancreatitis the Lipase activity increases within 4–8 hours, reaches a peak after 24 hours and decreases after 8 to 14 days. However, there is no correlation between the Lipase activity determined in serum and the extent of damage to the pancreas.

Specifications:

Precision: Within run %CV has been recorded 1.16 % and between run %CV of 0.65 %. Analytical sensitivity (lower detection limit) 3 U/I

Kit Validation References:

Tietz Nw Et Al. Lipase In Serum - The Elusive Enzyme: An Overview. Clin Chem 1993; 39:746-756.

Please correlate with clinical conditions.

Method:- ENZYMATIC COLORIMETRIC ASSAY

Sample Collected on (SCT) : 03 Jun 2016 08:00

Sample Received on (SRT) : 05 Jun 2016 04:05

Report Released on (RRT) : 06 Jun 2016 00:16

Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

382).

Dr.Durgaprasad N Agrawal MD

بسر

Dr.Caesar Sengupta MD

Page: 9 of 17

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited 9 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

: WELLNESS - DSA

TEST ASKED: AAROGYAM

WELLINESS DS/N

SAMPLE COLLECTED AT :

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

TEST NAME TECHNOLOGY VALUE UNITS

FOLLICLE STIMULATING HORMONE (FSH) C.L.I.A 7.42 mIU/ml

Reference Range:

Females:

REF. BY

Normally Menstruating:

Follicular Phase: 2.5-10.2 | Midcycle Peak: 3.4 - 33.4 | Luteal Phase: 1.5-9.1

Pregnant: < 0.3 | Postmenopausal: 23.0 - 116.3

Males (13 - 70 Years): 1.4-18.1

Method: Fully Automated Bidirectionally Interfaced Chemi Luminescent Immuno Assay

LUTEINISING HORMONE (LH) C.L.I.A 7.72 mIU/ml

Reference Range:

Females:

Normally Menstruating:

Follicular Phase: 1.9 - 12.5 | Midcycle Peak: 8.7 - 76.3

Luteal Phase : 0.5 - 16.9 | Pregnant : 0.1 - 1.5

Postmenopausal: 15.9 - 54.0

Children: 0.1 - 6.0

Males (20 - 70 Years): 1.5 - 9.3

>70 Years: 3.1 - 34.6

Method: Fully Automated Bidirectionally Interfaced Chemi Luminescent Immuno Assay

PROLACTIN (PRL) C.L.I.A 64.44 ng/ml

Reference Range:

Females:

Normally Menstruating: 2.8 - 29.2

Pregnant : 9.7 - 208.5 Postmenopausal : 1.8 - 20.3

Male: 2.1 - 17.7

Method: Fully Automated Bidirectionally Interfaced Chemi Luminescent Immuno Assay

: 06 Jun 2016 00:16

Please correlate with clinical conditions.

Sample Collected on (SCT) : 03 Jun 2016 08:00 Sample Received on (SRT) : 05 Jun 2016 04:05

Sample Type : SERUM

Report Released on (RRT)

Labcode : 040603277/PUN61

Barcode : 70855372

SPA.

Dr.Durgaprasad N Agrawal MD

Dr.Caesar Sengupta MD

Page : 10 of 17

Thyrocare D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703





REPORT

NAME : AASTHA (28Y/F)

: WELLNESS - DSA

TEST ASKED: AAROGYAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

| TEST NAME | TECHNOLOGY | VALUE | UNITS | NORMAL RANGE | |
|---------------------------|------------|-------|-------|--------------|--|
| TOTAL CHOLESTEROL | PHOTOMETRY | 118 | mg/dl | 125 - 200 | |
| HDL CHOLESTEROL - DIRECT | PHOTOMETRY | 43 | mg/dl | 35-80 | |
| TRIGLYCERIDES | PHOTOMETRY | 47 | mg/dl | 25 - 200 | |
| LDL CHOLESTEROL - DIRECT | PHOTOMETRY | 76 | mg/dl | 85 - 130 | |
| TC/ HDL CHOLESTEROL RATIO | CALCULATED | 2.7 | Ratio | 3.0 - 5.0 | |
| LDL / HDL RATIO | CALCULATED | 1.8 | Ratio | 1.5 - 3.5 | |
| VLDL CHOLESTEROL | CALCULATED | 9.4 | mg/dl | 5 - 40 | |
| NON-HDL CHOLESTEROL | CALCULATED | 75 | mg/dl | < 160 | |

Please correlate with clinical conditions.

Method:

REF. BY

CHOL - CHOD POD METHOD

HCHO - ENZYME SELECTIVE PROTECTION METHOD

TRIG - ENZYMATIC COLORIMETRIC METHOD (GPO) [HIGHLY INFLUENCED BY LEVEL OF FASTING]

LDL - HOMOGENOUS ENZYMATIC COLORIMETRIC ASSAY

TC/H - DERIVED FROM SERUM CHOLESTEROL AND HDL VALUES

LDL/ - Derived from serum HDL and LDL Values

VLDL - DERIVED FROM SERUM TRIGLYCERIDE VALUES

NHDL - Derived from serum Cholesterol and HDL values

*REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:

| (mg/dl) | HDL | (mg/dl) | LDL | (mg/dl) | TRIGLYCERIDES | (mg/dl) |
|---------|-----------------|--------------------------|----------------------------------|--|-----------------|---------|
| <200 | LOW | <40 | OPTIMAL | <100 | NORMAL | <150 |
| 200-239 | HIGH | >60 | NEAR OPTIMAL | 100-129 | BORDERLINE HIGH | 150-199 |
| >240 | | | BORDERLINE HIGH | 130-159 | HIGH | 200-499 |
| | | | HIGH | 160-189 | VERY HIGH | >500 |
| | | | VERY HIGH | >190 | | |
| | <200 200-239 | <200 LOW 200-239 HIGH | <200 LOW <40 200-239 HIGH >60 | <200 LOW <40 OPTIMAL 200-239 HIGH >60 NEAR OPTIMAL >240 BORDERLINE HIGH HIGH | <200 | <200 |

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Sample Collected on (SCT) : 03 Jun 2016 08:00 Sample Received on (SRT) : 05 Jun 2016 04:05

Report Released on (RRT) : 06 Jun 2016 00:16

Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

SPA.

Dr.Durgaprasad N Agrawal MD

Dr.Caesar Sengupta MD

Page: 11 of 17

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♀ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

REF. BY: WELLNESS - DSA

TEST ASKED : AAROGYAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

| TEST NAME | TECHNOLOGY | VALUE | UNITS | NORMAL RANGE |
|------------------------------------|------------|-------|-------|---------------------------|
| ALKALINE PHOSPHATASE | PHOTOMETRY | 68.7 | U/I | M:53 to 128 - F:42 to 98 |
| BILIRUBIN -DIRECT | PHOTOMETRY | 0.28 | mg/dl | 0 - 0.30 |
| BILIRUBIN - TOTAL | PHOTOMETRY | 0.72 | mg/dl | 0.30 - 1.20 |
| BILIRUBIN (INDIRECT) | CALCULATED | 0.44 | mg/dl | 0 - 0.9 |
| GAMMA GLUTAMYL TRANSFERASE (GGT) | PHOTOMETRY | 11.6 | U/I | M: 0 to 55 - F:0 to 38 |
| ASPARTATE AMINOTRANSFERASE (SGOT) | PHOTOMETRY | 17 | U/I | M: 0 to 37 - F: 0 to 31 |
| ALANINE TRANSAMINASE (SGPT) | PHOTOMETRY | 14 | U/I | M: 13 to 40 - F: 10 to 28 |
| PROTEIN - TOTAL | PHOTOMETRY | 7.5 | gm/dl | 5.7 - 8.2 |
| ALBUMIN - SERUM | PHOTOMETRY | 4.5 | gm/dl | 3.2 - 4.8 |
| SERUM GLOBULIN | PHOTOMETRY | 3 | gm/dL | 2.50-3.40 |
| SERUM ALBUMIN/GLOBULIN RATIO | CALCULATED | 1.5 | Ratio | 0.9 - 2.0 |

Please correlate with clinical conditions.

Method:

ALKP - Modified IFCC method

BILD - Vanadate Oxidation

BILT - Vanadate Oxidation

BILI - DERIVED FROM SERUM TOTAL AND DIRECT BILIRUBIN VALUES

GGT - Modified IFCC method

SGOT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION

SGPT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION

PROT - BIURET METHOD

SALB - ALBUMIN BCG¹METHOD (COLORIMETRIC ASSAY ENDPOINT)

SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

A/GR - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

 Sample Collected on (SCT)
 : 03 Jun 2016 08:00

 Sample Received on (SRT)
 : 05 Jun 2016 04:05

 Report Released on (RRT)
 : 06 Jun 2016 00:16

Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

3827.

Dr.Durgaprasad N Agrawal MD

Dr.Caesar Sengupta MD

Page: 12 of 17

REF. BY

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

: WELLNESS - DSA

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

TEST ASKED: AAROGYAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

| TEST NAME | TECHNOLOGY | VALUE | UNITS |
|--------------|------------|-------|-------|
| TESTOSTERONE | C.L.I.A | 64.2 | ng/dl |

Reference Range :-

Adult male 241 - 827 Adult female 14 - 76

Boys

< 1 year 12 - 21 1 - 6 years 3 - 32 7 - 12 years 3 - 68 13 - 17 years 28 - 1110

Clinical Significance:

Clinical evaluation of serum testosterone, along with serum LH, assists in evaluation of Hypogonadal males. Major causes of lowered testosterone in males include Hypogonadotropic hypogonadism, testicular failure Hyperprolactinema, Hypopituitarism some types of liver and kidney diseases and critical illness.

Specifications:

Precision: Intra assay (%CV): 2.6 %, Inter assay (%CV): 4.3%; Sensitivity: 10 ng/dl

External quality control program participation:

College of American pathologists: Ligand assay (special) survey; cap number: 7193855-01

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED BIDIRECTIONALLY INTERFACED CHEMI LUMINESCENT IMMUNO ASSAY

Sample Collected on (SCT) : 03 Jun 2016 08:00

Sample Received on (SRT) : 05 Jun 2016 04:05

Report Released on (RRT) : 06 Jun 2016 00:16

Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

3R2).

Dr.Durgaprasad N Agrawal MD

بسلا

Dr.Caesar Sengupta MD

Page: 13 of 17

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703





Corporate Office: Thyrocare Technologies Limited ♀ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)
REF. BY : WELLNESS - DSA

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

TEST ASKED: AAROGYAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

| TEST NAME | TECHNOLOGY | VALUE | UNITS | REFERENCE RANGE |
|-----------------------------------|------------|-------|--------|-----------------|
| TOTAL TRIIODOTHYRONINE (T3) | C.L.I.A | 105 | ng/dl | 60 - 200 |
| TOTAL THYROXINE (T4) | C.L.I.A | 8.5 | μg/dl | 4.5 - 12.0 |
| THYROID STIMULATING HORMONE (TSH) | C.L.I.A | 2.54 | μIU/ml | 0.30 - 5.5 |

Comments: SUGGESTING THYRONORMALCY **Please correlate with clinical conditions.**

Method:

T3 - COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY
T4 - COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

TSH - ULTRA SENSITIVE SANDWICH CHEMI LUMINESCENT IMMUNO ASSAY

Pregnancy reference ranges for TSH

1st Trimester : 0.10 - 2.50 2nd Trimester : 0.20 - 3.00 3rd Trimester : 0.30 - 3.00

Reference:

Guidelines of American Thyroid Association for the Diagnosis and Management of Thyroid Disease During Pregnancy and Postpartum, Thyroid, 2011, 21; 1-46

 Sample Collected on (SCT)
 : 03 Jun 2016 08:00

 Sample Received on (SRT)
 : 05 Jun 2016 04:05

 Report Released on (RRT)
 : 06 Jun 2016 00:16

Sample Type

: SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

3P2).

Dr. Durgaprasad N Agrawal MD

(Qu -

Dr.Caesar Sengupta MD

Page: 14 of 17

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited 9 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

REF. BY: WELLNESS - DSA

TEST ASKED: AAROGYAM

· AADOCVAM

1.3, HOMO, FTES, 170H, TSH-LH-FSH-PRL, DHEA, AMYL,

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A,CHANDIGARH - 160047

| TEST NAME | TECHNOLOGY | VALUE | UNITS | |
|--|------------|-------|-------|--|
| 25-OH VITAMIN D (TOTAL) Reference Range: | C.L.I.A | 60.39 | ng/ml | |

DEFICIENCY : <20 ng/ml
INSUFFICIENCY : 20-30 ng/ml
SUFFICIENCY : 30-100 ng/ml
TOXICITY : >100 ng/ml

Vitamin D Total test is analyzed on Siemens ADVIA Centaur, standardized against ID-LC/MS/MS, as per Vitamin D

Standardization Program (VDSP).

Method: FULLY AUTOMATED CHEMI LUMINESCENT IMMUNO ASSAY

VITAMIN B-12 C.L.I.A 465 pg/ml

Reference Range:

Normal: 211 - 911 pg/ml

Clinical significance:

Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath. Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):4.0%, Inter assay (%CV):4.4 %; Sensitivity:45 pg/ml

External quality control program participation:

College of American pathologists: ligand assay (general) survey; CAP number: 7193855-01

Kit validation references:

Chen IW, Sperling MI, Heminger IA. Vitamin B12.In: Pesce AJ, Kalpan LA, editors. Methods in clinical chemistry.

St.Louis:CV Mosby,1987.P.569-73.

Method: FULLY AUTOMATED BIDIRECTIONALLY INTERFACED CHEMI LUMINESCENT IMMUNO ASSAY

Please correlate with clinical conditions.

Sample Collected on (SCT) : 03 Jun 2016 08:00
Sample Received on (SRT) : 05 Jun 2016 04:05

Report Released on (RRT) : 06 Jun 2016 00:16
Sample Type : SERUM

Labcode : 040603277/PUN61

Barcode : 70855372

SPA.

Dr.Durgaprasad N Agrawal MD

ب

Dr.Caesar Sengupta MD

Page: 15 of 17

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

REF. BY: WELLNESS - DSA

TEST ASKED: HBA, HEMOGRAM - 6 PART (DIFF)

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A, CHANDIGARH - 160047

| TEST NAME | TECHNOLOGY | VALUE | UNITS | |
|---|-------------------------|-------|-------|--|
| DIABETES SCREEN (BLOOD) | | | | |
| HbA1c | H.P.L.C | 5.2 | % | |
| Reference Range : | | | | |
| Below 6.0% - Normal Value | | | | |
| 6.0% - 7.0% - Good Control | | | | |
| 7.0% - 8.0% - Fair Control | | | | |
| 8.0% - 10% - Unsatisfactory Control | | | | |
| Above 10% - Poor Control | | | | |
| Method: Fully Automated H.P.L.C. using | Biorad Variant II Turbo | | | |
| AVERAGE BLOOD GLUCOSE (ABG) | CALCULATED | 103 | mg/dl | |

Reference Range:

90 - 120 mg/dl : Excellent Control 121 - 150 mg/dl : Good Control 151 - 180 mg/dl : Average Control 181 - 210 mg/dl : Action Suggested > 211 mg/dl : Panic Value

 $(Note:\ Average\ Blood\ Glucose\ value\ is\ calculated\ from\ HBA1c\ value\ and\ it\ indicates\ Average\ Blood\ Sugar\ level$

over past three months.)

Method: Derived from HBA1c values

Please correlate with clinical conditions.

Sample Collected on (SCT) : 03 Jun 2016 08:00
Sample Received on (SRT) : 05 Jun 2016 03:35
Report Released on (RRT) : 05 Jun 2016 07:24

Sample Type

: EDTA

Labcode : 040647145/PUN61

Barcode : 71291594

SPA.

Dr.Durgaprasad N Agrawal MD

Dr.Caesar Sengupta MD

Page : 16 of 17

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703



Corporate Office: Thyrocare Technologies Limited ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703

REPORT

NAME : AASTHA (28Y/F)

REF. BY : WELLNESS - DSA

TEST ASKED: HBA, HEMOGRAM - 6 PART (DIFF)

SAMPLE COLLECTED AT:

FLAT NUMBER 112, MAYUR VIHAR, FIRST FLOOR,

SECTOR-48/A, CHANDIGARH - 160047

| TEST NAME | VALUE | UNITS | REFERENCE RANGE |
|--|-------|------------------------|---------------------------------|
| TOTAL LEUCOCYTES COUNT | 4.13 | X 10 ³ / μL | 4 - 10 |
| NEUTROPHILS | 57.4 | % | 40-80 |
| LYMPHOCYTE PERCENTAGE | 36.4 | % | M:20-40; F:20-40 |
| MONOCYTES | 2.7 | % | 0-10 |
| EOSINOPHILS | 3.1 | % | 0-6 |
| BASOPHILS | 0.2 | % | < 2 |
| IMMATURE GRANULOCYTE PERCENTAGE(IG%) | 0.2 | % | Male: 0-0.5 Female: 0-0.4 |
| NEUTROPHILS - ABSOLUTE COUNT | 2.37 | X 10 ³ / μL | 2.0 - 7.0 |
| LYMPHOCYTES - ABSOLUTE COUNT | 1.5 | X 10 ³ / μL | 1.00 - 3.00 |
| MONOCYTES - ABSOLUTE COUNT | 0.11 | X 10 ³ / μ | 0.20 - 1.00 |
| BASOPHILS - ABSOLUTE COUNT | 0.01 | X 10 ³ / μ | 0.02 - 0.10 |
| EOSINOPHILS - ABSOLUTE COUNT | 0.13 | X 10 ³ / μL | 0.02 - 0.50 |
| IMMATURE GRANULOCYTES(IG) | 0.01 | X 10 ³ / μL | 0.03 |
| TOTAL RBC | 5.2 | X 10^6/i | Male : 4.5-5.5 Female : 3.9-4.8 |
| NUCLEATED RED BLOOD CELLS | Nil | X 10 ³ / μL | Nil in adults |
| NUCLEATED RED BLOOD CELLS % | Nil | % | Nil in adults |
| HEMOGLOBIN | 14.2 | g/dL | Male : 13-17 Female : 12-15 |
| HEMATOCRIT(PCV) | 39.76 | % | Male : 40-50 Female : 36-46 |
| MEAN CORPUSCULAR VOLUME(MCV) | 99.2 | fL | 83-101 |
| MEAN CORPUSCULAR HEMOGLOBIN(MCH) | 27.3 | pq | 27-32 |
| MEAN CORP.HEMO.CONC(MCHC) | 27.5 | g/dL | 31.5-34.5 |
| RED CELL DISTRIBUTION WIDTH - SD(RDW-SD) | 54.8 | fL | 39 - 46 |
| RED CELL DISTRIBUTION WIDTH (RDW-CV) | 14.9 | % | 11.6-14 |
| PLATELET DISTRIBUTION WIDTH(PDW) | 16.5 | fL | 9.6-15.2 |
| MEAN PLATELET VOLUME(MPV) | 12.7 | fL | 6.5-12.0 |
| PLATELET COUNT | 247 | X 10 ³ / μL | 150-400 |
| PLATELET TO LARGE CELL RATIO(PLCR) | 47.2 | % | 19.7 - 42.4 |
| PLATELETCRIT(PCT) | 0.31 | % | 0.19 - 0.39 |

Please Correlate with clinical conditions.

Method: Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(This device performs hematology analyses according to the Hydrodynamic Focussing (DC method), Flow Cytometry Method (using a semiconductor laser), and SLS- hemoglobin method)

~~ End of report ~~

Sample Collected on (SCT) : 03 Jun 2016 08:00 Sample Received on (SRT) : 05 Jun 2016 03:35

Report Released on (RRT) : 05 Jun 2016 07:24

Sample Type : EDTA

Labcode : 040647145/PUN61

Barcode : 71291594

3827.

Dr.Durgaprasad N Agrawal MD

Dr.Caesar Sengupta MD

Page: 17 of 17