



nrs2m6_donor_centric_PCAWG_Hg19_TToA.RefSeq.1 exon_intron_intergenic_intronicncat_sigEpcrlineix_noasnpfilter_Nucleosome



A box plot showing the distribution of csd for different values of C_p (1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21). The y-axis represents csd and ranges from 0.0000 to 0.0020. The x-axis represents C_p . The plot shows that as C_p increases, the median csd decreases and the spread of the data (indicated by the box and whiskers) also decreases.

C_p	Median csd	Q1 csd	Q3 csd	Min csd	Max csd
1	0.0004	0.0001	0.0009	0.0000	0.0019
3	0.0004	0.0001	0.0008	0.0000	0.0018
5	0.0004	0.0001	0.00075	0.0000	0.00175
7	0.0004	0.0001	0.0007	0.0000	0.0017
9	0.0004	0.0001	0.00068	0.0000	0.00165
11	0.0004	0.0001	0.00065	0.0000	0.0016
13	0.0004	0.0001	0.00062	0.0000	0.00155
15	0.0004	0.0001	0.0006	0.0000	0.0015
17	0.0004	0.0001	0.00058	0.0000	0.00145
19	0.0004	0.0001	0.00055	0.0000	0.0014
21	0.0004	0.0001	0.00052	0.0000	0.00135