

Topic	Capstone class: Data Story-1		
Class Description	Students create a data story by reviewing the savings of people who were reminded to save money and those who were not.		
Class	C112		
Class time	45 mins		
Goal	 Use Colab to write a data story based on the analysis and hypothesis testing of the given dataset. 		
Resources Required	 Teacher Resources Google Colaboratory (Colab) Laptop with internet connectivity Earphones with mic Notebook and pen Student Resources Google Colaboratory (Colab) Laptop with internet connectivity Earphones with mic Notebook and pen 		
Class structure	Warm Up Teacher-led Activity Student-led Activity Wrap up	5 mins 15 min 15 min 5 min	

CONTEXT

• Review the concepts learned in the earlier classes

Class Steps	Teacher Action	Student Action
Step 1: Warm Up (5 mins)	Hi <student name=""> Welcome to the Capstone Class.</student>	ESR: -We learned to find mean, median and modeWe learned about the

^{© 2020 -} WhiteHat Education Technology Private Limited.

Note: This document is the original copyright of WhiteHat Education Technology Private Limited.

Please don't share, download or copy this file without permission.




	What all did we learn in our previous classes?	correlationWe learned about the sampling distribution We learned about the z test.
	Yesthese are very useful concepts that we learned while doing some data visualization. Today we'll take data of the people who were sent reminders to save money and people who weren't sent reminders to save the money. We'll conduct some tests on this data and write our data story.	ESR: varied
	Data story or data storytelling is the practice of building a narrative around a set of data and its accompanying visualizations to help convey the meaning of that data in a powerful and compelling fashion. Sounds exciting?	
	Let's get started then.	-
	Teacher Initiates Screen Share	e
 CHALLENGE Learn the usage of colab Perform hypothesis testing on the given data set 		
Step 2: Teacher-led Activity (15 min)	To write the data story we'll use the "Colaboratory" or "Colab " for short. Colab allows us to write and execute	-

^{© 2020 -} WhiteHat Education Technology Private Limited.



python on the browser. Let's watch a short introduction video about Colab. <teacher 1="" activity="" and="" from="" link="" opens="" teacher="" the="" video="" watch=""> Now let's see how to use a Colab. Teacher opens the link from Teacher activity 2.</teacher>	* 3.89
In Colab every project is called a notebook. When we open a Colab we see a pop up where we can select our previous notebook to continue our work or create a new notebook to work on a new project. We'll create a new notebook. Here we can write python code as well as text.	dingfork





Can you guess how we can write code and text?

Yes, To write code we click on the code button. A code cell opens up where you can write your code and press the run button to execute your code.

<The teacher clicks on the code
button and types print("hello world")
in the code cell and clicks on the run
button>

Same way we can add the text in the notebook. Text can be used for general purpose like:

- -Adding a heading.
- -Adding an explanation on what your code block is doing.


ESR:

We can see the + Code and + Text button in the top corner.

By clicking those buttons we can add code or text to the notebook.

^{© 2020 -} WhiteHat Education Technology Private Limited.





© 2020 - WhiteHat Education Technology Private Limited.



<Teacher writes the following sample code in the code cell and executes the code> Code:-

import plotly.express as px

df =
px.data.gapminder().query("countr
y=='Canada'")
fig = px.line(df, x="year",
y="lifeExp", title='Life expectancy
in Canada')
fig.show()



were given reminders to save money and some people who weren't given reminders to save the money. Let's write a data story of these data

We have a set of data of people who

© 2020 - WhiteHat Education Technology Private Limited.



	We are writing the data story so that anyone who reads it can understand what meaning the data is trying to convey. Are you ready for this?			
	Teacher Stops Screen Share			
	Now it's your turn. Please share your screen with me.			
• Guide	 Ask Student to press ESC key to come back to panel Guide Student to start Screen Share Teacher gets into Fullscreen 			
ACTIVITY Perform multiple tests to do the analysis and write the data story on Colab				
Step 3: Student-Led Activity (15 min)	Teacher helps the student to open a new Colab notebook and rename it as data_story.	Student opens the Colab notebook from student activity 1 and renames it as data_story.		
C data_story.ipynb ☆ File Edit View Insert Runtime Tools Help Last saved at 14:39				
+ Code + Text				
→ Data Story				



Now let's download the data that we Student downloads the data from Student Activity 2. will be using. Teacher helps the student to download the data. quant_saved, female, highschool_completed, rem_any, wealthy, age 13.0908,1,0,1,0,28 39.2724,0,1,1,1,0 294.543,0,1,1,1,0 58.9086,1,1,1,1,0 78.5448,1,1,1,1,0 39.2724,1,1,1,1,43 32.727,1,1,1,1,52 654.54,0,1,1,1,52 2.284,0,1,1,1,34 52.3632,1,0,1,0,46 52.3632,1,0,1,0,46
58.9086,0,1,1,0
39.2724,1,1,0,1,26
58.9086,1,1,0,1,0
60.23920623,1,1,1,1,27
78.5444,1,1,0,0,32
46.15233243,1,1,1,0,39
39.2724,1,1,1,1,76
2.284,0,1,1,1,23
39.2724,1,1,1,1,1,56 39.2724,1,1,1,1,32 104.7264,1,1,1,1,38 2.284,1,1,1,0,33 81.8175,1,1,1,1,70 01.073,1,1,1,1,49 98.181,1,1,1,1,49 39.2724,1,1,1,0,36 2.284,1,1,1,1,45 2.284,1,1,1,1,46 45.8178,1,1,1,41 47.17807761,0,0,1,0,28 98.181,0,0,1,0,32 39.2724,0,1,1,1,29 2.284,1,1,0,1,29 39.2724,1,1,1,1,53 First of all we need to import all the Student imports the libraries libraries like plotly, pandas and to the code. statistics to our code. Teacher helps the student to import the libraries. #Importing the important modules [] import pandas as pd import statistics import plotly.express as px

© 2020 - WhiteHat Education Technology Private Limited.



Now let's upload the data to our notebook and plot it to see if we get something from it.

Student uploads the file to the colab and then plots in a scatter plot.

To upload the data to the Colab we write the following code:#Uploading the csv
from google.colab import files
data_to_load = files.upload()
Then click on the choose file button and select the data file.

To plot the graph:

#Plotting the graph

df =

pd.read_csv("savings_data_final.c

sv")

fig = px.scatter(df,

y="quant_saved",


color="rem_any")

fig.show()

```
[ ] #Uploading the csv
from google.colab import files
data_to_load = files.upload()

#Plotting the graph
df = pd.read_csv("savings_data_final.csv")
fig = px.scatter(df, y="quant_saved", color="rem_any")
fig.show()
```





© 2020 - WhiteHat Education Technology Private Limited.



savings data, everytime when a user has value 1 we increase the count of the total people given reminder by 1.

-To find the number of people who were not given reminders we will subtract the total number of entries total number of people given reminders.

Teacher helps the student with the code.

import csv

with open('savings_data_final.csv', newline="") as f: reader = csv.reader(f) savings_data = list(reader)

savings_data.pop(0)


#Finding total number of people and number of people who were reminded total entries = len(savings data) total people given reminder = 0 for data in savings data: if int(data[3]) == 1: total people given reminder += 1

import plotly.graph_objects as go

fig = "Not Reminded"], y=[total_people_given_reminder,

saving data, every time we find the value of an entry to be 1 we increase the counter by 1.

-Then using plotly plots the graph.





(total_entries total_people_given_reminder)]))

fig.show()

```
import csv

with open('savings_data_final.csv', newline="") as f:
    reader = csv.reader(f)
    savings_data = list(reader)

savings_data.pop(0)

#Finding total number of people and number of people who were reminded
total_entries = len(savings_data)
total_people_given_reminder = 0
for data in savings_data:
    if int(data[3]) == 1:
        total_people_given_reminder += 1
import plotly.graph_objects as go

fig = go.Figure(go.Bar(x=["Reminded", "Not Reminded"], y=[total_people_given_reminder, (total_entries - total_people_given_reminder)]))
fig.show()
```



What can we see from the plot?

Yes!

Now let's find the mean median and mode of the savings_data.
Can you tell me how to find that?

ESR:

We can see that the number of people who were reminded is more than people not reminded.

© 2020 - WhiteHat Education Technology Private Limited.



Code:-

#Mean, median and mode of
savings
all_savings = []
for data in savings_data:
 all_savings.append(float(data[0]))

print(f"Mean of savings {statistics.mean(all_savings)}")
print(f"Median of savings {statistics.median(all_savings)}")
print(f"Mode of savings {statistics.mode(all_savings)}")

ESR:

We use the mean, median and mode functions of the statistics library.

Student finds the mean median and mode of the saved data.

```
#Mean, median and mode of savings
all_savings = []
for data in savings_data:
    all_savings.append(float(data[0]))

print(f"Mean of savings - {statistics.mean(all_savings)}")
print(f"Median of savings - {statistics.median(all_savings)}")
print(f"Mode of savings - {statistics.mode(all_savings)}")

Mean of savings - 85.32780331328739
Median of savings - 39.2724
Mode of savings - 0.0
```

Now these are some very interesting results! Can you guess why the mean, median and the mode are not the same and worlds apart?

If we go back and look at the scatterplot we plotted before, we can see that the majority of the savings data lies between 0 to 100.

ESR: varied

© 2020 - WhiteHat Education Technology Private Limited.



Now, since we have a few outliers, which are the blue dots that are away from the rest of the crowd, our mean has significantly increased from the median, since it is the sum of all values by total entries. Since the outliers lie far away from the crowd, the difference is huge.

Similarly, for mode, in our data, there are a lot of people who didn't save at all. Thus, the mode of the data is 0. Mode is the value with maximum occurrences.

Let's see if we have a similar massive difference between the mean, median and mode of people who got reminded and people who didn't receive reminders.

Before that we need to find the values of people who got reminded and people who didn't get reminded.

As we know in our data we have 0 as a value to people who were not reminded to save and 1 for people who were reminded to save.

We'll create two variables not_reminded_savings and reminded_savings and set empty lists as their values.

To get that data we'll loop on the savings data and in the 4th column in

Student codes to get the list of reminded_savings and not_reminded_savings.

And then finds the mean, median and mode for both the data.


© 2020 - WhiteHat Education Technology Private Limited.



```
savings data if the value is 0 we'll
append it in the
not reminded savings list and if the
value is 1 we'll append it in the
reminded savings list.
Teacher helps the student with the
code
Code:-
#Mean, median and mode of
savings
reminded savings = []
not reminded savings = []
for data in savings_data:
 if int(data[3]) == 1:
reminded_savings.append(float(dat
a[0]))
 else:
not_reminded_savings.append(floa
t(data[0]))
print("Results for people who were
reminded to save")
print(f"Mean of savings -
{statistics.mean(reminded_savings
)}")
print(f"Median of savings -
{statistics.median(reminded_savin
gs)}")
print(f"Mode of savings -
{statistics.mode(reminded_savings
)}")
#To add new lines
print("\n\n")
print("Results for people who were
```



not reminded to save")
print(f"Mean of savings {statistics.mean(not_reminded_savings)}")
print(f"Median of savings {statistics.median(not_reminded_savings)}")
print(f"Mode of savings {statistics.mode(not_reminded_savings)}")



Again, there seems to be massive differences between the mean, median and modes of savings of people who were reminded and people who were not reminded. We can conclude this with the same explanation as earlier.

Let's first calculate the standard deviation of the data.

Student Codes to calculate the mean median and mode of the

- -all_savings
- -reminded Savings
- -not_reminded_savings
 and print those values


^{© 2020 -} WhiteHat Education Technology Private Limited.



Teacher helps student with the code.

Code:-

#Standard Deviation
print(f"Standard deviation of all the
data ->
{statistics.stdev(all_savings)}")
print(f"Standard deviation of
people who were reminded ->
{statistics.stdev(reminded_savings
)}")
print(f"Standard deviation of
people who were not reminded ->
{statistics.stdev(not_reminded_sav
ings)}")



Standard deviation of all the data -> 196.75453011909315 Standard deviation of people who were reminded -> 173.24866414440817 Standard deviation of people who were not reminded -> 228.875050299707

Here, we can see that the standard deviation varies a lot in all three types of data.

What can we tell from the standard deviation of the three types of data?

Very true. Now the question is, does this data have a correlation? Let's see if the savings are correlated to the age of people.

ESR:

It is higher for the people who were not reminded v/s the people who were reminded.

ESR:

Looking at the data uptil now, we can assume that reminding people to save did not have a significant effect.

© 2020 - WhiteHat Education Technology Private Limited.



Note - The columns that have age as 0 will not be considered, since their age is missing. No one can be saving at the age of 0.

To find the correlation between the savings and age of people we need to get these data first.

In our data set the first column is the savings and the last column is the age. And we don't want a savings where the age is 0. So we'll write an if condition which will check if the value in the 5th column is 0 or not. If it's 0 we skip it and if it's not 0 we append those values in the age and savings list respectively.

Using the corrcoef function of numpy we calculate the correlation between them.

Teacher helps the student with the code.

Code:-

import numpy as np

age = []
savings = []
for data in savings_data:
 if float(data[5]) != 0:
 age.append(float(data[5]))
 savings.append(float(data[0]))

correlation = np.corrcoef(age,
savings)
print(f"Correlation between the age

From standard deviations, we can see that the people who were not reminded have much more scattered data than people who were reminded.

Student codes to find the data and of age and savings and find it's correlation.



of the person and their savings is - {correlation[0,1]}")

```
[ import numpy as np

age = []
savings = []
for data in savings_data:
    if float(data[5]) != 0:
        age.append(float(data[5]))
        savings.append(float(data[0]))

correlation = np.corrcoef(age, savings)
    print(f"Correlation between the age of the person and their savings is - {correlation[0,1]}")
Correlation between the age of the person and their savings is - 0.03663447975985462
```

Here, we receive the correlation between the age and the savings to be 0.03, which means that the given data is not correlated.

Let's see if this given data for savings follows a bell curve normal distribution.

Teacher helps the student with the code.

Code:-

import plotly.figure_factory as ff

fig =

ff.create_distplot([df["quant_saved
"].tolist()], ["Savings"],


show_hist=False)

fig.show()

Student codes to plot the savings data on a distplot.

© 2020 - WhiteHat Education Technology Private Limited.





What observations can we make by looking at the plot?

Very good, we can also see that our chart is skewed to the left side of the chart. This means that the majority of the data, instead of lying on the center, lies in the left side of the chart.

To deal with this, we can remove the outliers. There is a method known as the IQR (Interquartile Range) method. We will learn more about it in our next class.

ESR:

- -It definitely does not follow a normal distribution.
- -Majority of the data lies under 1000. The rest is just a very small number of data points.

Teacher Guides Student to Stop Screen Share

FEEDBACK

- Appreciate the student for their efforts
- Identify 2 strengths and 1 area of progress for the student

Step 4:
Wrap-Up
(5 min)

So, in this data story class we reviewed the concepts we have learned so far.

How was your experience?

ESR:

varied

© 2020 - WhiteHat Education Technology Private Limited.

Note: This document is the original copyright of WhiteHat Education Technology Private Limited.

Please don't share, download or copy this file without permission.



		
	Amazing. While working on this data story, we also made sure that we are at the top of all the concepts we have acquired so far.	-
	Next class, we will be learning new concepts and building new projects.	
	Congratulations! You have accomplished a milestone.	
	In this Capstone project, you will analyse and visualise a given data set and write a data story.	a corkids
	In order to achieve this, you have to apply the learnings from the past few classes.	dingito
Project Overview	Data Story -1	
	Goal of the Project: In this project you will analyse and visualise a given data set and write a data story based on it . Story:	
	In our journey of analyzing the articlele's data, you also want to understand how the results are changing after the introduction of an intervention.	
	write a program to do the z test of a given sample.	



	I am very excited to see your project solution and I know you will do really well. Bye Bye!		
Teacher Clicks × End Class			
Additional Activities	Encourage the student to write reflection notes in their reflection journal using markdown. Use these as guiding questions: • What happened today? - Describe what happened - Code I wrote • How did I feel after the class? • What have I learned about programming and developing games? • What aspects of the class helped me? What did I find difficult?	The student uses the markdown editor to write her/his reflection in a reflection journal.	

Activity	Activity Name	Links
Teacher Activity 1	Colab Introduction	https://youtu.be/inN8seMm7UI
Teacher Activity 2	Colab notebook link	https://colab.research.google.com/note books/intro.ipynb#recent=true



Teacher Activity 3	Colab Reference (final code)	https://colab.research.google.com/drive/ 1QHjei1rWWFkEMISIOYLrzj5Oy_Eyop JX?usp=sharing
Student Activity1	Colab notebook link	https://colab.research.google.com/note books/intro.ipynb#recent=true
Student activity 2	savings data	https://raw.githubusercontent.com/white hatjr/datasets/master/savings_data_fina l.csv

