


Jenkins



Jenkins 2.492.2 Setup

Service Logon Credentials

Enter service credentials for the service.

Jenkins 2.492.2 installs and runs as an independent Windows service. To operate in this manner, you must supply the user account credentials for Jenkins 2.492.2 to run successfully.

Logon Type:

☒ Run service as LocalSystem (not recommended)

☐ Run service as local or domain user:

Account:

Password:

Test Credentials

Back Next Cancel

Jenkins 2.492.2 Setup

Port Selection

Choose a port for the service.



Please choose a port.

Port Number (1-65535):

Test Port ✓

It is recommended that you accept the selected default port.

Back Next Cancel





Jenkins 2.492.2 Setup




Custom Setup

Jenkins



Select the way you want features to be installed.

Click the icons in the tree below to change the way features will be installed.



The required Jenkins components

This feature requires 92MB on your hard drive. It has 1 of 2 subfeatures selected. The subfeatures require 0KB on your hard drive.

Browse...

Reset

Disk Usage

Back

Next

Cancel



Mansi2004patil Bhushan@114
Administrator 80bf83c5b2ab49c292b42d415850171c

<http://localhost:8081/>
Web Program

New Item

Enter an item name

HtmlDemo

» A job already exists with the name 'HtmlDemo'

Select an item type



Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.



Pipeline

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

OK

New Item

Enter an item name

HtmlDemo1

Select an item type



Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.



Pipeline

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

OK

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

Source Code Management

Connect and manage your code repository to automatically pull the latest code for your builds.

☐ None

☒ Git

Repositories

Repository URL

https://github.com/MansPatil14/DemoJenkins.git

Credentials

none

+ Add

Advanced

Add Repository

Branches to build

Branch Specifier (blank for 'any')

*/main

Add Branch

Repository browser

(Auto)

Additional Behaviours

Add

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

Source Code Management

Connect and manage your code repository to automatically pull the latest code for your builds.

☐ None

☒ Git

Repositories

Repository URL

https://github.com/MansPatil14/DemoJenkins.git

Credentials

none

+ Add

Advanced

Add Repository

Branches to build

Branch Specifier (blank for 'any')

*/main

Add Branch

Repository browser

(Auto)

Additional Behaviours

Add

Dashboard > HtmlDemo > Configuration

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Environment

Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.

☐ Delete workspace before build starts

☐ Use secret text(s) or file(s)

☐ Add timestamps to the Console Output

☐ Inspect build log for published build scans

☐ Terminate a build if it's stuck

☐ With Ant

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

Execute Windows batch command

Command

See the list of available environment variables

mkdir -p /var/www/html
cp -r * /var/www/html/
echo "Deployment Completed"

Advanced

Add build step

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Add post-build action

Save

Apply

REST API

Jenkins 2.492.2

Jenkins

Dashboard > HtmlDemo > Workspace of HtmlDemo on Built-In Node

Status

Changes

Workspace

Wipe Out Current Workspace

Build Now

Configure

Delete Project

Rename

Workspace of HtmlDemo on Built-In Node

HtmlDemo /

git

example.html Mar 20, 2025, 6:40:49 PM 110 B

(all files in zip)

BUILDS

Filter

Today

#1 6:40 PM

localhost:8080/job/HtmlDemo/ws/example.html

☆

10

⋮

My First Heading

My first paragraph.

New Item

Enter an item name

htmlDemo

Select an item type

**Freestyle project**

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

**Pipeline**

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

**Multi-configuration project**

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

**Folder**

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

OK