

Topic 20: Random Forest

by Sai Zhang

Key points: .

Disclaimer: The note is built on Prof. [Jinchi Lv](#)'s lectures of the course at USC, DSO 607, High-Dimensional Statistics and Big Data Problems.

20.1 Motivation

Denote by $m(\mathbf{X})$ the measurable nonparametric regression function with p -dimensional random vector \mathbf{X} taking values in $[0, 1]^p$. The Random Forest algorithm aims to learn the regression function in a non-parametric way based on the observations $\mathbf{x}_i \in [0, 1]^p$, $y_i \in \mathbb{R}$, $i = 1, \dots, n$, from the model

$$y_i = m(\mathbf{x}_i) + \epsilon_i$$

where \mathbf{X} , \mathbf{x}_i , ϵ_i , $i = 1, \dots, n$ are independent, and $\{\mathbf{x}_i\}$ and $\{\epsilon_i\}$ are two sequences of identically distributed random variables. \mathbf{x}_i is distributed identically as \mathbf{X} .

Why Random Forest (RF)? RF has gained significant popularity due to its

- **High accuracy:** RF consistently rank among the top performer, often surpassing more complex models
- **Robustness:** RF are less subject to overfitting due to the ensemble nature leveraging multiple decision trees
- **Interpretability:** RF provide rankings of feature importance

As illustrated in Figure 20.1, in a level-2 tree, each node (cell) defines the point where the current cell split and new cells are produced. The sets of features eligible for splitting cells at level $k - 1$ are denoted as $\Theta_k := \{\Theta_{k,1}, \dots, \Theta_{k,2^{k-1}}\}$, where $\Theta_{k,s} \subset \{1, \dots, p\}$.




Figure 20.1: Level-2 Tree Example

Given any T (and the associated splitting criterion) and $\Theta_{1:k}$, the tree estimate denoted as $\hat{m}_{T(\Theta_{1:k})}$ for a test

point $\mathbf{c} \in [0, 1]^p$ is defined as

$$\hat{m}_{T(\Theta_{1:k})}(\mathbf{c}, \mathcal{X}_n) := \sum_{(\mathbf{t}_1, \dots, \mathbf{t}_k) \in T(\Theta_{1:k})} \mathbf{1}_{\mathbf{c} \in \mathbf{t}_k} \left(\frac{\sum_{i \in \{i: \mathbf{x}_i \in \mathbf{t}_k\}} y_i}{\# \{i : \mathbf{x}_i \in \mathbf{t}_k\}} \right)$$

Chi et al. (2022)

References

Chien-Ming Chi, Patrick Vossler, Yingying Fan, and Jinchi Lv. Asymptotic properties of high-dimensional random forests. *The Annals of Statistics*, 50(6):3415–3438, 2022.