

Dynamic Programming - II

Integer Knapsack Problem

- http://en.wikipedia.org/wiki/Knapsack_problem

Subset Sum Problem

- Given a set of n numbers a_i sum up to M , and any $K \leq M$, whether there is a subset of the numbers such that they sum up to (hit) K ??

Solution Subset Sum problem


```
1  int m[M+10];
2  for(i=0; i<M+10; i++)
3      m[i]=0;
4  m[0]=1;
5  for(i=0; i<n; i++)
6      for(j=M; j>=a[i]; j--)
7          m[j] |= m[j-a[i]];
```

Variants of subset sum


- **Subset sum with multiple supplies:** Each a_i can be used as many times as you like in the sum, are we going to hit K ?
- **Coin change:** Now think a_i 's are coins, you want to make an exact change of K . Maybe there are multiple ways you can do this, then you want to minimize (or maximize) the number of coins you use.

Travelling salesman problem


- Given a weighted graph $G = (V, E)$, find a tour of minimum weight passing through all the vertices.




1



2




3



4

Some Bitwise Tricks

- We can Represent a set of 'n' elements as an 'n' bit number.
- Check if element 'I' is present in set 'n'
$$N \& (1 \ll I) = 0 \text{ if } I \text{ is not present in } N$$
$$= 1 \text{ otherwise}$$
- Find the resulting set when we add 'I' to set 'n'
$$\text{New set} = (N \mid (1 \ll I))$$
- Iterating through all the subsets of size $\leq n$
$$\text{for}(i=0; i < (1 \ll n); i++)$$



Solution to TSP

- Naïve Algorithm: $O(n!)$
- Can we do any better??
- There is an $O((n^2) \cdot (2^n))$ DP solution.
- Sketch:-

Pick a vertex as home vertex 'h'.

Compute $f(s, w)$ – tour of minimum size which starts at 'h' and ends at w and covers vertices from set 's'.

Initialize $f(\{v\}, v) = w(h, v)$ for all (h, v) in E

$f(s, v) = \min \{f(s - \{v\}, w) + w(v, w)\}$ w in 's', and (v, w) in E

Practice problems

- <http://code.google.com/codejam/contest/dashboard?c=90101#s=p2>
- http://community.topcoder.com/stat?c=problem_statement&pm=11511&rd=14545
- <http://pclub.in/index.php/wpc-archives/16-kodefest-solutions/86-problem-d>
- <http://www.codechef.com/MARCH10/problems/N1>
- <http://www.spoj.pl/problems/MINUS/>

Practice problems continued...

- <http://www.spoj.pl/problems/MIXTURES/>
- <http://www.spoj.pl/problems/PIGBANK/>
- <http://www.spoj.pl/problems/GNYR09F/>
- <http://www.spoj.pl/problems/THREECOL/>
- <http://www.spoj.pl/problems/SCUBADIV/>
- [DP Problems list –](#)
<http://apps.topcoder.com/forums/;jsessionid=D8D13FEF20BC2CEA4BE0F93BA57FE142?module=Thread&threadID=674592&messageID=1237516&mc=7&view=tree#1237516>

- Topcoder tutorial on DP:

<http://community.topcoder.com/tc?module=Static&d1=tutorials&d2=dynProg>

- http://en.wikipedia.org/wiki/Computing_the_permanent