

Assignment: Probability

T.Sai Raghavendra - FWC22087

13.4.3 ¹Let X represent the difference between the number of heads and the number of tails obtained when a coin is tossed 6 times. What are possible values of X?

Solution:

Variable	Value	Description
n	6	Number of trails
p_1	$\frac{1}{2}$	Probability of getting a head
q_1	$1 - p_1$	Probability of not getting a head
p_2	$\frac{1}{2}$	Probability of getting a tail
q_2	$1 - p_2$	Probability of not getting a tail
X	$\{0, 1, 2, 3, 4, 5, 6\}$	No.of heads in 6 tosses of a coin

Table 13.4.3.2: Variable description.

(a) Number of heads in 6 tosses of a coin.
By using Binomial distribution

$$\Pr(X) = {}^nC_X p_1^X q_1^{n-X} \quad (13.4.1.1)$$

X	0	1	2	3	4	5	6
$\Pr(X)$	$\frac{1}{64}$	$\frac{6}{64}$	$\frac{15}{64}$	$\frac{20}{64}$	$\frac{15}{64}$	$\frac{6}{64}$	$\frac{1}{64}$

Table 13.4.1.4: Probability distribution of X.

(b) Number of tails in 6 tosses of a coin.
By using Binomial distribution

$$\Pr(X) = {}^nC_X p_2^X q_2^{n-X} \quad (13.4.2.2)$$

X	0	1	2	3	4	5	6
$\Pr(X)$	$\frac{1}{64}$	$\frac{6}{64}$	$\frac{15}{64}$	$\frac{20}{64}$	$\frac{15}{64}$	$\frac{6}{64}$	$\frac{1}{64}$

Table 13.4.2.6: Probability distribution of X.

\Rightarrow A coin is tossed 6 times and X represents the difference between the number of heads and the number of tails. $Y = \{0, 1\}$ represents the head and tail.

Random Variable	Outcome
$Y = 0$	Head
$Y = 1$	Tail

Table 13.4.2.8: Outcomes of Random Variable.

$$X(60, 01) = |6 - 0| = 6 \quad (13.4.2.3)$$

$$X(50, 11) = |5 - 1| = 4 \quad (13.4.2.4)$$

$$X(40, 21) = |4 - 2| = 2 \quad (13.4.2.5)$$

$$X(30, 31) = |3 - 3| = 0 \quad (13.4.2.6)$$

$$X(20, 41) = |2 - 4| = 2 \quad (13.4.2.7)$$

$$X(10, 51) = |1 - 5| = 4 \quad (13.4.2.8)$$

$$X(00, 61) = |0 - 6| = 6 \quad (13.4.2.9)$$

Thus, the possible values of X are 0, 2, 4 and 6.

¹Read question numbers as (CHAPTER NUMBER).(EXERCISE NUMBER).(QUESTION NUMBER)