



Jobs

Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:35:22 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)


Project Description

Properties	Values
Name	final_project
Language	java
Description	

Description

Properties	Values
Name	dim_date
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Jul 31, 2017 6:48:32 PM
Modification	Aug 9, 2017 9:12:31 AM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false

Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------


Component List

Component Name	Component Type
CNTL_Job_Tracking_Stats_ROOT_1	CNTL_Job_Tracking_Stats_ROOT

tMap_1	tMap
tMysqlOutput_1	tMysqlOutput
tPostgresqlInput_1	tPostgresqlInput

Components Description

Component tMysqlOutput

	UNIQUE NAME	tMysqlOutput_1	INPUT(S)	tMap_1
	LABEL	__TABLE__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMysqlOutput_1
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"

Port	"3306"
Database	"retail_dw"
Username	"info7290"
Password	*****
Table	"dimdate"
Action on table	TRUNCATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100

Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
	<pre> {{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DateSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=FullDateAK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=FullDateTimeAK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=YearID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=MonthID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DayID}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=YearQtr}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=YearMonth}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DayOfYear}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=WeekOfYear}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, </pre>

SCHEMA_COLUMN=DayofWeek},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=MonthAbr},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DayAbr},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=MonthFull},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DayFull},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=FullDateUSA},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DayOfMonth},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DaySuffix},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DayName},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DayOfWeekUSA},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DayOfWeekInMonth},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DayOfWeekInYear},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DayOfQuarter},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DayOfYearChar},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=WeekOfMonth},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=WeekOfQuarter},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=WeekOfYearChar},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,

Field options

SCHEMA_COLUMN=MonthChar},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=MonthName},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=MonthOfQuarter},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=Quarter},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=QuarterName},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=YearChar},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=YearName},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=MonthYear},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=MMYYYY},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=FirstDayOfMonth},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=LastDayOfMonth},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=FirstDayOfQuarter},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=LastDayOfQuarter},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=FirstDayOfYear},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=LastDayOfYear},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=IsWeekday},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=IsHolidayUSA},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,

SCHEMA_COLUMN=HolidayUSA},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=EuropeSeason},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=NorthAmericaSeason},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=AsiaSeason},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=SOR_ID},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=SOR_LoadDate},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=SOR_UpdateDate},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DI_Job_ID},
{UPDATE_KEY=false, DELETE_KEY=false,
UPDATABLE=true, INSERTABLE=true,
SCHEMA_COLUMN=DI_Create_Date},

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}}
Use Hint Options	false
Hint Options	[]
Enable debug mode	false
Use duplicate key update mode insert	false
	[]
Support null in "SQL WHERE" statement	false
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimdate :

Column	Key	Type	Length	Precision	Nullable	Comment
DateSK	true	int	10		false	


FullDateAK	false	java.util.Date	10		true	
FullDateTimeAK	false	java.util.Date	19		true	
YearID	false	Integer	10		true	
MonthID	false	Integer	10		true	
DayID	false	Integer	10		true	
YearQtr	false	Integer	10		true	
YearMonth	false	Integer	10		true	
DayOfYear	false	Integer	10		true	
WeekOfYear	false	Integer	10		true	
DayofWeek	false	Integer	10		true	
MonthAbr	false	String	3		true	
DayAbr	false	String	3		true	
MonthFull	false	String	12		true	
DayFull	false	String	12		true	
FullDateUSA	false	String	10		true	
DayOfMonth	false	String	2		true	
DaySuffix	false	String	4		true	

DayName	false	String	9		true	
DayOfWeekUSA	false	String	1		true	
DayOfWeekInMonth	false	String	2		true	
DayOfWeekInYear	false	String	2		true	
DayOfQuarter	false	String	3		true	
DayOfYearChar	false	String	3		true	
WeekOfMonth	false	String	1		true	
WeekOfQuarter	false	String	2		true	
WeekOfYearChar	false	String	2		true	
MonthChar	false	String	2		true	
MonthName	false	String	9		true	
MonthOfQuarter	false	String	2		true	
Quarter	false	String	1		true	
QuarterName	false	String	9		true	
YearChar	false	String	4		true	
YearName	false	String	7		true	
MonthYear	false	String	10		true	

MMYYYY	false	String	6		true	
FirstDayOfMonth	false	java.util.Date	10		true	
LastDayOfMonth	false	java.util.Date	10		true	
FirstDayOfQuarter	false	java.util.Date	10		true	
LastDayOfQuarter	false	java.util.Date	10		true	
FirstDayOfYear	false	java.util.Date	10		true	
LastDayOfYear	false	java.util.Date	10		true	
IsWeekday	false	Boolean	10		true	
IsHolidayUSA	false	Boolean	10		true	
HolidayUSA	false	String	50		true	
EuropeSeason	false	String	50		true	
NorthAmericaSeason	false	String	50		true	
AsiaSeason	false	String	50		true	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	

DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	

Original Function Parameters:
Component tPostgresqlInput

	UNIQUE NAME	tPostgresqlInput_1	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tPostgresqlInput_1
Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/PostgreSQL
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Use an existing connection	false
Component List	
DB Version	PRIOR_TO_V9
Host	"localhost"
Database Driver	POSTGRESQL
Port	"5432"

Database	"retail_sor_as"
Schema	"public"
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimdate"
Query Type	Built-In
Guess Schema	""
	"SELECT \"retail_sor_as\".\"public\".\"dimdate\".\"datesk\", \"retail_sor_as\".\"public\".\"dimdate\".\"fulldateak\", \"retail_sor_as\".\"public\".\"dimdate\".\"fulldatetimeak\", \"retail_sor_as\".\"public\".\"dimdate\".\"yearid\", \"retail_sor_as\".\"public\".\"dimdate\".\"monthid\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayid\", \"retail_sor_as\".\"public\".\"dimdate\".\"yearqtr\", \"retail_sor_as\".\"public\".\"dimdate\".\"yearmonth\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayofyear\", \"retail_sor_as\".\"public\".\"dimdate\".\"weekofyear\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayofweek\", \"retail_sor_as\".\"public\".\"dimdate\".\"monthabr\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayabr\", \"retail_sor_as\".\"public\".\"dimdate\".\"monthfull\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayfull\", \"retail_sor_as\".\"public\".\"dimdate\".\"fulldateusa\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayofmonth\", \"retail_sor_as\".\"public\".\"dimdate\".\"daysuffix\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayname\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayofweekusa\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayofweekinmonth\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayofweekinyear\", \"retail_sor_as\".\"public\".\"dimdate\".\"dayofquarter\",

Query

```
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"dayofyearchar\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"weekofmonth\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"weekofquarter\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"weekofyearchar\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"monthchar\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"monthname\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"monthofquarter\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"quarter\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"quartername\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"yearchar\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"yearname\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"monthyear\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"mmyyyy\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"firstdayofmonth\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"lastdayofmonth\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"firstdayofquarter\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"lastdayofquarter\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"firstdayofyear\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"lastdayofyear\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"isweekday\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"isholidayusa\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"holidayusa\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"europeseason\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"northamericaseason\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"asiaseason\\",
\\"retail_sor_as\\".\"public\\".\"dimdate\\".\"etlloadid\\",
```

	\"retail_sor_as\".\"public\".\"dimdate\".\"loaddate\", \"retail_sor_as\".\"public\".\"dimdate\".\"updatedate\" FROM \"retail_sor_as\".\"public\".\"dimdate\""
Specify a data source alias	false
Data source alias	""
Mapping	postgres_id
Encoding	"ISO-8859-15"
Use cursor	false
Cursor size	1000
Trim all the String/Char columns	false
	{TRIM=false, SCHEMA_COLUMN=datesk}, {TRIM=false, SCHEMA_COLUMN=fulldateak}, {TRIM=false, SCHEMA_COLUMN=fulldatetimeak}, {TRIM=false, SCHEMA_COLUMN=yearid}, {TRIM=false, SCHEMA_COLUMN=monthid}, {TRIM=false, SCHEMA_COLUMN=dayid}, {TRIM=false, SCHEMA_COLUMN=yearqtr}, {TRIM=false, SCHEMA_COLUMN=yearmonth}, {TRIM=false, SCHEMA_COLUMN=dayofyear}, {TRIM=false, SCHEMA_COLUMN=weekofyear}, {TRIM=false, SCHEMA_COLUMN=dayofweek}, {TRIM=false, SCHEMA_COLUMN=monthabr}, {TRIM=false, SCHEMA_COLUMN=dayabr}, {TRIM=false, SCHEMA_COLUMN=monthfull}, {TRIM=false, SCHEMA_COLUMN=dayfull}, {TRIM=false, SCHEMA_COLUMN=fulldateusa}, {TRIM=false, SCHEMA_COLUMN=dayofmonth}, {TRIM=false, SCHEMA_COLUMN=daysuffix}, {TRIM=false, SCHEMA_COLUMN=dayname}, {TRIM=false, SCHEMA_COLUMN=dayofweekusa}, {TRIM=false, SCHEMA_COLUMN=dayofweekinmonth}, {TRIM=false, SCHEMA_COLUMN=dayofweekinyear}, {TRIM=false, SCHEMA_COLUMN=dayofquarter}, {TRIM=false, SCHEMA_COLUMN=dayofyearchar}, {TRIM=false, SCHEMA_COLUMN=weekofmonth}, {TRIM=false,

Trim column

SCHEMA_COLUMN=weekofquarter}, {TRIM=false,
SCHEMA_COLUMN=weekofyearchar}, {TRIM=false,
SCHEMA_COLUMN=monthchar}, {TRIM=false,
SCHEMA_COLUMN=monthname}, {TRIM=false,
SCHEMA_COLUMN=monthofquarter}, {TRIM=false,
SCHEMA_COLUMN=quarter}, {TRIM=false,
SCHEMA_COLUMN=quartername}, {TRIM=false,
SCHEMA_COLUMN=yearchar}, {TRIM=false,
SCHEMA_COLUMN=yearname}, {TRIM=false,
SCHEMA_COLUMN=monthyear}, {TRIM=false,
SCHEMA_COLUMN=mmyyyy}, {TRIM=false,
SCHEMA_COLUMN=firstdayofmonth}, {TRIM=false,
SCHEMA_COLUMN=lastdayofmonth}, {TRIM=false,
SCHEMA_COLUMN=firstdayofquarter}, {TRIM=false,
SCHEMA_COLUMN=lastdayofquarter}, {TRIM=false,
SCHEMA_COLUMN=firstdayofyear}, {TRIM=false,
SCHEMA_COLUMN=lastdayofyear}, {TRIM=false,
SCHEMA_COLUMN=isweekday}, {TRIM=false,
SCHEMA_COLUMN=isholidayusa}, {TRIM=false,
SCHEMA_COLUMN=holidayusa}, {TRIM=false,
SCHEMA_COLUMN=europeseason}, {TRIM=false,
SCHEMA_COLUMN=northamericaseason}, {TRIM=false,
SCHEMA_COLUMN=asiaseason}, {TRIM=false,

	SCHEMA_COLUMN=etlloadid}, {TRIM=false, SCHEMA_COLUMN=loaddate}, {TRIM=false, SCHEMA_COLUMN=updatedate}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimdate :

Column	Key	Type	Length	Precision	Nullable	Comment
datesk	true	int	10		false	
fulldateak	false	java.util.Date	13		true	
fulldatetimeak	false	java.util.Date	26	3	true	
yearid	false	Integer	10		true	
monthid	false	Integer	10		true	
dayid	false	Integer	10		true	
yearqtr	false	Integer	10		true	


yearmonth	false	Integer	10		true	
dayofyear	false	Integer	10		true	
weekofyear	false	Integer	10		true	
dayofweek	false	Integer	10		true	
monthabr	false	String	3		true	
dayabr	false	String	3		true	
monthfull	false	String	12		true	
dayfull	false	String	12		true	
fulldateusa	false	String	10		true	
dayofmonth	false	String	2		true	
daysuffix	false	String	4		true	
dayname	false	String	9		true	
dayofweekusa	false	String	1		true	
dayofweekinmonth	false	String	2		true	
dayofweekinyear	false	String	2		true	
dayofquarter	false	String	3		true	
dayofyearchar	false	String	3		true	

weekofmonth	false	String	1		true	
weekofquarter	false	String	2		true	
weekofyearchar	false	String	2		true	
monthchar	false	String	2		true	
monthname	false	String	9		true	
monthofquarter	false	String	2		true	
quarter	false	String	1		true	
quartername	false	String	9		true	
yearchar	false	String	4		true	
yearname	false	String	7		true	
monthyear	false	String	10		true	
mmyyyy	false	String	6		true	
firstdayofmonth	false	java.util.Date	13		true	
lastdayofmonth	false	java.util.Date	13		true	
firstdayofquarter	false	java.util.Date	13		true	
lastdayofquarter	false	java.util.Date	13		true	
firstdayofyear	false	java.util.Date	13		true	

lastdayofyear	false	java.util.Date	13		true	
isweekday	false	Boolean	1		true	
isholidayusa	false	Boolean	1		true	
holidayusa	false	String	50		true	
europeseason	false	String	50		true	
northamericaseason	false	String	50		true	
asiaseason	false	String	50		true	
etlloadid	false	Integer	10		true	
loaddate	false	java.util.Date	26	3	true	
updatedate	false	java.util.Date	26	3	true	

Original Function Parameters:

Component CNTL_Job_Tracking_Stats_ROOT


	UNIQUE NAME	CNTL_Job_Tracking_Stats_ROOT_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Version	Latest
Show Information	false

Comment	
---------	--

Component tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tPostgresqlInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMysqlOutput_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
datesk	int		false
fulldateak	java.util.Date		true
fulldatetimeak	java.util.Date		true
yearid	Integer		true
monthid	Integer		true
dayid	Integer		true
yearqtr	Integer		true

yearmonth	Integer		true
dayofyear	Integer		true
weekofyear	Integer		true
dayofweek	Integer		true
monthabr	String		true
dayabr	String		true
monthfull	String		true
dayfull	String		true
fulldateusa	String		true
dayofmonth	String		true
daysuffix	String		true
dayname	String		true
dayofweekusa	String		true
dayofweekinmonth	String		true
dayofweekinyear	String		true
dayofquarter	String		true
dayofyearchar	String		true

weekofmonth	String		true
weekofquarter	String		true
weekofyearchar	String		true
monthchar	String		true
monthname	String		true
monthofquarter	String		true
quarter	String		true
quartername	String		true
yearchar	String		true
yearname	String		true
monthyear	String		true
mmyyyy	String		true
firstdayofmonth	java.util.Date		true
lastdayofmonth	java.util.Date		true
firstdayofquarter	java.util.Date		true
lastdayofquarter	java.util.Date		true
firstdayofyear	java.util.Date		true

lastdayofyear	java.util.Date		true
isweekday	Boolean		true
isholidayusa	Boolean		true
holidayusa	String		true
europeseason	String		true
northamericaseason	String		true
asiaseason	String		true
etlloadid	Integer		true
loaddate	java.util.Date		true
updatedate	java.util.Date		true

Constraint Table Entries(row1):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (output):

Mapper table Properties(dim_date):

Properties	Values
Name	dim_date
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(dim_date):

Name	Type	Expression	isNullable
DateSK	int	row1.dateask	false
FullDateAK	java.util.Date	row1.fulldateak	true
FullDateTimeAK	java.util.Date	row1.fulldatetimeak	true
YearID	Integer	row1.yearid	true
MonthID	Integer	row1.monthid	true
DayID	Integer	row1.dayid	true
YearQtr	Integer	row1.yearqtr	true

YearMonth	Integer	row1.yearmonth	true
DayOfYear	Integer	row1.dayofyear	true
WeekOfYear	Integer	row1.weekofyear	true
DayofWeek	Integer	row1.dayofweek	true
MonthAbr	String	row1.monthabr	true
DayAbr	String	row1.dayabr	true
MonthFull	String	row1.monthfull	true
DayFull	String	row1.dayfull	true
FullDateUSA	String	row1.fulldateusa	true
DayOfMonth	String	row1.dayofmonth	true
DaySuffix	String	row1.daysuffix	true
DayName	String	row1.dayname	true
DayOfWeekUSA	String	row1.dayofweekusa	true
DayOfWeekInMonth	String	row1.dayofweekinmonth	true
DayOfWeekInYear	String	row1.dayofweekinyear	true
DayOfQuarter	String	row1.dayofquarter	true
DayOfYearChar	String	row1.dayofyearchar	true

WeekOfMonth	String	row1.weekofmonth	true
WeekOfQuarter	String	row1.weekofquarter	true
WeekOfYearChar	String	row1.weekofyearchar	true
MonthChar	String	row1.monthchar	true
MonthName	String	row1.monthname	true
MonthOfQuarter	String	row1.monthofquarter	true
Quarter	String	row1.quarter	true
QuarterName	String	row1.quartername	true
YearChar	String	row1.yearchar	true
YearName	String	row1.yearname	true
MonthYear	String	row1.monthyear	true
MMYYYY	String	row1.mmyyyy	true
FirstDayOfMonth	java.util.Date	row1.firstdayofmonth	true
LastDayOfMonth	java.util.Date	row1.lastdayofmonth	true
FirstDayOfQuarter	java.util.Date	row1.firstdayofquarter	true
LastDayOfQuarter	java.util.Date	row1.lastdayofquarter	true
FirstDayOfYear	java.util.Date	row1.firstdayofyear	true

LastDayOfYear	java.util.Date	row1.lastdayofyear	true
IsWeekday	Boolean	row1.isweekday	true
IsHolidayUSA	Boolean	row1.isholidayusa	true
HolidayUSA	String	row1.holidayusa	true
EuropeSeason	String	row1.europeseason	true
NorthAmericaSeason	String	row1.northamericaseason	true
AsiaSeason	String	row1.asiaseason	true
SOR_ID	int	44	false
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()	true
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()	true
DI_Job_ID	String	context.getProperty("vRootPID")	false
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()	false
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()	false

Constraint Table Entries(dim_date):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------