

## Jobs

## Generated by Talend Data Fabric

Project Name	final_project	GENERATION DATE	Aug 10, 2017 4:34:36 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.3.1.20161216_1026

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


## **Project Description**

Properties	Values
Name	final_project
Language	java
Description	

# **Description**

Properties	Values	
Name	fact_strategy_plan_cat	
Author	user@talend.com	
Version	0.1	
Purpose		
Status		
Description		
Creation	Aug 9, 2017 12:18:29 AM	
Modification	Aug 9, 2017 6:51:08 PM	

## **Preview Picture**



## **Settings**

### **Extra settings**

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

#### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false

Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

### **Context List**

### ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
------	--------	--------------	------	-------	--------

## **Component List**

Component Name	Component Type
CNTL_Job_Tracking_Stats_ROOT_1	CNTL_Job_Tracking_Stats_ROOT
tMap_1	tMap

tMysqlInput_1	tMysqlInput
tMysqlInput_2	tMysqlInput
tMysqlInput_3	tMysqlInput
tMysqlOutput_1	tMysqlOutput
tMysqlOutput_2	tMysqlOutput
tOracleInput_1	tOracleInput

## **Components Description**

### Component tMysqlInput

UNIQUE NAME	tMysqlInput_1	INPUT(S)	none
LABEL	TABLE	OUTPUT(S)	tMap_1

**Component Parameters:** 

Component i arameters.		
Properties	Values	
Unique Name	tMysqlInput_1	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/MySQL	
Start	false	

Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5

Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimentity"
Query Type	Built-In
Guess Schema	пп
Query	"SELECT `dimentity`.`EntitySK`, `dimentity`.`EntityKey` FROM `dimentity`"
Specify a data source alias	false
Data source alias	пп
Mapping	mysql_id

Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=EntitySK}, {TRIM=false, SCHEMA_COLUMN=EntityKey}]
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for dimentity:

Column	Key	Туре	Length	Precision	Nullable	Comment
EntitySK	true	int	10		false	
EntityKey	false	int	10		false	

# Original Function Parameters: Component tMysqlInput

	UNIQUE NAME	tMysqlInput_2	INPUT(S)	none	
	LABEL	TABLE	OUTPUT(S)	tMap_1	

Component Parameters:			
Properties	Values		
Unique Name	tMysqlInput_2		
Component Name	tMysqlInput		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tMysqlInput		
Update components	true		

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	******

REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"dimscenario"
Query Type	Built-In
Guess Schema	пп
Query	"SELECT `dimscenario`.`ScenarioSK`, `dimscenario`.`ScenarioKey` FROM `dimscenario`"
Specify a data source alias	false
Data source alias	пп
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=ScenarioSK}, {TRIM=false, SCHEMA_COLUMN=ScenarioKey}]
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for dimscenario:

Column	Key	Туре	Length	Precision	Nullable	Comment
ScenarioSK	true	int	10		false	
ScenarioKey	false	int	10		false	

# Original Function Parameters: Component tMysqlInput

The second second	UNIQUE NAME	tMysqlInput_3	INPUT(S)	none
	LABEL	TABLE	OUTPUT(S)	tMap_1

**Component Parameters:** 

Component Farameters.			
Properties	Values		
Unique Name	tMysqlInput_3		
Component Name	tMysqlInput		
Version	0.102 (ALPHA)		

Family	Databases/MySQL
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Database Driver	MYSQL
Username	"info7290"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	Itrue
Schema	Built-In
Table Name	"dimaccount"
Query Type	Built-In
Guess Schema	1111
Query	"SELECT `dimaccount`.`AccountSK`, `dimaccount`.`AccountKey` FROM `dimaccount`"
Specify a data source alias	false

Data source alias	пп
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=AccountSK}, {TRIM=false, SCHEMA_COLUMN=AccountKey}]
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for dimaccount:

Column	Key	Туре	Length	Precision	Nullable	Comment
AccountSK	true	int	10		false	

AccountKey false	int	10	false	

# Original Function Parameters: Component tMysqlOutput

UNIQUE NAME	tMysqlOutput_1	INPUT(S)	tMap_1
LABEL	TABLE	OUTPUT(S)	none

**Component Parameters:** 

Component Parameters:			
Properties	Values		
Unique Name	tMysqlOutput_1		
Component Name	tMysqlOutput		
Version	0.102 (ALPHA)		
Family	Databases/MySQL		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tMysqlOutput		

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"retail_dw"
Username	"info7290"

Password	*****
Table	"factstrategyplan"
Action on table	NONE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"

Commit every	10000
Additional columns	
Use field options	false

[{UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA\_COLUMN=PlanDateSK}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=PlanDatekey}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=EntitySK). {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ScenarioSK), {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true. INSERTABLE=true. SCHEMA\_COLUMN=AccountSK}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ProductCategoryKey}, {UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=PlanAmount \, {UPDATE KEY=false, DELETE KEY=false, Field options UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=Local CurrencySK}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true. INSERTABLE=true. SCHEMA\_COLUMN=PlanAmount\_Local}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR ID}, **(UPDATE KEY=false, DELETE KEY=false,** UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR LoadDate . {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR UpdateDate, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Job ID}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Create Date}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Modified Date}] **Use Hint Options** false

Hint Options	
Enable debug mode	false
Use duplicate key update mode insert	false
Support null in "SQL WHERE" statement	false
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for factstrategyplan:

ochema for factoria	tegypian	•				
Column	Key	Туре	Length	Precision	Nullable	Comment
PlanDateSK	true	int	10		false	
PlanDatekey	false	java.util.Date	10		false	
EntitySK	false	int	10		false	

ScenarioSK	false	int	10		false	
AccountSK	false	int	10		false	
ProductCategoryKey	false	Integer	10		true	
PlanAmount	false	float	15	2	false	
Local_CurrencySK	false	Integer	10		true	
PlanAmount_Local	false	Float	15	2	true	
SOR_ID	false	int	10		false	
SOR_LoadDate	false	java.util.Date	19		true	
SOR_UpdateDate	false	java.util.Date	19		true	
DI_Job_ID	false	String	20		false	
DI_Create_Date	false	java.util.Date	19		false	
DI_Modified_Date	false	java.util.Date	19		false	

# Original Function Parameters: Component tMysqlOutput

UNIQUE NAME	tMysqlOutput_2		tMap_1 , tMysqlInput_3
LABEL	TABLE	OUTPUT(S)	none

**Component Parameters:** 

Properties	Values
------------	--------

Unique Name	tMysqlOutput_2
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false

2
false
Built-In
MYSQL_5
false
MYSQL
"localhost"
"3306"
"retail_dw"
"info7290"
******
"factstrategyplan_rejects"
NONE
INSERT
true
Built-In

Reject Schema	Built-In
Specify a data source alias	false
Data source alias	111
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false
	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PlanDateSK}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=PlanDatekey}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=EntityDK},

Field options

{UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ScenarioSK), {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=AccountSK}. {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ProductCategoryKey}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA\_COLUMN=PlanAmount}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=Local CurrencvSK). {UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=PlanAmount Local). {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Reject Code}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true. INSERTABLE=true. SCHEMA\_COLUMN=EntityKey}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=ScenarioKey}, {UPDATE\_KEY=false, DELETE\_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA\_COLUMN=AccountKey}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR ID}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR LoadDate . {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=SOR UpdateDate, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Job ID}, {UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA COLUMN=DI Create Date},

	{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DI_Modified_Date}]
Use Hint Options	false
Hint Options	
Enable debug mode	false
Use duplicate key update mode insert	false
	П
Support null in "SQL WHERE" statement	false
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for factstrategyplan rejects:

Column	Key	_	Length	Precision	Nullable	Comment
PlanDateSK	true	Integer	10		true	

	1	I		I	
PlanDatekey	false	java.util.Date	10		true
EntityDK	false	Integer	10		true
ScenarioSK	false	Integer	10		true
AccountSK	false	Integer	10		true
ProductCategoryKey	false	Integer	10		true
PlanAmount	false	Float	15	2	true
Local_CurrencySK	false	Integer	10		true
PlanAmount_Local	false	Float	15	2	true
DI_Reject_Code	false	Integer	10		true
EntityKey	false	Integer	10		true
ScenarioKey	false	Integer	10		true
AccountKey	false	Integer	10		true
SOR_ID	false	int	10		false
SOR_LoadDate	false	java.util.Date	19		true
SOR_UpdateDate	false	java.util.Date	19		true
DI_Job_ID	false	String	20		false
DI_Create_Date	false	java.util.Date	19		false

		false		19	java.util.Date	false	DI_Modified_Date	DI_
--	--	-------	--	----	----------------	-------	------------------	-----

# Original Function Parameters: Component tOracleInput

UNIQUE NAME	tOracleInput_1	INPUT(S)	none
LABEL	TABLE	OUTPUT(S)	tMap_1

**Component Parameters:** 

Component Parameters:				
Properties	Values			
Unique Name	tOracleInput_1			
Component Name	tOracleInput			
Version	0.102 (ALPHA)			
Family	Databases/Oracle			
Start	true			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			

Help	org.talend.help.tOracleInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\Talend-Studio\studio\configuration\I
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	Built-In
Use an existing connection	false
Component List	
Connection Type	ORACLE_SID
DB Version	ORACLE_12
URL	"localhost"
Host	"localhost"
Database Driver	ORACLE_SID

Port	"1521"
Database	пп
Local Service Name	пп
Oracle schema	пп
Username	"info7290"
Password	*****
URL	"jdbc:oracle:oci:/@talend"
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"FACTSTRATEGYPLAN"
Query Type	Built-In
Guess Schema	пп
Query	"SELECT RETAIL_SOR_CAT.FACTSTRATEGYPLAN.STRATEGYP RETAIL_SOR_CAT.FACTSTRATEGYPLAN.STRATEGYP RETAIL_SOR_CAT.FACTSTRATEGYPLAN.PLANDATE, RETAIL_SOR_CAT.FACTSTRATEGYPLAN.ENTITYKEY, RETAIL_SOR_CAT.FACTSTRATEGYPLAN.SCENARIOKI RETAIL_SOR_CAT.FACTSTRATEGYPLAN.ACCOUNTKE RETAIL_SOR_CAT.FACTSTRATEGYPLAN.CURRENCYP RETAIL_SOR_CAT.FACTSTRATEGYPLAN.PRODUCTCP RETAIL_SOR_CAT.FACTSTRATEGYPLAN.PLANAMOUN RETAIL_SOR_CAT.FACTSTRATEGYPLAN.PLANAMOUN
Specify a data source alias	false

Data source alias	пп
Mapping	oracle_id
Additional JDBC Parameters	""
Convert XMLType To Java Type.(just when use extract() return a NODE)	false
Encoding	"ISO-8859-15"
Use cursor	false
Cursor size	1000
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=STRATEGYPLANPK}, SCHEMA_COLUMN=STRATEGYPLANKEY}, {TRIM=false, SCHEMA_COLUMN=PLANDATE}, {TRIM=false, SCHEMA_COLUMN=ENTITYKEY}, {TRIM=false, SCHEMA_COLUMN=SCENARIOKEY}, {TRIM=false, SCHEMA_COLUMN=ACCOUNTKEY}, {TRIM=false, SCHEMA_COLUMN=CURRENCYKEY}, {TRIM=false, SCHEMA_COLUMN=PRODUCTCATEGORYKEY}, {TRIM SCHEMA_COLUMN=PLANAMOUNT}]
No null values	false
Label format	TABLE
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### **Schema for FACTSTRATEGYPLAN:**

Schema for FACISTRATE	OII LA					
Column	Key	Туре	Length	Precision	Nullable	Comment
STRATEGYPLANPK	true	int	38		false	
STRATEGYPLANKEY	false	int	38		false	
PLANDATE	false	java.util.Date	7		false	
ENTITYKEY	false	int	38		false	
SCENARIOKEY	false	int	38		false	
ACCOUNTKEY	false	int	38		false	
CURRENCYKEY	false	int	38		false	
PRODUCTCATEGORYKEY	false	Integer	38		true	
PLANAMOUNT	false	float	15	2	false	

# Original Function Parameters: Component CNTL\_Job\_Tracking\_Stats\_ROOT


1	UNIQUE NAME	CNTL_Job_Tracking_Stats_ROOT_1	INPUT(S)	none

	LABEL	UNIQUE_NAME	OUTPUT(S)	none	
--	-------	-------------	-----------	------	--

**Component Parameters:** 

oomponent i arameters.		
Properties	Values	
Version	Latest	
Show Information	false	
Comment		

#### Component tMap





**Component Parameters:** 

Properties	Values
tStatCatcher Statistics	false

Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap\_1 ( input ):
Mapper table Properties( row14 ):

Properties	Values
Name	row14
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( row14 ):

Name	Туре	Expression	isNullable
STRATEGYPLANPK	int		false
STRATEGYPLANKEY	int		false
PLANDATE	java.util.Date		false
ENTITYKEY	int		false
SCENARIOKEY	int		false
ACCOUNTKEY	int		false
CURRENCYKEY	int		false
PRODUCTCATEGORYKEY	Integer		true
PLANAMOUNT	float		false

Constraint Table Entries( row14 ):

Name	Туре	Expression	isNullable	

**Mapper table Properties (row15):** 

happer table i roperties ( row to ).			
Properties	Values		
Name	row15		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	true		
expressionFilter	null		

**Metadata Table Entries( row15 ):** 

Name	Туре	Expression	isNullable
EntitySK	int		false
EntityKey	int	row14.ENTITYKEY	false

**Constraint Table Entries( row15 ):** 

**Mapper table Properties (row16):** 

Properties	Values		
Name	row16		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	true		
expressionFilter	null		

Metadata Table Entries( row16 ):

Name	Туре	Expression	isNullable
ScenarioSK	int		false
ScenarioKey	int	row14.SCENARIOKEY	false

**Constraint Table Entries( row16 ):** 

|--|

**Mapper table Properties (row17):** 

happer table Properties (row 17).			
Properties	Values		
Name	row17		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	true		
expressionFilter	null		

Metadata Table Entries( row17 ):

Name	Туре	Expression	isNullable
AccountSK	int		false
AccountKey	int	row14.ACCOUNTKEY	false

**Constraint Table Entries( row17 ):** 

|--|

Mapper table for tMap\_1 ( output ): Mapper table Properties( sor\_cat ):

Properties	Values
Name	sor_cat
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( sor\_cat ):

Name	Туре	Expression
PlanDateSK	int	(Integer.parseInt(TalendDate.formatDate("yyyyMMdd",row14.PLAN)))
PlanDatekey	java.util.Date	row14.PLANDATE
EntitySK	int	row15.EntitySK
ScenarioSK	int	row16.ScenarioSK
AccountSK	int	row17.AccountSK
ProductCategoryKey	Integer	row14.PRODUCTCATEGORYKEY
PlanAmount	float	row14.PLANAMOUNT
Local_CurrencySK	Integer	1
PlanAmount_Local	Float	row14.PLANAMOUNT
SOR_ID	int	80
SOR_LoadDate	java.util.Date	TalendDate.getCurrentDate()
SOR_UpdateDate	java.util.Date	TalendDate.getCurrentDate()
DI_Job_ID	String	context.getProperty("vRootPID")
DI_Create_Date	java.util.Date	TalendDate.getCurrentDate()
DI_Modified_Date	java.util.Date	TalendDate.getCurrentDate()

### Constraint Table Entries( sor\_cat ):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table Properties( sor\_cat\_rejects ):

Properties	Values
Name	sor_cat_rejects
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	true
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( sor\_cat\_rejects ):

Name	Туре	Expression
PlanDateSK	Integer	(Integer.parseInt(TalendDate.formatDate("yyyyMMdd",row14.PLAl")))
PlanDatekey	java.util.Date	row14.PLANDATE
EntityDK	Integer	row15.EntitySK
ScenarioSK	Integer	row16.ScenarioSK
AccountSK	Integer	row17.AccountSK
ProductCategoryKey	Integer	row14.PRODUCTCATEGORYKEY

Float	row14.PLANAMOUNT
Integer	1
Float	row14.PLANAMOUNT
Integer	( row15.EntitySK ==0) ? 80 : (row17.AccountSK ==0) ? 70 : (row14.PRODUCTCATEGORYKEY == 0) ? 60 : -1
Integer	row14.ENTITYKEY
Integer	row14.SCENARIOKEY
Integer	row14.ACCOUNTKEY
int	80
java.util.Date	TalendDate.getCurrentDate()
java.util.Date	TalendDate.getCurrentDate()
String	context.getProperty("vRootPID")
java.util.Date	TalendDate.getCurrentDate()
java.util.Date	TalendDate.getCurrentDate()
	Integer  Integer  Integer  Integer  Integer  int  java.util.Date  String  java.util.Date

Constraint Table Entries( sor\_cat\_rejects ):

Name	Туре	Expression	isNullable

### Mapper table for tMap\_1 ( var ):

**Mapper table Properties (Var):** 

mapper table i reporties ( vai ):			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable