## Solutions to practice final.

(These are final solutions only, on the exam you should show full working.)

- 1. Yes, 1/2.
- 2. a) C (alt. or ratio) b) C (ratio) c) D (comp to  $\sum 1/n.)$

3. 
$$\sum_{1}^{\infty} (-1)^n 3^{2n+1} \frac{x^{2n+1}}{2n+1}$$
,  $R = 1/3$ .

- 4. a)  $\sin y$ ,  $x \cos y$ , 0,  $-x \sin y$ ,  $\cos y$ .
- b)  $(0, n\pi)$  for any integer n.
- c) all saddles.
- d) Max 1, Min -1.

5. a) 
$$-\frac{2000}{\sqrt{5}}e^{-7}$$
. b) direction of  $\vec{u} = \langle -\frac{2}{\sqrt{13}}, \frac{3}{\sqrt{13}} \rangle$ . c)  $400e^{-7}\sqrt{13}$ .

6. a) 
$$\nabla f = \langle -\frac{x}{4-x^2-2u^2}, -\frac{2y}{4-x^2-2u^2} \rangle$$
.

$$\begin{array}{l} \text{6. a) } \nabla f = \langle -\frac{x}{4-x^2-2y^2}, -\frac{2y}{4-x^2-2y^2} \rangle. \\ \text{b) } (\vec{r} - \langle 1, -1, 1 \rangle) \cdot \langle -1, 2, -1 \rangle = 0 \text{ or } -x + 2y - z = -4. \end{array}$$

c) 0.5.

7. a) 
$$\frac{1}{2}(\sec\theta\tan\theta + \ln|\sec\theta + \tan\theta| + C$$

7. a) 
$$\frac{1}{2}(\sec\theta\tan\theta + \ln|\sec\theta + \tan\theta| + C.$$
  
b) (uses a.)  $\sqrt{2} + \ln(1 + \sqrt{2})$ . c)  $\sqrt{2} + \ln(1 + \sqrt{2})$ . (reduces to b.)