No.

 $\rightarrow \rightarrow \backslash \{\} sim7 \rightarrow 7.1 \backslash \{\} times10^{4} \rightarrow \text{p.r.}; \text{ Calcd. from p.b.k. at 270 nm in Ar-satd. soln. contg. 1.5 mol L^{-1} tert-BuOH and 0.3-1 mol L^{-1} glycine; c.k. with tert-BuOH and cord of the contg. 1.5 mol L^{-1} tert-BuOH and 0.3-1 mol L^{-1} glycine; c.k. with tert-BuOH and cord of the contg. 1.5 mol L^{-1} tert-BuOH and 0.3-1 mol L^{-1} glycine; c.k. with tert-BuOH and cord of the contg. 1.5 mol L^{-1} tert-BuOH and 0.3-1 mol L^{-1} glycine; c.k. with tert-BuOH and cord of the contg. 1.5 mol L^{-1} tert-BuOH and 0.3-1 mol L^{-1} glycine; c.k. with tert-BuOH and cord of the contg. 1.5 mol L^{-1} tert-BuOH and 0.3-1 mol L^{-1} glycine; c.k. with tert-BuOH and cord of the contg. 1.5 mol L^{-1} tert-BuOH and 0.3-1 mol L^{-1} glycine; c.k. with tert-BuOH and cord of the contg. 1.5 mol L^{-1} tert-BuOH and 0.3-1 mol L^{-1} glycine; c.k. with tert-BuOH and cord of the contg. 1.5 mol L^{-1} tert-BuOH and 0.3-1 mol L^{-1} glycine; c.k. with tert-BuOH and cord of the contg. 1.5 mol L^{-1} tert-BuOH and 0.3-1 mol L^{-1} tert-BuOH and 0.3-1$