

## 10 Write a program to demonstrate Session Login and Logout.

### LoginServlet

```
import java.io.*;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
/**
 * Servlet implementation class Logout
 */
@WebServlet("/Logout")
public class Logout extends HttpServlet {
    private static final long serialVersionUID = 1L;

    /**
     * @see HttpServlet#HttpServlet()
     */
    public Logout() {
        super();
        // TODO Auto-generated constructor stub
    }
    /**
     * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
    response)
     */
    protected void doGet(HttpServletRequest request, HttpServletResponse
    response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        HttpSession session=request.getSession();
        session.invalidate();
        PrintWriter out = response.getWriter();
        out.println("<html><body>");
        out.println("Logged out of session.<br>");
        out.println("</body></html>");
    }
    /**
     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
    response)
     */
    protected void doPost(HttpServletRequest request, HttpServletResponse
    response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        doGet(request, response);
    }
}
```

### Dashboard:

```
import java.io.*;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
```

```

import javax.servlet.http.HttpSession;
/**
 * Servlet implementation class Dashboard
 */
@WebServlet("/Dashboard")
public class Dashboard extends HttpServlet {
    private static final long serialVersionUID = 1L;

    /**
     * @see HttpServlet#HttpServlet()
     */
    public Dashboard() {
        super();
        // TODO Auto-generated constructor stub
    }
    /**
     * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
    response)
     */
    protected void doGet(HttpServletRequest request, HttpServletResponse
    response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        PrintWriter out = response.getWriter();
        out.println("<html><body>");

        HttpSession session=request.getSession(false);
        String userId = null;
        if (session.getAttribute("userid") != null)
            userId =(String)session.getAttribute("userid");
        if (userId == null ) {
            out.println("No UserId was found in session.<br>");
        } else {
            out.println("UserId obtained from session : " + userId +
"<br>");
            out.println("<a href='logout'>Logout of session</a><br>");
        }
        out.println("</body></html>");
    }
    /**
     * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
    response)
     */
    protected void doPost(HttpServletRequest request, HttpServletResponse
    response) throws ServletException, IOException {
        // TODO Auto-generated method stub
        doGet(request, response);
    }
}

```

## Logout:

```

import java.io.*;
import javax.servlet.*;
import javax.servlet.annotation.*;
import javax.servlet.http.*;
/**
 * Servlet implementation class LoginServlet
 */
@WebServlet("/LoginServlet")
public class LoginServlet extends HttpServlet {

```

```

private static final long serialVersionUID = 1L;

/**
 * @see HttpServlet#HttpServlet()
 */
public LoginServlet() {
    super();
    // TODO Auto-generated constructor stub
}
/**
 * @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
 */
protected void doGet(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
    // TODO Auto-generated method stub

    String userId = request.getParameter("userid");
    HttpSession session=request.getSession();
    session.setAttribute("userid", userId);

    response.sendRedirect("dashboard");

}
/**
 * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
 */
protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
    // TODO Auto-generated method stub
    doGet(request, response);
}
}

```

### Index.html:

```

<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Login Logout</title>
</head>
<body>
    <a href="login?userid=lokesh">Dashboard with Login</a><br>

</body>
</html>

```

### Web.xml:

```

<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://xmlns.jcp.org/xml/ns/javaee"
xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee
http://xmlns.jcp.org/xml/ns/javaee/web-app_4_0.xsd" id="WebApp_ID"
version="4.0">
    <display-name>LoginLogout</display-name>
    <welcome-file-list>
    <welcome-file>index.html</welcome-file>
    <welcome-file>index.htm</welcome-file>

```

```
<welcome-file>index.jsp</welcome-file>
<welcome-file>default.html</welcome-file>
<welcome-file>default.htm</welcome-file>
<welcome-file>default.jsp</welcome-file>
</welcome-file-list>
<servlet>
<servlet-name>LoginServlet</servlet-name>
<servlet-class>LoginServlet</servlet-class>
</servlet>
<servlet>
<servlet-name>Dashboard</servlet-name>
<servlet-class>Dashboard</servlet-class>
</servlet>
<servlet>
<servlet-name>Logout</servlet-name>
<servlet-class>Logout</servlet-class>
</servlet>
<servlet-mapping>
<servlet-name>Logout</servlet-name>
<url-pattern>/logout</url-pattern>
</servlet-mapping>
<servlet-mapping>
<servlet-name>LoginServlet</servlet-name>
<url-pattern>/login</url-pattern>
</servlet-mapping>
<servlet-mapping>
<servlet-name>Dashboard</servlet-name>
<url-pattern>/dashboard</url-pattern>
</servlet-mapping>
</web-app>
```