NLP PROJECT

ANALYZING THERAPY SESSIONS

MEET THE TEAM:

SAMEERA NALLAMOTHU – SE22UARI150
KANNIKANTI CHANDANA PRIYA- SE22UARI067
SUSMITHA MANTHENA – SE22UARI170
SACHETHAN PILLI – SE22UARI199

INTRODUCTION:

• Aim:

• To analyze therapy sessions using Natural Language Processing (NLP) techniques for behavior classification and session summarization.

Objectives:

- Utilize DistilBERT for classifying conversational patterns.
- Implement an automatic summarizer to provide concise summaries of therapy sessions.

Motivation:

- Provide therapists with insights into session dynamics and improve the efficiency of therapy session reviews.
- Help therapists focus on key points and better manage their sessions.

DATASET:

Training Dataset:

- •Real-world therapy dialogues used for training the models.
- •We utilized reduced_dataset.csv, which includes samples of text data labeled with behavior categories.
- •Example entry:
- "I feel frustrated because of my workload." → *Label*: "Frustration."

```
subreddit
                                                                 post
                    Bersa Thunder 22: Long-term reliability? Hi, f...
             guns
1
2
3
                   Anybody have any experience with the diamondba...
              guns
                    Old & New // Colt 1911 & MCX Rattler I...
             guns
                    Start working in a gun shop next week. Need so...
             guns
                    Cheap targets for plinking? I'm headed to the ...
              guns
                   Anyone relate I have relapsed a lot even after...
        addiction
1024070
1024071
        addiction
                   Will my husband ever stop using coke? My husba...
                   Im 15 and cant stop stealing First i just want...
1024072
        addiction
                   Heroin overdose, medical doctor advice? I had ...
1024073
        addiction
1024074
        addiction
                   How much does drug rehab cost? How much does r...
```

DATASET:

Testing Dataset:

- •The testing was conducted on a separate Hugging Face dataset, mental_health_counseling_conversations.
- •It features real-world scenarios with *Context* (user queries) and *Response* (counselor replies).



DATA PREPROCESSING:

Steps Taken:

- **Text Normalization**: Converted text to lowercase to ensure uniformity.
- **Noise Removal**: Removed punctuation, numbers, and non-alphabetical characters to reduce noise in the data.
- Stemming and Stopword Removal :
- 1. Applied stemming (e.g., running \rightarrow run) using NLTK's PorterStemmer.
- 2. Eliminated common words (e.g., the, and, is) that do not add significant meaning.
- Label Encoding: Used Label Encoder to transform categorical labels into numeric representations for model compatibility.
- Example: "Stress" \rightarrow 0, "Frustration" \rightarrow 1.
- **Challenges Addressed**: Ensuring preprocessing does not lead to excessive information loss, as context is vital for classification tasks.

MODELS EXPLORED:

Explored ModelsBERT (Bidirectional Encoder Representations from Transformers)

- Why Considered: Standard for many NLP tasks. Strong generalization for classification and text summarization.
- Limitations: Computationally intensive. Challenging for real-time or resource-constrained setups.

RoBERTa (Robustly Optimized BERT)

- Why Considered : Enhanced pre-training compared to BERT . **DistilBERT**
- Why Considered :It's a smaller and faster version of BERT but still gives almost the same accuracy. Great for tasks where speed and efficiency matter.
- Strengths: Fast training and inference times.

T5 (Text-to-Text Transfer Transformer)

- Why Considered: Unified framework for NLP tasks (classification, summarization). Strong performance in generating summaries.
- Limitations: Overhead in handling multi-task learning. Complex for single-domain tasks like therapy analysis.

GPT-Based Models

- Why Considered : Excels in language understanding and generation tasks . Good at conversational and dialogue-based summarization.
- Limitations: Tendency to generate verbose outputs. High computational resource demands. Model Selection

Final Choice: DistilBERTSelected for its balance of performance, speed, and computational efficiency. Ideal for scaling the solution to larger datasets or real-time analysis

•

MODEL ARCHITECTURE:

About DistilBERT:

• A distilled version of the popular BERT model, great for tasks where speed and efficiency matter. Designed specifically for tasks requiring speed and efficiency without sacrificing accuracy.

Sequence Classification:

- Fine-tuned for multi-class behavior classification.
- Uses transformer-based architecture for understanding relationships within sentences.

Why DistilBERT Works Well:

• Pre-trained on a large corpus, allowing it to understand complex sentence structures and nuances.

TRAINING PIPELINE:

Implementation:

- Created a custom Dataset class for tokenizing input text and preparing it for the DistilBERT model.
- Utilized Hugging Face's Trainer API for efficient model training and hyperparameter optimization.

Key Parameters:

- Learning Rate: 5e-5 for stable and effective weight updates.
- Batch Size: 100, balancing memory constraints and speed.
- Epochs: 3, to prevent overfitting while ensuring adequate learning.

Model Outputs:

- Fine-tuned DistilBERT model capable of behavior classification.
- Saved tokenizer and label encoder for easy deployment.

Challenges:

• High memory usage during training due to batch size.Limited token length (max_len=10) restricted the model's ability to process longer sentences.

OUTPUT AFTER TRAINING THE MODEL:

```
Evaluation results: {'eval_loss': 1.7744554281234741, 'eval_runtime': 36.9013, 'eval_samples_per_second': 1110.069,
'eval steps per second': 11.111, 'epoch': 0.9993898718730934}
                                                     post
                                                                 predicted
151830 figur share may help ya httpswwwredditcomrcoro...
                                                                depression
90592
        much ira invest mutual fund im finish grad sch...
                                                           personalfinance
186469 fight fear futur turn year oldest child famili...
                                                                depression
64692
        bodili ach mental agoni past week ive sever ac...
                                                                depression
       agre worker believ ive misclassifi option new ...
                                                           personalfinance
110473
. . .
        ne flsa question partner work sport busi midwe...
7872
                                                           personalfinance
        one realli want help ive struggl depress anxie...
11011
                                                                depression
37091
        im move anoth contin start new job feel someth...
                                                                depression
        ten year schizoversari around time first start...
193699
                                                                depression
129011
               lone joke im lone even duolingo send email
                                                                    lonely
```

[40963 rows x 2 columns]

TESTING PIPELINE:

•Process Overview:

- •Reloaded the fine-tuned model, tokenizer, and label encoder to test on new data.
- •Input: Text pairs consisting of *Context* and *Response*.
- Output: Predicted behavior labels for both inputs.

•Evaluation:

•Conducted visual analysis using bar plots to examine the distribution of predicted labels.

•Example Prediction:

- *Context:* "I feel like giving up." → Predicted Label: *Despair.*
- *Response:* "It's okay to feel that way; let's find solutions together." → Predicted Label: *Support*.


OUTPUT AFTER TESTING TRAINED MODEL:

	Context	predicted_context	Response	predicted_response
0	I'm going through some things with my feelings	depression	If everyone thinks you're worthless, then mayb	depression
23	I have so many issues to address. I have a his	mentalhealth	Let me start by saying there are never too man	mentalhealth
70	I have been feeling more and more down for ove	anxiety	Answers about our inner lives are most success	anxiety
72	I'm facing severe depression and anxiety and I	anxiety	Have you used meditation or hypnosis? Relaxing	adhd
81	How can I get to a place where I can be conten	depression	Your question is a fascinating one!As humans w	mentalhealth

OUTPUT GRAPHS FOR TEST DATASET:

The bar graphs show the distribution of predicted labels for context and response categories.

Since we have tested our model on mental_health_counseling_conversations datasetoutputs are mostly related to depression, mental health, relationship, anxiety,...etc



Session Summarization: Approach and Results:

Approach:

Model Selection:

 Utilized BART (Bidirectional and Auto-Regressive Transformer), a pre-trained model specifically designed for abstractive summarization tasks.

Data Preparation:

- Combined Context and Response fields from the dataset to create a single input text for summarization.
- Applied preprocessing to ensure input quality for the summarizer.

<u>Implementation Steps:</u>

- Created a Python-based pipeline using the transformers library
- Summarized therapy conversations sequentially, storing outputs in a text file for further analysis.
- Setup environment for efficient and isolated execution using virtual environments

Summarization Workflow:

- Input: Merged text from "Context" and "Response."
- Output: Concise summaries highlighting key points and recurring themes.

Results:

Performance:

- Successfully reduced session transcripts to approximately 20-30% of their original size while retaining critical information.
- Enabled therapists to quickly identify core issues, such as critical emotions, recurring themes, and notable client progress.

Example output:

Original Context

- Context (Patient's Statement):
 "I often feel overwhelmed and disconnected from the people around me. Even in social settings, I struggle to engage and feel like I don't belong. These feelings have been affecting my confidence, making it hard to speak up or share my thoughts."
- Response (Therapist's Reply):
 "It's natural to feel this way when your confidence is low. However, it's important to focus on small, achievable steps to reconnect with those around you. Start by identifying one person you trust and open up to them about your feelings. Over time, these efforts can help you rebuild your sense of belonging and confidence. Remember, you are not alone, and support is always available."

Generated Summary

• The patient struggles with feelings of disconnection and low confidence, particularly in social settings. The therapist suggests rebuilding trust and confidence through small, actionable steps, such as confiding in a trusted individual and seeking support.

OUTPUT:

- Dataset: The dataset used in this project was accessed from https://huggingface.co/datasets/Amod/mental-he-alth-counseling-conversations
- Output:
- Link (click on it to access):



Conversation 1 Summary:

The social context in which a person lives is a big influence in self-esteem. If everyone thinks you're worthless, then maybe you need to find new people to hang out with. There are many inspirational messages you can find in social media.

Conversation 2 Summary:

I'm going through some things with my feelings and myself. I barely sleep and I do nothing but think about how I'm worthless. I've never tried or contemplated suicide. How can I change my feeling of being worthless to everyone?

Conversation 3 Summary:

CBT is good for individuals dealing with depression, anxiety, toxic relationships, stress, self esteem, codependency, etc. CBT helps with gaining a better awareness of how your thought process influences your beliefs.

Conversation 4 Summary:

Many of the symptoms you have described are consistent with a person who is dealing with depression. Depression is a treatable condition. If these symptoms have persisted for more than two weeks, then it is a good idea to seek professional help.

Conversation 5 Summary:

I barely sleep and I do nothing but think about how I'm worthless and how I shouldn't be here. I've always wanted to fix my issues, but I never get around to it. How can I change my feeling of being worthless to everyone? People who feel worthless were, in one way or another, told that they are worthless.

Conversation 6 Summary:

I barely sleep and I do nothing but think about how I'm worthless and how I shouldn't be here. I've never tried or contemplated suicide. How can I change my feeling of being worthless to everyone? I'm glad you are interested in changing

RESULTS:

•Prediction Results:

- •Bar plots showed the distribution of predicted labels for both *Context* and *Response*.
- •Results reflected the model's ability to distinguish behaviors based on linguistic cues
- •Successfully reduced session transcripts to 25-30% of their original size.

•Observations:

- •High accuracy in identifying negative emotions.
- •Slight confusion in closely related labels due to limited training data.

•Key Insights:

- •Visualization helped identify areas where the model performed well and where it needed improvement.
- •Summaries retained essential context and captured the core issues discussed.

CONCLUSION:

Project Outcomes:

- Successfully developed a system combining behavior classification and session summarization for therapy sessions.
- The summarizer enhances session reviews by providing quick summaries of key points.

Implications:

- This system helps therapists by improving their ability to track and reflect on therapy outcomes effectively.
- It also offers potential for large-scale mental health studies, improving care strategies.

• Future Scope:

 More data sources and real-time analysis could broaden the system's impact, potentially aiding therapists and researchers in real-time therapy settings.

THANK YOU