

| Topic | Monkey-Chunky App - A Case Study | |
|--|--|---|
| Class Description | Students explore a case study for another app which will help people with reading difficulties practice reading. Students design the UI/UX for the app and build the wireframe for the app including any added game design elements. Students then learn how to take input from the user and display it in React native environment. | |
| Class | C63 | |
| Class time | 45 mins | |
| Goal | <ul style="list-style-type: none"> Explore case study of an app designed for students with reading difficulties. Design wireframe for the app (including UI/UX). Collect input from the user and display it on the screen. | |
| Resources Required | <ul style="list-style-type: none"> Teacher Resources <ul style="list-style-type: none"> Laptop with internet connectivity Earphones with mic Notebook and pen Android/iOS Smartphone with Expo App installed Student Resources <ul style="list-style-type: none"> Laptop with internet connectivity Earphones with mic Notebook and pen Android/iOS Smartphone with Expo App installed | |
| Class structure | Warm Up Teacher-led Activity Student-led Activity Wrap up | 5 mins 15 min 15 min 5 min |
| CONTEXT <ul style="list-style-type: none"> Explore case study of an app designed for students with reading difficulties. | | |

| Class Steps | Teacher Action | Student Action |
|---|--|--|
| Step 1: Warm Up (5 mins) | <p>Last few classes we finished creating the Wireless Quiz buzzer app which was based on the problem statement we started with. It solved the problem of students being able to play buzzer rounds in Quiz competitions.</p> <p>In this class we will start with another case study which will lead us to building a practical and useful app for users.</p> <p>How are you feeling?</p> | <p>ESR: Excited</p> |
| | <p>The case study is about a student named Zaara.</p> <p>Zaara is a Grade 6 kid who finds it hard to read even grade 1 text. Zaara has a reading disorder which makes it hard for her to read. She needs repeated practice for breaking a word into smaller chunks and joining them to read the complete word.</p> <p>Do you remember how you learned and practiced reading words?</p> | <p>ESR: varied (student vaguely references phonics and phonic sounds.)</p> |
| | <p>There are 44 different kinds of sounds in english - called phonemes. Each word is made up of a combination of these sounds.</p> <p>For example: The word cat is made up of sounds \c\ \a\ \t\</p> | |

| | | |
|--|--|--|
| | <p>You can watch the video in <u>Student Activity 2</u> and read about phonemes in <u>Student activity 1</u> to learn more about how word sounds are made up of phonemes.</p> | <p>Student goes through <u>Student Activity 1 and 2</u></p> |
| | <p>A phoneme could be made up of a combination of one or more than one letter.</p> <p>Through minimal practice, most of us have learned to identify these patterns of letters which make up a phoneme, identify them in words and combine them to make words.</p> <p>Pattern recognition is so natural for us that we have learned to do it almost intuitively.</p> <p>However, students with reading difficulties find it very hard to identify these patterns. They need repeated practice of breaking down the words into the different chunks, identifying the phoneme sound associated with each chunk, combining the phoneme sounds to pronounce a word.</p> <p>Often these students need special teachers who would be patient and not get irritated with the students' failed attempts to recognize the chunks and phonemes. With enough practice, these students can read as well as anyone else.</p> | |

| | | |
|--|---|---|
| | <p>In fact, you can read a little about Patricia Polocco who had a reading disorder but she went on to become a popular English author who has written some famous books and stories for children.</p> <p>Not everyone is lucky to get such patient teachers though.</p> <p>In this and coming few classes, we are going to build a tool/app for students with reading disorders where they can type a word as input. The app will then break down the word into chunks. The student will be able to tap on each chunk to hear a sound associated with each chunk. They can then join the chunks to pronounce a word.</p> <p>Students with reading difficulties or early readers will be able to use the tool to practice reading words. We can call this app - Monkey Chunky - from the name of the trick used to chunk words into smaller units.</p> <p>Can you quickly summarize the problem statement we have and what we are going to build?</p> | |
| | <p>Awesome. Let's get started on actually building this app.</p> | <p>ESR:</p> <p>We are going to build a tool which will allow students with reading disorders to practice reading words.</p> <p>The app will-</p> <ul style="list-style-type: none"> • Take word input from the user. • It will break the word into smaller chunks associated with a phoneme sound/s. • The user can tap on the chunk to hear the sounds and practice joining them to pronounce a word. |

Teacher Initiates Screen Share

| CHALLENGE <ul style="list-style-type: none"> Design wireframe / UI / UX for the app. | | |
|--|---|--|
| Step 2: Teacher-led Activity (15 min) | <p>What do we do before actually going on to build the app?</p> | <p>ESR: We build a wireframe of how our app will appear.</p> |
| | <p>Building a wireframe is also called designing the User Interface (UI) or User Experience (UX). It is a crucial part of any app. It defines how your app will be used by the user and how they will experience it.</p> <p>Like coding, designing the user interface/user experience (UI/UX) is also an iterative process.</p> <p>We design a user interface and implement it in the app. After implementation and testing, we might realize that the user experience could be made better by tweaking a few features in our app and we make those changes to the UI/UX. This can go on till we are completely satisfied.</p> <p>Can you spend some time designing the wireframe for our Monkey-Chunky App? You can use a paper and pen to draw the wireframe.</p> <p>Allow the student some time to draw a wireframe for the monkey chunky app.</p> | <p>The student uses a paper and pen to draw a wireframe for the Monkey-Chunky App.</p> |

| | | |
|--|--|---|
| | Can you explain your wireframe and how your user is going to interact with your app? | The student explains the wireframe to the teacher. |
| | <p>Great! Let's get started on building this app.</p> <p>While we are working on this project, we will learn several new things about React Native and React native Components.</p> | |
| | <p>We can start our project either on Expo snack online as we were doing for previous projects OR we can do so locally using expo-cli tools we installed in the last class.</p> <p>To start the project locally - you need to type: expo init <project name></p> <p>Choose a blank project and let expo install all the expo libraries for the project.</p> <p>A project directory with your project name will be created. Then change directory (cd) and open the folder in any code editor.</p> <p>You can also run expo start to look at the output of your code. Alternatively, you can also use the online snack expo (Teacher Activity 3)</p> | The student chooses whether to code in Expo snack or locally. |

| | | |
|--|--|--|
| | <p>Alright, we have seen several in-built React native components so far. We have also built some of our own components like AppHeader.</p> <p>There are other developers who have also built several react native components and open-sourced them as React Native UI libraries. We can directly import these components in our project and use them. The advantage of using these components is that they are well-designed and thoroughly tested.</p> <p>One of the popular React Native UI libraries which developers like to use is 'React Native Elements'. You can learn about the different components available and their props, examples on how to use them through the documentation available.</p> | <p>The student goes through the documentation available in <u>Student Activity 4.</u></p> |
|--|--|--|

REACTNATIVE
ELEMENTS1.2.0

DocsComponentsHelpGitHubBlogSearch

It Starts Basic

Getting Started
Overview
Customization
Usage on the Web
Troubleshooting

Components

Avatar
Badge
Button
ButtonGroup
Card
CheckBox
Divider
Header
Icon
Image
TouchableOpacity

Header

EDIT

Headers are navigation components that display information and actions relating to the current screen.

Carrier8:45 PM

MY TITLE

Usage

Header with default components

For quick setup we provide default components, which are React Native Elements icon for left/right buttons and React Native Text for title. You can customize them with configuration objects passed in as props.

```
<Header
  leftComponent={{ icon: 'menu', color: '#fff' }}
  centerComponent={{ text: 'MY TITLE', style: { color: 'a'fff' } }}
  rightComponent={{ icon: 'home', color: '#fff' }}
/>
```

Props

Reference

containerStyle
backgroundColor
backgroundImage
backgroundImageStyle
leftComponent
centerComponent
rightComponent
leftContainerStyle
centerContainerStyle
rightContainerStyle

Usage

Header with default components

Left aligned center component

Header with custom components passed in through props

Header with mixed components

Header with custom components passed in as children

Component precedence

Header customisability

Props

Reference

containerStyle
backgroundColor
backgroundImage
backgroundImageStyle
leftComponent
centerComponent
rightComponent
leftContainerStyle
centerContainerStyle
rightContainerStyle

REACTNATIVE
ELEMENTS1.2.0

DocsComponentsHelpGitHubBlogSearch

It Starts Basic

Getting Started
Overview
Customization
Usage on the Web
Troubleshooting

Components

Avatar
Badge
Button
ButtonGroup
Card
CheckBox
Divider
Header
Icon
Image
TouchableOpacity

Props

containerStyle
backgroundColor
backgroundImage
backgroundImageStyle
leftComponent
centerComponent
rightComponent
leftContainerStyle
centerContainerStyle
rightContainerStyle
placement
barStyle
statusBarProps
ViewComponent
linearGradientProps

Usage

Header with default components

Left aligned center component

Header with custom components passed in through props

Header with mixed components

Header with custom components passed in as children


Component precedence


Header customisability

Props

Reference

containerStyle
backgroundColor
backgroundImage
backgroundImageStyle
leftComponent
centerComponent
rightComponent
leftContainerStyle
centerContainerStyle
rightContainerStyle

| | | |
|---|--|--|
| | <p>Let's use one of their components, 'Header'.</p> <p>Teacher imports the component from react-native-elements.</p> <p>Note: If student is doing this locally, they have to first use 'npm install react-native-elements' to install the react-native-elements library.</p> | <p>The student observes and learns.</p> |
|  <pre> 1 import * as React from 'react'; 2 import { Text, View, StyleSheet } from 'react-native'; 3 import {Header} from 'react-native-elements'; 4 5 6 export default class App extends React.Component { 7 render() { 8 return (9 <View style={styles.container}> 10 11 </View> 12); 13 } 14 } 15 16 const styles = StyleSheet.create({ 17 container: { 18 flex: 1, 19 backgroundColor: '#e8e8e8', 20 } 21 }); 22 </pre> | <p>Let's use the 'Header' component in our App.</p> <p>Teacher shows how to use the Header Component by referring to the docs and coding in the app.</p> | <p>The student observes how to use Header Component.</p> |



```

1 import * as React from 'react';
2 import { Text, View, StyleSheet } from 'react-native';
3 import { Header } from 'react-native-elements';
4
5
6 export default class App extends React.Component {
7   render() {
8     return (
9       <View style={styles.container}>
10        <Header
11          backgroundColor={'#9c8218'}
12          centerComponent={{ text: 'Monkey Chunky', style: { color: 'ffff', fontSize: 20 } }} />
13      </View>
14    );
15  }
16 }
17
18 const styles = StyleSheet.create({
19   container: {
20     Flex: 1,
21     backgroundColor: 'ab8888',
22   }
23 });
24

```

You see, using new React native components is not hard at all!

Now, we need to use a component which will take input from the user. There is a React native component called 'TextInput' for this. Using it is slightly trickier.

Can you take it as a challenge to collect input from the user and display it in your app.?

I will, of course, guide you!

The student takes up the challenge.

Teacher Stops Screen Share


Now it's your turn. Please share your screen with me.


- Ask Student to press ESC key to come back to panel
- Guide Student to start Screen Share
- Teacher gets into Fullscreen

ACTIVITY

- Collect input from the user and display it on the screen.

| | | |
|--|---|---|
| Step 3: Student-Led Activity (15 min) | <p>We are going to use a new Component called 'TextInput' which is part of React Native library.</p> <p>So let's first import it.</p> | <p>Student imports 'TextInput' from React Native</p> |
| |  | |
| | <p>Let's look at the <u>TextInput documentation</u>, the props that are available and how to use them.</p> | <p>Student refers to the <u>TextInput documentation</u>.</p> |
| | <p>TextInput takes the value which is passed on to the value prop.</p> <p>We have to create a state which constantly updates when the user types text as input.</p> <p>The value of 'TextInput' should be the same as 'text state'.</p> | <p>The student assigns some value to the 'TextInput' and sees the output on the screen.</p> <p>The student then creates a state called 'text'. He/She assigns the value of TextInput to the text state.</p> |

| | | |
|---|--|--|
| | | On change of text, the student updates the text state. |
| <pre> 1: import * as React from 'react'; 2: import { Text, View, StyleSheet, TextInput } from 'react-native'; 3: import { Header } from 'react-native-elements'; 4: 5: 6: export default class App extends React.Component { 7: constructor(){ 8: super(); 9: this.state = { 10: text: "" 11: } 12: } 13: render() { 14: return (15: <View style={styles.container}> 16: <Header 17: backgroundColor={'#9c4219'} 18: centerComponent={{ text: 'Monkey Chunky', style: { color: 'ffff', fontSize:20 } }} /> 19: 20: <TextInput 21: onChangeText={({text})=>{ 22: this.setState({text: text}); 23: }} 24: value={this.state.text}/> 25: </View> 26:); 27: } 28: } 29: 30: const styles = StyleSheet.create([31: container: { 32: flex: 1, 33: backgroundColor: 'black' </pre> |  | |
| | Let's add some styling to make it look like an Input Text Box. | The student adds styling to text input. |



Let's try to render the typed text in 'TextInput' as a normal displayed Text when a button is pressed.

Let's create another state called 'displayText' which is to be displayed here.

The student renders a text component which displays a state called 'displayText'.



| | | |
|---|--|---|
|  | <p>Let's create a button called 'Go' button which updates 'displayText' to the same value as text when the user presses this button.</p> | <p>The student creates a button which when clicked updates the 'displayText' to 'text state'.</p> |
|---|--|---|

```

16     displayText: '',
17   };
18 }
19 render() {
20   return (
21     <View style={styles.container}>
22       <Header
23         backgroundColor={'#9c8210'}
24         centerComponent={({
25           text: 'Monkey Chunky',
26           style: { color: 'ffff', fontSize: 20 },
27         })>
28       </Header>
29
30       <TextInput
31         style={styles.inputBox}
32         onChangeText={text => {
33           this.setState({ text: text });
34         }}
35         value={this.state.text}
36       />
37
38       <TouchableOpacity
39         style={styles.goButton}
40         onPress={() => {
41           this.setState({ displayText: this.state.text });
42         }}>
43         <Text style={styles.buttonText}>GO</Text>
44       </TouchableOpacity>
45       <Text style={styles.displayText}>{this.state.displayText}</Text>
46     </View>
47   );
48 }

```


Let us add some styling to our buttons and 'displayText'.

The student adds styling to the button and 'displayText'.

```

43
44 const styles = StyleSheet.create({
45   container: {
46     flex: 1,
47     backgroundColor: 'ab8888',
48   },
49   inputBox: {
50     marginTop: 200,
51     width: '80%',
52     alignSelf: 'center',
53     height: 40,
54     textAlign: 'center',
55     borderWidth: 4,
56     outline: 'none',
57   },
58   goButton: {
59     width: '50%',
60     height: 55,
61     alignSelf: 'center',
62     padding: 10,
63     margin: 10,
64   },
65   buttonText: {
66     textAlign: 'center',
67     fontSize: 30,
68     fontWeight: 'bold',
69   },
70   displayText: {
71     textAlign: 'center',
72     fontSize: 30,
73   }
74 });



```




Teacher Guides Student to Stop Screen Share

FEEDBACK

- Encourage the student to explore more of React native documentation and work on the UI of the app.

| | | |
|---|--|---|
| <p>Step 4: Wrap-Up (5 min)</p> | <p>Amazing work!</p> <p>We have text input which updates when the user types text. We are also rendering the typed text on the screen.</p> <p>In the next class, we will learn how to break the word into chunks and display it to the user.</p> <p>In the meantime, you can also give some thought to it.</p> | <p>The student listens and thinks about how to chunk the words in the app.</p> |
| | <p>You can also explore more components available under React native elements.</p> <p>You can add images using Image component in the Monkey-Chunky App to make it more attractive.</p> | <p>The student talks about exploring React Native elements and adding images to the Monkey-Chunky App.</p> |
| | <p>You get a “hats off”.</p> <p>Till next class then. See you. Bye!</p> | <p>Make sure you have given at least 2 Hats Off during the class for:</p> <div data-bbox="1019 1539 1312 1640"> <p>Creatively Solved Activities  +10</p> </div> <div data-bbox="1019 1688 1312 1789"> <p>Great Question  +10</p> </div> |

| | | |
|---|---|---|
| | | <div>Strong Concentration </div> |
| Project Pointers and Cues (5 min) | <p>DICTIONARY APP - ONLINE VERSION</p> <p>Goal of the Project:</p> <p>Today you learned the use of TextInput instruction to collect text input from a user. You already know how to make API calls to API services in order to get data from them.</p> <p>You have to use these concepts to create a simple pocket dictionary app using which the user can find the definition and meaning of any word.</p> <p>Story:</p> <p>Sara and Josh are friends. They are participating in a treasure hunt where the hints are hidden in the meanings of different words. To win this game they definitely need a dictionary to solve the hidden clues.</p> <p>I am very excited to see your project solution and I know you both will do really well.</p> <p>Bye Bye!</p> | |
| <div> <div>Teacher Clicks</div> <div>✕ End Class</div> </div> | | |
| Additional Activities | Encourage the student to write reflection notes in their reflection | The student uses the markdown editor to write |

| | | |
|--|--|---|
| | journal using markdown. Use these as guiding questions: <ul style="list-style-type: none"> • What happened today? <ul style="list-style-type: none"> - Describe what happened - Code I wrote • How did I feel after the class? • What have I learned about programming and developing games? • What aspects of the class helped me? What did I find difficult? | her/his reflection in a reflection journal. |
|--|--|---|

| Activity | Activity Name | Links |
|--------------------|-------------------------------|---|
| Teacher Activity 1 | Phonemes description | https://www.dvusd.org/cms/lib/AZ01901092/Centricity/Domain/3795/Sound_Spelling_Chart.pdf |
| Teacher Activity 2 | Phonemes video | https://www.youtube.com/watch?v=wBuA589kfMg |
| Teacher Activity 3 | Class Activity | https://snack.expo.io/@rajeevtfi/monkey-chunky-stage-1 |
| Teacher Activity 4 | React native elements library | https://react-native-elements.github.io/react-native-elements/docs/overview.html |
| Teacher Activity 5 | Text Input Documentation | https://facebook.github.io/react-native/docs/textinput |

| | | |
|--------------------|--|---|
| Teacher Activity 6 | Reference link (Use Snack SDK Version 35.0.0 instead of 36.0.0 onwards) | https://snack.expo.io/@rajeevtfi/monkey-chunky-stage-1:-reference |
| Student Activity 1 | Phonemes description | https://www.dvusd.org/cms/lib/AZ01901092/Centricity/Domain/3795/Sound_Spelling_Chart.pdf |
| Student Activity 2 | Phonemes video | https://www.youtube.com/watch?v=wBuA589kfMg |
| Student Activity 3 | Class Activity (Use Snack SDK Version 35.0.0 instead of 36.0.0 onwards) | https://snack.expo.io/@rajeevtfi/monkey-chunky-stage-1 |
| Student Activity 4 | React native elements library | https://react-native-elements.github.io/react-native-elements/docs/overview.html |
| Student Activity 5 | Text Input Documentation | https://facebook.github.io/react-native/docs/textinput |