Type *Markdown* and LaTeX: α^2

Importing Libraries

```
In [1]: import numpy as np import pandas as pd import seaborn as sns import matplotlib.pyplot as plt
```

Importing Datasets

In [2]: df=pd.read_csv(r"C:\Users\user\Downloads\drive-download-20230804T043023Z-001\rainfall_north interior karnataka.csv
df

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUAL	Jan- Feb	Mar- May	Jun- Sep	
0	2622	MADHYA MAHARASHTRA	1901	18.8	0.6	7.7	36.6	30.4	107.7	215.9	194.1	83.7	68.7	4.4	0.5	769.0	19.4	74.7	601.4	_
1	2623	MADHYA MAHARASHTRA	1902	7.8	0.0	0.1	5.0	9.8	102.6	210.9	114.5	169.5	60.4	40.5	62.9	784.0	7.8	14.9	597.5	1
2	2624	MADHYA MAHARASHTRA	1903	7.6	0.0	0.0	3.2	77.2	86.3	281.8	155.5	142.3	74.2	7.6	2.2	837.9	7.6	80.4	665.9	
3	2625	MADHYA MAHARASHTRA	1904	0.4	4.7	1.7	3.0	18.7	114.6	126.5	59.5	183.0	91.1	0.0	0.4	603.5	5.1	23.4	483.6	
4	2626	MADHYA MAHARASHTRA	1905	0.0	1.2	0.0	2.3	23.6	65.0	252.8	79.0	52.6	52.9	8.3	0.0	537.8	1.2	25.9	449.5	
110	2732	MADHYA MAHARASHTRA	2011	0.0	0.3	0.3	5.0	2.9	133.3	261.4	238.1	148.4	62.8	0.0	0.0	852.6	0.3	8.2	781.3	
111	2733	MADHYA MAHARASHTRA	2012	0.0	0.0	0.0	3.0	1.4	67.9	203.0	187.8	129.5	95.2	2.2	0.0	689.8	0.0	4.4	588.1	
112	2734	MADHYA MAHARASHTRA	2013	0.1	5.3	8.0	5.7	6.0	212.4	311.8	147.0	210.3	57.8	4.0	1.3	962.4	5.3	12.4	881.5	
113	2735	MADHYA MAHARASHTRA	2014	3.1	6.2	24.4	7.5	29.8	44.0	277.9	240.3	120.4	38.5	32.8	13.1	838.0	9.3	61.7	682.6	
114	2736	MADHYA MAHARASHTRA	2015	1.4	8.0	41.2	9.6	24.4	177.0	111.7	67.2	146.6	48.3	16.2	0.1	644.5	2.2	75.3	502.5	
115 rows × 20 columns																				

Data Cleaning and Data Preprocessing

```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
                  Non-Null Count Dtype
    Column
0
     index
                  115 non-null
                                   int64
 1
     SUBDIVISION
                  115 non-null
                                   object
 2
     YEAR
                  115 non-null
                                   int64
 3
                  115 non-null
     JAN
                                   float64
 4
     FEB
                  115 non-null
                                   float64
 5
                  115 non-null
     MAR
                                   float64
 6
     APR
                  115 non-null
                                   float64
 7
     MAY
                  115 non-null
                                   float64
 8
     JUN
                  115 non-null
                                   float64
 9
     JUL
                  115 non-null
                                   float64
    AUG
                  115 non-null
                                   float64
 10
                  115 non-null
                                   float64
 11
    SEP
                  115 non-null
 12
    OCT
                                   float64
 13
    NOV
                  115 non-null
                                   float64
 14
    DEC
                  115 non-null
                                   float64
                  115 non-null
                                   float64
 15
    ΔΝΝΙΔΙ
    Jan-Feb
                  115 non-null
                                   float64
 16
    Mar-May
                  115 non-null
                                   float64
 17
                                   float64
 18
     Jun-Sep
                  115 non-null
 19
    Oct-Dec
                  115 non-null
                                   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

```
In [6]: df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,<AxesSubplot:>,
              <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
              <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
              <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
              <AxesSubplot:>, <AxesSubplot:>], dtype=object)
        3798
1900
200
250
1000
                 JAN
                                                 FEB
                                                 MAY
                                 JUN 👝
         AUG
SEP
        100
58
1686
                 NOV
```

DEC

Jan-Feb

100

Line chart

160


ANNUAL

Mar-May

lun-Sep Oct-Dec 20

```
In [7]: df.plot.line()
```


Out[7]: <AxesSubplot:>



Bar chart

In [8]: df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart

```
In [10]: df.plot.area()
```


Out[10]: <AxesSubplot:>



Box chart


In [11]: df.plot.box()


Out[11]: <AxesSubplot:>



Pie chart

```
In [12]: df.plot.pie(y='ANNUAL' )
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```






Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
```


Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>



Seaborn

In [14]: sns.pairplot(df)

Out[14]: <seaborn.axisgrid.PairGrid at 0x22ea4bfde80>




In [15]: sns.distplot(df['ANNUAL'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecat ed function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-lev el function with similar flexibility) or `histplot` (an axes-level function for histograms).


warnings.warn(msg, FutureWarning)

Out[15]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>



In [16]: sns.heatmap(df.corr())

Out[16]: <AxesSubplot:>



In []: