

Type *Markdown* and LaTeX:  $\alpha^2$

## Importing Libraries

```
In [1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

## Importing Datasets

```
In [2]: df=pd.read_csv(r"C:\Users\user\Downloads\drive-download-20230804T043023Z-001\rainfall_haryana delhi _ chandigarh.csv")
df
```

Out[2]:

|     | index | SUBDIVISION        | YEAR | JAN  | FEB  | MAR  | APR  | MAY  | JUN   | JUL   | AUG   | SEP   | OCT   | NOV  | DEC  | ANNUAL | Jan-Feb | Mar-May | Jun-Sep | Oct-Dec |
|-----|-------|--------------------|------|------|------|------|------|------|-------|-------|-------|-------|-------|------|------|--------|---------|---------|---------|---------|
| 0   | 1012  | EAST UTTAR PRADESH | 1901 | 62.6 | 31.3 | 8.2  | 1.1  | 13.6 | 21.8  | 226.5 | 285.6 | 215.4 | 4.9   | 0.1  | 2.1  | 873.2  | 93.9    | 22.9    | 749.3   | 7.1     |
| 1   | 1013  | EAST UTTAR PRADESH | 1902 | 6.1  | 2.3  | 2.4  | 2.0  | 21.4 | 32.5  | 411.5 | 155.4 | 257.2 | 13.2  | 1.2  | 0.0  | 905.2  | 8.3     | 25.9    | 856.6   | 14.5    |
| 2   | 1014  | EAST UTTAR PRADESH | 1903 | 8.2  | 0.4  | 1.3  | 0.7  | 15.3 | 71.6  | 115.3 | 420.2 | 258.7 | 324.7 | 0.0  | 0.0  | 1216.4 | 8.6     | 17.3    | 865.8   | 324.7   |
| 3   | 1015  | EAST UTTAR PRADESH | 1904 | 7.3  | 1.5  | 8.3  | 0.4  | 28.7 | 148.0 | 359.4 | 328.8 | 95.0  | 50.6  | 17.0 | 26.3 | 1071.2 | 8.8     | 37.4    | 931.1   | 93.9    |
| 4   | 1016  | EAST UTTAR PRADESH | 1905 | 16.8 | 23.6 | 20.0 | 5.4  | 15.4 | 17.3  | 302.4 | 316.2 | 169.5 | 3.3   | 0.0  | 1.6  | 891.6  | 40.5    | 40.9    | 805.4   | 4.9     |
| ... | ...   | ...                | ...  | ...  | ...  | ...  | ...  | ...  | ...   | ...   | ...   | ...   | ...   | ...  | ...  | ...    | ...     | ...     | ...     | ...     |
| 110 | 1122  | EAST UTTAR PRADESH | 2011 | 1.0  | 2.7  | 1.6  | 2.9  | 32.2 | 163.8 | 197.9 | 232.1 | 146.4 | 0.6   | 0.0  | 0.0  | 781.2  | 3.7     | 36.7    | 740.2   | 0.6     |
| 111 | 1123  | EAST UTTAR PRADESH | 2012 | 20.3 | 1.2  | 3.4  | 2.8  | 0.2  | 18.5  | 234.2 | 156.0 | 164.4 | 0.7   | 0.3  | 0.7  | 602.7  | 21.5    | 6.4     | 573.1   | 1.8     |
| 112 | 1124  | EAST UTTAR PRADESH | 2013 | 6.1  | 59.6 | 2.7  | 8.7  | 1.1  | 309.7 | 230.0 | 246.1 | 78.2  | 97.4  | 0.5  | 1.1  | 1041.4 | 65.8    | 12.6    | 864.0   | 99.0    |
| 113 | 1125  | EAST UTTAR PRADESH | 2014 | 47.4 | 25.8 | 15.4 | 1.7  | 10.7 | 47.8  | 224.5 | 138.1 | 106.7 | 74.7  | 0.0  | 8.4  | 701.2  | 73.3    | 27.7    | 517.1   | 83.1    |
| 114 | 1126  | EAST UTTAR PRADESH | 2015 | 30.0 | 4.1  | 48.2 | 23.2 | 8.6  | 95.3  | 179.0 | 175.8 | 21.9  | 11.8  | 0.5  | 4.9  | 603.3  | 34.1    | 80.0    | 472.0   | 17.2    |

115 rows × 20 columns

## Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
```

```
In [4]: df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
              'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
              'Mar-May', 'Jun-Sep', 'Oct-Dec'],
              dtype='object')
```


In [5]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  ---
0   index           115 non-null    int64
1   SUBDIVISION     115 non-null    object
2   YEAR            115 non-null    int64
3   JAN             115 non-null    float64
4   FEB             115 non-null    float64
5   MAR             115 non-null    float64
6   APR             115 non-null    float64
7   MAY             115 non-null    float64
8   JUN             115 non-null    float64
9   JUL             115 non-null    float64
10  AUG             115 non-null    float64
11  SEP             115 non-null    float64
12  OCT             115 non-null    float64
13  NOV             115 non-null    float64
14  DEC             115 non-null    float64
15  ANNUAL          115 non-null    float64
16  Jan-Feb         115 non-null    float64
17  Mar-May         115 non-null    float64
18  Jun-Sep         115 non-null    float64
19  Oct-Dec         115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

## Line chart

In [6]: `df.plot.line(subplots=True)`


Out[6]: array([<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>], dtype=object)



## Line chart

```
In [7]: df.plot.line()
```


```
Out[7]: <AxesSubplot:>
```



## Bar chart

```
In [8]: df.plot.bar()
```


```
Out[8]: <AxesSubplot:>
```



## Histogram

```
In [9]: df.plot.hist()
```


```
Out[9]: <AxesSubplot:ylabel='Frequency'>
```



## Area chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



## Box chart

```
In [11]: df.plot.box()
```

```
Out[11]: <AxesSubplot:>
```





## Pie chart

```
In [12]: df.plot.pie(y='ANNUAL' )
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```







Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL ')
```

```
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL '>
```




Seaborn



```
In [14]: sns.pairplot(df)
```


```
Out[14]: <seaborn.axisgrid.PairGrid at 0x2c337c48820>
```



```
In [15]: sns.distplot(df['ANNUAL'])
```


C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).  
warnings.warn(msg, FutureWarning)

```
Out[15]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [16]: sns.heatmap(df.corr())
```

```
Out[16]: <AxesSubplot:>
```



```
In [ ]:
```