Type *Markdown* and LaTeX: α^2

Importing Libraries ¶

```
In [1]: import numpy as np
   import pandas as pd
   import seaborn as sns
   import matplotlib.pyplot as plt
```

Importing Datasets

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC	ANNUA
0	2622	MADHYA MAHARASHTRA	1901	18.8	0.6	7.7	36.6	30.4	107.7	215.9	194.1	83.7	68.7	4.4	0.5	769.
1	2623	MADHYA MAHARASHTRA	1902	7.8	0.0	0.1	5.0	9.8	102.6	210.9	114.5	169.5	60.4	40.5	62.9	784.
2	2624	MADHYA MAHARASHTRA	1903	7.6	0.0	0.0	3.2	77.2	86.3	281.8	155.5	142.3	74.2	7.6	2.2	837.
3	2625	MADHYA MAHARASHTRA	1904	0.4	4.7	1.7	3.0	18.7	114.6	126.5	59.5	183.0	91.1	0.0	0.4	603.
4	2626	MADHYA MAHARASHTRA	1905	0.0	1.2	0.0	2.3	23.6	65.0	252.8	79.0	52.6	52.9	8.3	0.0	537.
110	2732	MADHYA MAHARASHTRA	2011	0.0	0.3	0.3	5.0	2.9	133.3	261.4	238.1	148.4	62.8	0.0	0.0	852.
111	2733	MADHYA MAHARASHTRA	2012	0.0	0.0	0.0	3.0	1.4	67.9	203.0	187.8	129.5	95.2	2.2	0.0	689.
112	2734	MADHYA MAHARASHTRA	2013	0.1	5.3	0.8	5.7	6.0	212.4	311.8	147.0	210.3	57.8	4.0	1.3	962.
113	2735	MADHYA MAHARASHTRA	2014	3.1	6.2	24.4	7.5	29.8	44.0	277.9	240.3	120.4	38.5	32.8	13.1	838.
114	2736	MADHYA MAHARASHTRA	2015	1.4	8.0	41.2	9.6	24.4	177.0	111.7	67.2	146.6	48.3	16.2	0.1	644.
115 r	ows × 2	20 columns														


Data Cleaning and Data Preprocessing

```
In [5]: df.info()
        <class 'pandas.core.frame.DataFrame'>
```

```
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
     Column
                  Non-Null Count Dtype
 0
     index
                   115 non-null
                                   int64
     SUBDIVISION
                  115 non-null
                                   object
 1
 2
                  115 non-null
                                   int64
     YEAR
 3
                  115 non-null
                                   float64
     JAN
 4
     FEB
                  115 non-null
                                   float64
 5
     MAR
                  115 non-null
                                   float64
                  115 non-null
                                   float64
 6
     APR
 7
     MAY
                  115 non-null
                                   float64
                  115 non-null
                                   float64
 8
     JUN
                  115 non-null
                                   float64
 9
     JUL
                  115 non-null
                                   float64
 10
     AUG
 11
     SEP
                   115 non-null
                                   float64
     OCT
                   115 non-null
                                   float64
 12
                  115 non-null
 13
     NOV
                                   float64
     DEC
                  115 non-null
                                   float64
 14
                  115 non-null
15
    ANNUAL
                                   float64
    Jan-Feb
                  115 non-null
                                   float64
 16
 17
    Mar-May
                  115 non-null
                                   float64
 18
    Jun-Sep
                  115 non-null
                                   float64
                                   float64
 19
    Oct-Dec
                  115 non-null
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart


```
In [6]: | df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
            <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
            <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
            <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
            <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



Line chart

In [7]: df.plot.line()


Out[7]: <AxesSubplot:>



Bar chart

In [8]: df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart

```
In [10]: df.plot.area()
```


Out[10]: <AxesSubplot:>



Box chart


```
In [11]: df.plot.box()
```


Out[11]: <AxesSubplot:>



Pie chart

```
In [12]: df.plot.pie(y='ANNUAL' )
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```






Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
```


Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>



Seaborn

In [14]: sns.pairplot(df)

Out[14]: <seaborn.axisgrid.PairGrid at 0x22ea4bfde80>




```
In [15]: sns.distplot(df['ANNUAL'])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distp lot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axe s-level function for histograms).


warnings.warn(msg, FutureWarning)

Out[15]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>



In [16]: sns.heatmap(df.corr())

Out[16]: <AxesSubplot:>



In []: