

Bibliography

- [1] BitTorrent. *The BitTorrent Protocol Specification*. 2008. URL: http://bittorrent.org/beps/bep_0003.html (visited on 05/14/2021).
- [2] BitTorrent. *BitTorrent.org - What is BitTorrent?* 2015. URL: <https://www.bittorrent.org/introduction.html> (visited on 05/16/2021).
- [3] BitTorrent. *DHT Protocol*. 2008. URL: http://bittorrent.org/beps/bep_0005.html (visited on 05/14/2021).
- [4] Petar Maymounkov and David Mazières. “Kademlia: A Peer-to-Peer Information System Based on the XOR Metric”. In: *Peer-to-Peer Systems*. Ed. by Peter Druschel, Frans Kaashoek, and Antony Rowstron. Berlin, Heidelberg: Springer Berlin Heidelberg, 2002, pp. 53–65. ISBN: 978-3-540-45748-0.
- [5] The Internet Society. *US Secure Hash Algorithm 1 (SHA1)*. 2001. URL: <https://datatracker.ietf.org/doc/html/rfc4122> (visited on 05/14/2021).
- [6] Bram Cohen. “Incentives build robustness in BitTorrent”. In: *Workshop on Economics of PeertoPeer systems* 6 (June 2003).
- [7] Zhen Ma et al. “Measurement, modeling and enhancement of BitTorrent-based VoD system”. In: *Computer Networks* 56.3 (2012), pp. 1103–1117.
- [8] Mark Scanlon, Alan Hannaway, and Tahar Kechadi. “A week in the life of the most popular BitTorrent swarms”. In: *The 5th Annual Symposium on Information Assurance (ASIA'10): Academic Track of 13th Annual NYS Cyber Security Conference, Albany, New York, USA, 16-17 June 2010*. 2010.

- [9] Jie Kong et al. “A study of pollution on BitTorrent”. In: *2010 The 2nd International Conference on Computer and Automation Engineering (ICCAE)*. Vol. 3. 2010, pp. 118–122. DOI: 10.1109/ICCAE.2010.5452055.
- [10] Scott Hogg. *Software Containers: Used More Frequently than Most Realize*. 2014. URL: <https://www.networkworld.com/article/2226996/software-containers--used-more-frequently-than-most-realize.html> (visited on 05/16/2021).
- [11] Arvid Norberg. *Libtorrent*. URL: <https://www.libtorrent.org/> (visited on 05/14/2021).
- [12] The Internet Society. *A Universally Unique Identifier (UUID) URN Namespace*. 2005. URL: <https://datatracker.ietf.org/doc/html/rfc4122> (visited on 05/14/2021).
- [13] Arvid Norberg. *Libtorrent Settings*. URL: <https://www.libtorrent.org/reference-Settings.html> (visited on 05/14/2021).
- [14] Webtorrent. *bittorrent-tracker*. URL: <https://github.com/webtorrent/bittorrent-tracker> (visited on 05/14/2021).
- [15] Google. *Block storage performance | Compute Engine Documentation*. URL: https://cloud.google.com/compute/docs/disks/performance#performance_factors (visited on 05/15/2021).

Appendix A

Libtorrent settings

The following Libtorrent settings [13] were used in the experiment.

Setting	Value
listen_interfaces	0.0.0.0:PORT
peer_fingerprint	UUID
auto_sequential	false
allow_multiple_connections_per_ip	true
connections_limit	101
enable_dht	false
enable_upnp	false
enable_natpmp	false
enable_lsd	false

local_download_rate_limit, *download_rate_limit*, *upload_rate_limit*, and *local_upload_rate_limit* were set to the values received from the data ingestion system.