# References


[1] G. B. Frakes and K. Kang, "Software reuse research: Status and future," *IEEE Transactions on Software Engineering*, vol. 31, no. 7, pp. 529–536, Jul. 2005, ISSN: 0098-5589. [Online]. Available: https://doi.org/10.1109/TSE.2005.85 (cit. on pp. 3, 7).

[2] D. Garlan, R. Allen, and J. Ockerbloom, "Architectural mismatch: Why reuse is still so hard," *IEEE Software*, vol. 26, no. 4, pp. 66–69, Jul. 2009, ISSN: 0740-7459. [Online]. Available: https://doi.org/10.1109/MS.2009.86 (cit. on p. 3).

[3] R. Holmes and R. J. Walker, "Systematizing pragmatic software reuse," *ACM Trans. Softw. Eng. Methodol.*, vol. 21, no. 4, Nov. 2012, ISSN: 1049-331X. [Online]. Available: https://doi.org/10.1145/2377656.2377657 (cit. on pp. 3, 5, 17, 18, 25).

[4] B. Hartmann, S. Doorley, and S. Klemmer, "Hacking, mashing, gluing: Understanding opportunistic design," *IEEE Pervasive Computing*, vol. 7, no. 3, pp. 46–54, Jul. 2008, ISSN: 1536-1268. [Online]. Available: https://doi.org/10.1109/MPRV.2008.54 (cit. on pp. 3, 17).

[5] R. Prieto-Diaz, "Status report: Software reusability," *IEEE Software*, vol. 10, pp. 61–66, 3 May 1993, ISSN: 0740-7459. [Online]. Available: https://doi.org/10.1109/52.210605 (cit. on pp. 5, 17, 18).

[6] M. Ezran, M. Morisio, and C. Tully, *Practical Software Reuse*, 1st ed., ser. Practitioner Series. London: Springer, 2002, 222 pp., ISBN: 978-1-85233-502-1. [Online]. Available: http://doi.org/10.1007/978-1-4471-0141-3 (cit. on p. 5).

[7] C. W. Krueger, "Software reuse," *ACM Comput. Surv.*, vol. 24, no. 2, pp. 131–183, Jun. 1992, ISSN: 0360-0300. [Online]. Available: https://doi.org/10.1145/130844.130856 (cit. on pp. 5, 7, 17, 18).

[8] H. V. Vliet, *Software Engineering: Principles and Practice*. John Wiley and Sons Ltd, Jul. 2008, 740 pp., ISBN: 0470031468 (cit. on p. 6).

[9] P. Ammann and J. Offutt, *Introduction to Software Testing*. Cambridge University Press, Jan. 2008, 322 pp., ISBN: 9780521880381 (cit. on p. 6).

[10] S. McCaskill. (Dec. 3, 2020). "Ericsson says a billion people will have access to 5g by end of 2020," TechRadar, [Online]. Available: https://www.techradar.com/news/ericsson-says-a-billion-people-will-have-access-to-5g-by-end-of-2020 (visited on 2021-05-14) (cit. on p. 6).

[11] *Common test user's guide*, Erlang. [Online]. Available: http://erlang.org/doc/apps/common_test/users_guide.html (visited on 2021-04-29) (cit. on pp. 6, 19).

[12] *Common test hooks*, Erlang. [Online]. Available: http://erlang.org/doc/apps/common_test/ct_hooks_chapter.html (visited on 2021-04-29) (cit. on p. 6).

[13] TestNG. [Online]. Available: http://testng.org/ (visited on 2021-05-22) (cit. on pp. 6, 19).

[14] JUnit. [Online]. Available: https://junit.org/junit5/ (visited on 2021-05-22) (cit. on p. 6).

[15] E. Santana de Almeida, A. Alvaro, D. Lucredio, V. Garcia, and S. de Lemos Meira, "A survey on software reuse processes," in *IRI -2005 IEEE International Conference on Information Reuse and Integration, Conf, 2005.*, Las Vegas, NV, USA: IEEE, 2005, pp. 66–71, ISBN: 9780780390935. [Online]. Available: http://doi.org/10.1109/IRI-05.2005.1506451 (cit. on pp. 7, 14, 15).

[16] R. Walker and R. Cottrell, "Pragmatic software reuse: A view from the trenches," Tech. Rep. 2016-1088-07, Sep. 2016, p. 17. [Online]. Available: https://doi.org/10.11575/PRISM/31120 (cit. on p. 7).

[17] J. Maras, M. Štula, and I. Crnković, "Towards specifying pragmatic software reuse," in *Proceedings of the 2015 European Conference on Software Architecture Workshops*, ser. ECSAW '15, Dubrovnik, Cavtat, Croatia: Association for Computing Machinery, Sep. 2015, pp. 1–4, ISBN: 9781450333931. [Online]. Available: https://doi.org/10.1145/2797433.2797489 (cit. on pp. 7, 17, 18, 25).

[18] P. Isberg and T. Åkerlund, "Researching integration of ART test cases into JCAT," Mälardalen University, Västerås, 2013. [Online]. Available: http://urn.kb.se/resolve?urn=urn:nbn:se:mdh:diva-19227 (cit. on p. 7).

[19] P. Runeson and M. Höst, "Guidelines for conducting and reporting case study research in software engineering," *Empirical Software Engineering*, vol. 14, no. 2, pp. 131–164, Dec. 2008, ISSN: 1573-7616. [Online]. Available: https://doi.org/10.1007/s10664-008-9102-8 (cit. on pp. 9–11).

[20] T. C. Lethbridge, S. E. Sim, and J. Singer, "Studying software engineers: Data collection techniques for software field studies," *Empirical Software Engineering*, vol. 10, pp. 311–341, 3 Jun. 2005, ISSN: 1573-7616. [Online]. Available: https://doi.org/10.1007/s10664-005-1290-x (cit. on p. 10).

[21] M. Gibbert, W. Ruigrok, and B. Wicki, "What passes as a rigorous case study?" *Strategic Management Journal*, vol. 29, no. 13, pp. 1465–1474, Dec. 2008, ISSN: 0143-2095. [Online]. Available: https://doi.org/10.1002/smj.722 (cit. on pp. 10, 11).

[22] R. E. Creps, M. A. Simos, and D. R. Prieto-Diaz, "The STARS conceptual framework for reuse processes," In Proceedings of the Fifth Annual Workshop on Software Reuse, Tech. Rep., Nov. 1992, p. 14 (cit. on p. 13).

[23] C. D. Klingler and D. Creps, "The reuse-oriented software evolution (ROSE) process model version 0.5 - draft," Paramax Systems Corporation, Reston, VA, Tech. Rep. STARS-UC-05155/001/00, Jul. 1993, 129 pp. [Online]. Available: https://apps.dtic.mil/sti/citations/ADA284867 (cit. on pp. 13, 14).

[24] S. Henninger, "An evolutionary approach to constructing effective software reuse repositories," *ACM Trans. Softw. Eng. Methodol.*, vol. 25, no. 2, pp. 111–140, 6 Apr. 1997, ISSN: 1049-331X. [Online]. Available: https://doi.org/10.1145/248233.248242 (cit. on p. 14).

[25] V. A. Burégio, E. S. de Almeida, D. Ludrédio, and S. L. Meira, "A reuse repository system: From specification to deployment," in *High Confidence Software Reuse in Large Systems*, H. Mei, Ed., ser. Lecture Notes in Computer Science. Springer, 2008, pp. 88–99, ISBN: 978-3-540-68062-8. [Online]. Available: https://doi.org/10.1007/978-3-540-68073-4_8 (cit. on p. 14).

[26] K. C. Kan, S. Kim, J. Lee, K. Kim, E. Shin, and M. Huh, "FORM: A feature-oriented reuse method with domain-specific reference architectures," *Annals of Software Engineering*, vol. 5, no. 143, pp. 143–168, 1998, ISSN: 1022-7091. [Online]. Available: https://doi.org/10.1023/A:1018980625587 (cit. on p. 14).

[27] P. Clements and L. Northrop, *Software Product Lines: Practices and Patterns*, 3rd ed. Addison-Wesley Professional, Aug. 2001, 608 pp., ISBN: 978-0201703320 (cit. on p. 14).

[28] J. Bayer, O. Flege, P. Knauber, R. Laqua, D. Muthig, K. Schmid, T. Widen, and J.-M. DeBaud, "PuLSE: A methodology to develop software product lines," in *Proceedings of the 1999 Symposium on Software Reusability*, ser. SSR '99, Los Angeles, California, USA: Association for Computing Machinery, May 1999, pp. 122–131, ISBN: 1581131011. [Online]. Available: https://doi.org/10.1145/303008.303063 (cit. on pp. 14, 15).

[29] N. M. Josuttis, *SOA in practice*, 1st ed. O'Reilly, Aug. 2007, 315 pp., ISBN: 978-0-596-52955-0 (cit. on p. 15).

[30] G. Lewis, E. Morris, D. Smith, and L. O'Brien, "Service-oriented migration and reuse technique (SMART)," in *13th IEEE International Workshop on Software Technology and Engineering Practice (STEP'05)*, Budapest: IEEE, 2005, pp. 222–2293, ISBN: 978-0-7695-2639-3. [Online]. Available: https://doi.org/10.1109/STEP.2005.24 (cit. on p. 15).

[31] E. Santana de Almeida, A. Alvaro, D. Lucredio, V. Cardoso Garcia, and S. Romero de Lemos Meira, "RiSE project: Towards a robust framework for software reuse," in *Proceedings of the 2004 IEEE International Conference on Information Reuse and Integration, 2004. IRI 2004.*, Las Vegas, USA, 2004, pp. 48–53, ISBN: 978-0-7803-8819-2. [Online]. Available: https://doi.org/10.1109/IRI.2004.1431435 (cit. on p. 16).

[32] S. Apel, D. Batory, C. Kästner, and G. Saake, *Feature-Oriented Software Product Lines*, 1st ed. Springer, Oct. 2013, 315 pp., ISBN: 9783642375200. DOI: 10.1007/978-3-642-37521-7_1 (cit. on p. 16).

[33] I. Jacobson and F. Lindström, "Reengineering of old systems to an object-oriented architecture," in *Conference Proceedings on Object-Oriented Programming Systems, Languages, and Applications*, ser. OOPSLA '91, Phoenix, Arizona, USA: Association for Computing Machinery, 1991, pp. 340–350, ISBN: 0201554178. [Online]. Available: https://doi.org/10.1145/117954.117980 (cit. on p. 16).

[34] S. Jansen, S. Brinkkemper, I. Hunink, and C. Demir, "Pragmatic and opportunistic reuse in innovative start-up companies," *IEEE Software*, vol. 25, no. 6, pp. 42–49, Nov. 2008, ISSN: 0740-7459. [Online]. Available: https://doi.org/10.1109/MS.2008.155 (cit. on p. 17).

[35] J. Brandt, P. J. Guo, J. Lewenstein, M. Dontcheva, and S. R. Klemmer, "Two studies of opportunistic programming: Interleaving web foraging, learning, and writing code," in *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, ser. CHI '09, Boston, MA, USA: Association for Computing Machinery, Nov. 2009, pp. 1589–1598, ISBN: 9781605582467. [Online]. Available: https://doi.org/10.1145/1518701.1518944 (cit. on p. 17).

[36] G. Caldiera and V. R. Basili, "Identifying and qualifying reusable software components," *Computer*, vol. 24, no. 2, pp. 61–70, Feb. 1991, ISSN: 1558-0814. [Online]. Available: https://doi.org/10.1109/2.67210 (cit. on p. 17).

[37] S. P. Reiss, "Semantics-based code search," in *2009 IEEE 31st International Conference on Software Engineering*, Vancouver, BC, Canada: IEEE, 2009, pp. 243–253, ISBN: 978-1-4244-3453-4. [Online]. Available: http://doi.org/10.1109/ICSE.2009.5070525 (cit. on p. 17).

[38] S. Makady and R. J. Walker, "Validating pragmatic reuse tasks by leveraging existing test suites," *Software: Practice and Experience*, vol. 43, no. 9, pp. 1039–1070, Sep. 2013, ISSN: 0038-0644. [Online]. Available: https://doi.org/10.1002/spe.2134 (cit. on pp. 17, 18).

[39] M. Kessel and C. Atkinson, "Ranking software components for pragmatic reuse," in *2015 IEEE/ACM 6th International Workshop on Emerging Trends in Software Metrics*, Florence, Italy: IEEE, May 2015, pp. 63–66, ISBN: 978-1-4673-7103-2. [Online]. Available: http://doi.org/10.1109/WETSoM.2015.16 (cit. on p. 18).

[40] J. Rubin and M. Chechik, "A survey of feature location techniques," in *Domain Engineering*, I. Reinhartz-Berger, A. Sturm, T. Clark, S. Cohen, and J. Bettin, Eds. Springer, 2013, pp. 29–58, ISBN: 978-3-642-36653-6. [Online]. Available: https://doi.org/10.1007/978-3-642-36654-3_2 (cit. on p. 18).

[41] D. Ståhl and J. Bosch, "Modeling continuous integration practice differences in industry software development," *Journal of Systems and Software*, vol. 87, pp. 48–59, Jan. 2014, ISSN: 0164-1212. [Online]. Available: https://doi.org/10.1016/j.jss.2013.08.032 (cit. on p. 19).

[42] J. Krüger, M. Mukelabai, W. Gu, H. Shen, R. Hebig, and T. Berger, "Where is my feature and what is it about? A case study on recovering feature facets," *Journal of Systems and Software*, vol. 152, pp. 239–253, Jun. 2019, ISSN: 0164-1212. [Online]. Available: https://doi.org/10.1016/j.jss.2019.01.057 (cit. on p. 25).

[43] R. Prieto-Díaz, "Domain analysis: An introduction," *ACM SIGSOFT Software Engineering Notes*, vol. 15, no. 2, pp. 47–54, Apr. 1990, ISSN: 0163-5948. [Online]. Available: https://doi.org/10.1145/382296.382703 (cit. on p. 25).

[44] R. Kazman, S. Woods, and S. Carriere, "Requirements for integrating software architecture and reengineering models: Corum II," in *Proceedings Fifth Working Conference on Reverse Engineering (Cat. No.98TB100261)*, Honolulu, HI, USA, 1998, pp. 154–163, ISBN: 978-0-8186-8967-3. [Online]. Available: http://doi.org/10.1109/WCRE.1998.723185 (cit. on p. 26).

[45] Y. Li and N. J. Wahl, "An overview of regression testing," *ACM SIGSOFT Software Engineering Notes*, vol. 24, no. 1, pp. 69–73, Jan. 1999, ISSN: 0163-5948. [Online]. Available: https://doi.org/10.1145/308769.308790 (cit. on p. 26).

[46] E. Engström and P. Runeson, "A qualitative survey of regression testing practices," in *Product-Focused Software Process Improvement*, M. Ali Babar, M. Vierimaa, and M. Oivo, Eds., Springer Berlin Heidelberg, 2010, pp. 3–16, ISBN: 978-3-642-13792-1. [Online]. Available: https://doi.org/10.1007/978-3-642-13792-1_3 (cit. on p. 26).