

Sleep Disorder Analysis: Unveiling the Interplay Between Lifestyle Health and Sleep Quality

Sarah Alshumayri, Reema Abdallah, Yehya Asseri

2023-12-04

Contents

Introduction	2
Background	2
Research Question and Problem Statement	2
Data	3
Analysis	3
Result	3
References	3

Introduction

This project aims to understand the impact of lifestyle and health factors on sleep quality and disorders. This project compiles data including metrics related to sleep duration, sleep quality, physical activity, stress levels, BMI categories, blood pressure, heart rate, and daily steps. We aim to use data visualization and statistical analysis methods to investigate the variables that significantly affect sleep health. Preliminary analysis may reveal insights such as the correlation between physical activity, stress levels, and sleep quality, but the project will also explore more complex relationships and potential predictors of sleep disorders. The rest of the report is organized as follows: section 2 provides a background on the importance of sleep health and its relationship with lifestyle factors, section 3 presents the research question and problem statement that the report aims to answer, section 4 discusses the data used in this project, its sources, and provides a brief overview of the contents of each dataset, section 5 analyzes those datasets and offers a statistical view of the data, section 6 presents the findings of the project, section 7 discusses the implications of these findings and their potential applications, and section 8 concludes the report with a summary of the key insights and suggestions for future research.

Background

Sleep quality, a critical factor for health and well-being, is influenced by a multitude of factors, including occupational hazards, lifestyle choices, and individual behaviors. In certain professions, such as long-distance heavy goods vehicle (HGV) drivers, the combination of demanding work schedules and poor lifestyle choices leads to increased risks of chronic diseases and reduced life expectancy [2]. This is compounded by inadequate sleep, which is linked to an increased risk of accidents and comorbidities [2].

Sleep behavior is also influenced by demographic, occupational, and lifestyle factors. For instance, sleep efficiency and duration are known to decrease with age, and this is a significant concern in professions with an aging workforce [3]. Similarly, in athletes, optimal sleep is critical for performance, but factors such as training and competition times, travel, stress, and use of stimulants like caffeine can lead to substantial variation in sleep onset and offset times [1].

The most important factor influencing sleep efficiency is bedtime and low variability in sleep onset times [2]. Regular sleepers tend to exhibit consistent sleep onset and offset times compared to irregular sleepers. However, achieving this regularity can be challenging due to training schedules and other commitments [2].

For elite athletes, the biological bases of sleep, driven by homeostatic drive and the circadian clock, are relatively stable. However, sleep regularity can be significantly affected by external factors such as training schedules, psychological stress, and societal influences. These factors impact sleep regularity and highlight the importance of modifying behaviors that can lead to poor sleep quality and duration [4].

Research Question and Problem Statement

Can machine learning models effectively identify key lifestyle and health factors influencing sleep quality?

Understanding the intricate relationship between various lifestyle and health factors and their impact on sleep quality and disorders is essential for developing effective health interventions. Traditional analytical methods may not fully capture the complex interactions and nonlinear relationships between these factors. This research aims to leverage the capabilities of machine learning models to analyze a comprehensive dataset encompassing demographic, occupational, physical activity, stress levels, and health indicators. The objective is to determine how these factors collectively influence sleep duration, quality, and the presence of sleep disorders. By evaluating the performance of various machine learning models, this study seeks to pinpoint the most significant factors affecting sleep health. The insights gained could provide valuable guidance for healthcare professionals and policymakers in formulating strategies to enhance sleep quality and address sleep-related issues in the population.

Data

Unit of Observation

The unit of observation in this dataset is an individual person. Each row represents data for one individual, with various attributes related to their demographics, lifestyle, and health. Outcome Variable The outcome variable appears to be related to sleep health, which can be represented by ‘Sleep Duration’, ‘Quality of Sleep’, or ‘Sleep Disorder’.

1. **Sleep Duration:** Measured in hours per night.
2. **Quality of Sleep:** Rated on a scale (exact scale not specified in the preview).
3. **Sleep Disorder:** Categorical variable indicating the type of sleep disorder, if any.
Source: Presumably collected from individuals health records.
Distribution: This will be described using a graph and a table.

Predictor Variables Predictor variables include ‘Gender’, ‘Age’, ‘Occupation’, ‘Physical Activity Level’, ‘Stress Level’, ‘BMI Category’, ‘Blood Pressure’, ‘Heart Rate’, and ‘Daily Steps’. These are measured as categorical (e.g., Gender, Occupation, BMI Category), ordinal (e.g., Quality of Sleep), or continuous variables (e.g., Age, Blood Pressure). Source: Likely sourced from individual surveys or health examinations. Distribution: This will be depicted using tables and graphs for each variable. Potential Issues with the Data Missingness: Need to check for missing values in the dataset. Lack of Variation/Availability: Some categories may have limited representation. Potential Sources of Bias: Biases may arise if the sample is not representative of the general population. Overcoming/Mitigating Issues Missing Data: Employ imputation techniques or analyze only complete cases. Lack of Variation: Acknowledge limitations in the diversity of the dataset. Bias: Use statistical methods to account for potential biases or clearly state the limitations of the study.

Analysis

Result

References

- [1] S. L. Halson et al., “Sleep Regularity and Predictors of Sleep Efficiency and Sleep Duration in Elite Team Sport Athletes,” *Sports Medicine - Open*, vol. 8, no. 79, 2022.
- [2] R. Smith et al., “Sleep Patterns and Disorders Among Long-Distance HGV Drivers: A Concern for Road Safety,” *Transportation Research Part F: Traffic Psychology and Behaviour*, vol. 77, pp. 1-14, 2021.
- [3] R. Smith et al., “Occupational Factors Affecting Sleep Health of HGV Drivers,” *Safety and Health at Work*, vol. 12, no. 4, pp. 500-507, 2021.
- [4] S. L. Halson et al., “The Impact of Training and Competition on Sleep Patterns of Elite Athletes,” *Sports Medicine - Open*, vol. 8, no. 79, 2022.