

---

## Group B

### Assignment No: 1

---

#### Theory:

- **Steps to Install Hadoop**
- **Java Code for word count**
- **Input File**

#### **Steps to install Hadoop:**

**Step 1)** mkdir words

**Step 2)** Download hadoop-core-1.2.1.jar, which is used to compile and execute the MapReduce program. Visit the following

**link**

<http://mvnrepository.com/artifact/org.apache.hadoop/hadoop-core/1.2.1>

**Step 3)** Put that downloaded jar file into words folder.

**Step 4)** Implement WordCount.java program.

**Step 5)** Create input1.txt on home directory with some random text

**Step 6)** go on words path then compile

```
javac -classpath /home/vijay/words/hadoop-core-1.2.1.jar /home/vijay/words/WordCount.java
```

```
javac -classpath  
$HADOOP_HOME/share/hadoop/mapreduce/hadoop-mapreduce-client-core-3.2.4.jar:$HADOOP_  
P_HOME/share/hadoop/mapreduce/hadoop-mapreduce-client-common-3.2.4.jar:$HADOOP_  
OME/share/hadoop/common/hadoop-common-3.2.4.jar /home/gurukul/WordCount.java
```

**Step 7)** jar -cvf words.jar -c words/ .

**Step 8)** cd .. then use following commands

```
hadoop fs -mkdir /input
```

```
hadoop fs -put input1.txt /input
```

```
hadoop fs -ls /input
```

```
hadoop jar /home/vijay/words/words12.jar WordCount /input/input1.txt /out321
```

```
hadoop fs -ls /out321
```

```
hadoop fs -cat /out321/part-r-000000
```

**(Otherwise check in Browsing HDFS -> Utilities -> Browse the file System -> /)**

### **Java Code for word count:**

```
import java.io.IOException;
import java.util.*;
import org.apache.hadoop.conf.*;
import org.apache.hadoop.fs.*;
import org.apache.hadoop.conf.*;
import org.apache.hadoop.io.*;
import org.apache.hadoop.mapreduce.*;
import org.apache.hadoop.mapreduce.lib.input.*;
import org.apache.hadoop.mapreduce.lib.output.*;
import org.apache.hadoop.util.*;

public class WordCount extends Configured implements Tool
{
    public static void main(String args[]) throws Exception
    {
        int res = ToolRunner.run(new WordCount(), args);
        System.exit(res);
    }
    public int run(String[] args) throws Exception
```

```
{
    Path inputPath = new Path(args[0]);
    Path outputPath = new Path(args[1]);

    Configuration conf = getConf();
    Job job = new Job(conf, this.getClass().toString());
    job.setJarByClass(WordCount.class);

    FileInputFormat.setInputPaths(job, inputPath);
    FileOutputFormat.setOutputPath(job, outputPath);

    job.setJobName("WordCount");

    job.setMapperClass(Map.class);
    job.setCombinerClass(Reduce.class);
    job.setReducerClass(Reduce.class);
    job.setMapOutputKeyClass(Text.class);
    job.setMapOutputValueClass(IntWritable.class);
    job.setOutputKeyClass(Text.class);
    job.setOutputValueClass(IntWritable.class);
    job.setInputFormatClass(TextInputFormat.class);
    job.setOutputFormatClass(TextOutputFormat.class);

    return job.waitForCompletion(true) ? 0 : 1;
}

public static class Map extends Mapper<LongWritable, Text, Text,
IntWritable>
{
    private final static IntWritable one = new IntWritable(1);
    private Text word = new Text();

    public void map(LongWritable key, Text value, Mapper.Context
context) throws IOException, InterruptedException
    {
        String line = value.toString();
        StringTokenizer tokenizer = new StringTokenizer(line);
```

```
        while (tokenizer.hasMoreTokens())
        {
            word.set(tokenizer.nextToken());
            context.write(word, one);
        }
    }
}

public static class Reduce extends Reducer<Text, IntWritable, Text,
IntWritable>
{
    public void reduce(Text key, Iterable<IntWritable> values, Context
context) throws IOException, InterruptedException
    {
        int sum = 0;
        for(IntWritable value : values)
        {
            sum += value.get();
        }
        context.write(key, new IntWritable(sum));
    }
}
```

### **Input File**

Pune

Mumbai

Nashik

Pune

Nashik

Kolapur

### **Assignment Questions**

- 1. What is the map reduce explain with a small example?**
- 2. Write down steps to install hadoop.**

