



Article

A Robust and Biocompatible Bismuth Ellagate MOF Synthesized Under Green Ambient Conditions

Erik Svensson Grape, J. Gabriel Flores, Tania Hidalgo, Eva Martínez-Ahumada, AIDA GUTIERREZ-ALEJANDRE, Audrey Hautier, Daryl R Williams, Michael O'Keeffe, Lars Ohrstrom, Tom Willhammar, Patricia Horcajada, Ilich A. Ibarra, and A. Ken Inge

J. Am. Chem. Soc., Just Accepted Manuscript • DOI: 10.1021/jacs.0c07525 • Publication Date (Web): 07 Sep 2020

Downloaded from pubs.acs.org on September 8, 2020

Just Accepted

"Just Accepted" manuscripts have been peer-reviewed and accepted for publication. They are posted online prior to technical editing, formatting for publication and author proofing. The American Chemical Society provides "Just Accepted" as a service to the research community to expedite the dissemination of scientific material as soon as possible after acceptance. "Just Accepted" manuscripts appear in full in PDF format accompanied by an HTML abstract. "Just Accepted" manuscripts have been fully peer reviewed, but should not be considered the official version of record. They are citable by the Digital Object Identifier (DOI®). "Just Accepted" is an optional service offered to authors. Therefore, the "Just Accepted" Web site may not include all articles that will be published in the journal. After a manuscript is technically edited and formatted, it will be removed from the "Just Accepted" Web site and published as an ASAP article. Note that technical editing may introduce minor changes to the manuscript text and/or graphics which could affect content, and all legal disclaimers and ethical guidelines that apply to the journal pertain. ACS cannot be held responsible for errors or consequences arising from the use of information contained in these "Just Accepted" manuscripts.

A Robust and Biocompatible Bismuth Ellagate MOF Synthesized Under Green Ambient Conditions

Erik Svensson Grape,[†] J. Gabriel Flores,^{‡,§} Tania Hidalgo,^{||} Eva Martínez-Ahumada,[‡] Aída Gutiérrez-Alejandre,[⊥] Audrey Hautier,[∞] Daryl R. Williams,[#] Michael O’Keeffe,[^] Lars Öhrström,[∇] Tom Willhammar,[†] Patricia Horcajada,^{||,*} Ilich A. Ibarra,^{‡,*} and A. Ken Inge^{†,*}

[†]Department of Materials and Environmental Chemistry, Stockholm University, Stockholm, 106 91, Sweden.

[‡]Laboratorio de Fisicoquímica y Reactividad de Superficies (LaFReS), Instituto de Investigaciones en Materiales, Universidad Nacional Autónoma de México, Ciudad de México, Mexico.

[§]Departamento de Ciencias Básicas, Universidad Autónoma Metropolitana-Azcapotzalco, Ciudad de México, Mexico.

^{||}Advanced Porous Materials Unit, IMDEA Energy, 28935 Móstoles, Madrid, Spain.

[#]UNICAT, Departamento de Ingeniería Química, Facultad de Química, Universidad Nacional Autónoma de México, Ciudad de México, Mexico.

[∞]Département Sciences et Génie Des Matériaux, INSA Lyon, 69621 Villeurbanne Cedex, France.

[^]Surfaces and Particle Engineering Laboratory (SPEL), Department of Chemical Engineering, Imperial College London, South Kensington Campus, London SW7 2AZ, UK.

[^]School of Molecular Sciences, Arizona State University, Tempe, Arizona 85287, USA

[∇]Chemistry and Biochemistry, Department of Chemistry and Chemical Engineering, Chalmers University of Technology, SE-41296 Gothenburg, Sweden

ABSTRACT: The first bio-inspired microporous metal-organic framework (MOF) synthesized using ellagic acid, a common natural antioxidant and polyphenol building unit, is presented. $\text{Bi}_2\text{O}(\text{H}_2\text{O})_2(\text{C}_{14}\text{H}_{20}\text{O}_8)\cdot\text{nH}_2\text{O}$ (SU-101) was inspired by bismuth phenolate metallodrugs, and was synthesized entirely from non-hazardous or edible reagents under ambient aqueous conditions, enabling simple scale-up. Reagent-grade and affordable dietary supplement-grade ellagic acid were sourced from tree bark and pomegranate hulls, respectively. Biocompatibility and colloidal stability were confirmed by *in vitro* assays. The material exhibits remarkable chemical stability for a bio-inspired MOF (pH = 2–14, hydrothermal conditions, heated organic solvents, biological media, SO_2 and H_2S), attributed to the strongly chelating phenolates. A total H_2S uptake of 15.95 mmol g⁻¹ was recorded, representing one of the highest H_2S capacities for a MOF, where polysulfides are formed inside the pores of the material. Phenolic phytochemicals remain largely unexplored as linkers for MOF synthesis, opening new avenues to design stable, eco-friendly, scalable, and low-cost MOFs for diverse applications, including drug delivery.

Introduction

Tannins are natural polyphenols which can be found in a substantial part of the plant kingdom and are the second most abundant source of natural aromatic molecules after lignin.¹ They have traditionally been used for tanning leather, yet show great promise as a rich supply of precursors for green chemistry. Considering the general structure of tannin derivatives, having multiple aromatic rings with phenol functionalities, they stand out as a renewable source of rigid molecules.^{1,2}

Rigid organic molecules capable of bridging metal cations are a principal component in the crystal chemistry of metal-organic frameworks (MOFs) – a class of porous hybrid materials which has shown an immense growth of compositions and topologies for over two decades, the main allure being the possibility of designing framework materials through a direct assembly of selected building units.^{3,4} Considering the great variety of MOFs, the number of structures bridged only through phenolate ligands are few (representing < 0.0008 % of MOF reports), and existing

examples involve synthetic linkers such as tetrahydroxybenzoate,⁵ dihydroxybenzoquinone,^{6–8} and hexahydroxytriphenylate ligands.^{9–11} Phenolate based MOFs have been associated with higher chemical stability (especially in aqueous media) than carboxylate based MOFs – a consequence of the higher pK_a of the phenolate groups, leading to strong chelation.^{12,13}

Inspired by the potential stability of phenolate-based MOFs, together with the growing global demand to broaden the use of renewable resources, we have turned to tannins for the synthesis of green MOFs – specifically, gallotannins and ellagitannins, which contain gallic acid or ellagic acid subunits, respectively. While gallic acid, which consists of both carboxylic acid and phenol functional groups, has been utilized as a linker for the synthesis of a handful of MOFs,^{14–19} surprisingly ellagic acid (Figure 1) has seemingly never been used for MOF synthesis. Currently, the only entry in the Cambridge Structural Database (CSD) containing an ellagate anion together with a metal cation

is a 0D metal complex composed of two ruthenium cations linked by ellagate and capped by acetylacetone.²⁰ Additionally, iron, manganese, and zinc ellagate materials have been developed for applications in phototherapy or as templates for porous carbons, yet no crystal structures nor porosities were reported.^{21,22}




Figure 1. Ellagic acid – the phenolic building unit of ellagitannins.

Naturally high contents of ellagic acid are found in foods such as strawberries, raspberries, grapes, walnuts, pecans, and pomegranates, as well as in beverages such as wine, whiskey, and other spirits.^{23–25} While the general benefit of consuming anti-oxidants, such as ellagic acid, remains up for debate due to challenges in maintaining oxidation homeostasis in healthy individuals,^{26,27} their protective properties in oxidation-related chronic diseases, as well as their anti-microbial, anti-viral, anti-inflammatory, and anti-cancer activities have been established.^{28,29} In light of the scarcity with which phenolic bio-derived molecules have been utilized for MOF synthesis, we find ellagic acid to be an appealing yet previously unexplored linker for the synthesis of bio-inspired MOFs (BioMOFs) since 1) it is edible, biocompatible, bioactive and has been consumed throughout human history (recommended intake ~ 5 mg day⁻¹ in adults,³⁰ reaching half-maximal inhibitory concentration (IC_{50}) values of 23.5 μ g mL⁻¹ in diverse tumor cell lines or when administrating ~ 60 mg kg⁻¹ body weight for preclinical doses); 2) it is extracted from plant-based materials often considered as waste, such as tree bark and fruit peels; 3) can act as a rigid spacer between cations, contributing to the porosity of the resulting framework; 4) it has a centrosymmetric molecular structure, increasing the likelihood of it taking the role as a bridging linker; 5) it can chelate to metal cations, giving rise to strong five-membered rings; and 6) it has a low production cost.

Other polycomplexant biomolecules have previously been proposed as good candidates for the synthesis of BioMOFs,^{31,32} and the resulting materials could potentially serve as delivery vehicles for active pharmaceutical ingredients (APIs) or as imaging agents.³³ However, many of the previously described BioMOFs are synthesized also using auxiliary nonbiological linker molecules and/or hazardous organic solvents. Despite the large appeal of using bio-derived molecules for the synthesis of MOFs, examples are few and chemical stability is seldom thoroughly demonstrated, nor is biocompatibility.^{34–38} To the best of our knowledge, only two microporous BioMOFs have been synthesized in water without auxiliary ligands: a magnesium gallate and an aluminum fumarate.^{17,39} However, these MOFs demonstrate poor overall chemical stability, particularly in aqueous solutions.

In order to develop stable and biocompatible BioMOFs, the choice of metal cation is equally important. One non-toxic metal cation which has potential for biomedical applications is Bi³⁺.^{35,40,41} As the second heaviest member of group 15 in the periodic table, bismuth is surrounded by notoriously toxic elements, yet bismuth itself has been found to have very low toxicity. With median lethal doses (LD_{50}) of about 5 g kg⁻¹ in rat

models, the toxicity of bismuth and many of its compounds are comparable to or less than that of sodium chloride.⁴² Furthermore, bismuth compounds have a two-century-long track record as APIs due to their inherent bioactivity and anti-microbial properties.⁴³ Bismuth subsalicylate (Pepto-Bismol[®]) and bismuth subgallate are APIs made with the ligands salicylic acid and gallic acid, respectively.⁴⁴ Similar to ellagic acid, these are naturally occurring therapeutic phenolic molecules, making ellagic acid an appropriate choice of ligand to combine with Bi³⁺ for the development of a potentially biocompatible and bioactive MOF. So far, the use of bismuth in the synthesis of MOFs has been fairly limited, with only seven Bi(III)-MOFs that have been reported to demonstrate porosity to nitrogen.^{40,41,45–49} As all seven are exclusively based on synthetic carboxylate ligands, this begs the question, what new MOF structures can be acquired using Bi³⁺ and phenol-based linkers such as ellagic acid? The resulting material could potentially combine the biocompatible and bioactive features of both the metal cation and the organic linker, and would ideally be synthesized using green aqueous conditions.

In short, we report the synthesis, crystal structure, and physicochemical properties of a biocompatible and microporous bismuth ellagate framework (denoted SU-101) - the first MOF based on the bioactive phytochemical ellagic acid. For a bio-inspired MOF, the material exhibits remarkable chemical stability and thermal stability under vacuum and in nitrogen, which led to investigations on its use as an adsorbent of the highly acidic gases SO₂ and H₂S, both of which are well-known air-pollutants associated with severe environmental and health issues.^{50,51} Additionally, the environmentally friendly synthesis procedure, using a plant-derived linker molecule in water under ambient conditions, facilitates an easy scale-up process.

Results and Discussion

Synthesis of SU-101. Bismuth ellagate (SU-101) was prepared from an aqueous suspension of bismuth acetate and ellagic acid stirred under ambient conditions (i.e. room temperature and atmospheric pressure in air) for 48 h. Phase purity and synthesis reproducibility were improved through the introduction of acetic acid as a modulator (6 % by volume, from either glacial acetic acid or a distilled white vinegar stock solution, pH ≈ 2.3; see the supporting information for details). Such a concentration of acetic acid is well within the range of what is found in common household vinegar (5-12 vol.% of acetic acid in distilled white vinegar).⁵²

Two different sources of ellagic acid were utilized for the synthesis of SU-101: 1) 97 % chemical reagent-grade ellagic acid isolated from chestnut tree bark and 2) inexpensive 90 % dietary supplement-grade ellagic acid isolated from pomegranate hulls, marketed as an edible antioxidant. Both starting materials resulted in high quality and phase-pure SU-101 based on powder X-ray diffraction (PXRD) and sorption data (Figures 2, S11, and S12). In both cases, the mixtures remained as suspensions throughout the reaction but nonetheless resulted in phase-pure SU-101. High percent yields of SU-101 were obtained at a small 30 mL reaction scale (76 % yield; 0.28 g). Through a linear scale-up, a 600 mL large-scale synthesis resulted in a similar percent yield (74 %, 5.6 g) of material in a single batch. Although the estimated space-time-yield using these conditions (approximately 5 kg m⁻³ day⁻¹) is lower than values obtained for highly scalable MOFs (> 1000 kg m⁻³·day⁻¹),^{38,53} one should




Figure 2. Powder X-ray diffraction patterns of SU-101 made from reagent-grade ellagic acid (97 % ellagic acid, isolated from chestnut tree bark) and supplement-grade ellagic acid (90 % ellagic acid, isolated from pomegranate hulls), as well as a simulated powder X-ray diffraction pattern of SU-101.

note the simplicity and cost-efficiency of the synthesis procedure, carried out at atmospheric pressure without heating or using any other forms of external energy input.

Structure of SU-101. Due to the small crystallite size, the structure of SU-101 could not be solved using single-crystal X-ray diffraction (SCXRD). Instead, the crystal structure was determined using 3D electron diffraction (3DED), a method that was used to solve the structure of the microcrystalline metallodrug bismuth subgallate, as well as several Bi(III)-MOFs.^{41,44,45} For structure determination, 3DED data were acquired from larger 3 μm long bladed crystals (Figure 3, Table S1) which were synthesized using an alternative synthesis method under hydrothermal conditions (see supporting information for details). The structure was solved from the collected 3DED data and further refined against high-resolution powder X-ray diffraction (HR-PXRD) data in the tetragonal space group $P4_2/n$ ($a = 18.62 \text{ \AA}$, $c = 5.55 \text{ \AA}$).

The framework of SU-101 consists of rod-shaped inorganic building units (IBUs) which run parallel to the c -axis and are linked together by ellagate anions in the ab -plane (Figures 4a and 4c), forming one-dimensional pores roughly 6–7 Å in diameter, taking into account the van der Waals radii of the framework atoms. The asymmetric unit of SU-101 contains half of an ellagate anion and one Bi^{3+} cation, as well as three individual oxygen atoms interpreted as 1) a coordinated water molecule, 2) a guest water molecule within the one-dimensional channels, and lastly, 3) a single μ_4 -oxygen, resulting in an overall charge neutral framework with the formula $\text{Bi}_2\text{O}(\text{H}_2\text{O})_2(\text{C}_{14}\text{H}_2\text{O}_8)\cdot n\text{H}_2\text{O}$ ($n = 2$, Figure S5). The coordination number of Bi^{3+} is six, of which three bonds form with coordinating phenolates, two μ_4 -oxygens, and a terminally coordinated water molecule (Figure 4b). The phenolate groups chelate to Bi^{3+} cations, and all four phenolate groups of the ellagate are presumed to be deprotonated based on the short Bi-O bonds, between 2.1–2.3 Å. These short distances are indicative of strongly chelating phenolates as longer Bi-O distances are found in the previously published Bi(III)-carboxylate MOFs (typically in the range of 2.4–2.8 Å). On each end of the ellagate linker, one of the phenolates coordinates to a single Bi^{3+} , while the other bridges two Bi^{3+} along the rod-shaped IBU (Figure

4d). The shortest intermolecular carbon-carbon distance between neighboring ellagates is 3.51 Å indicating π - π stacking between the ellagate linkers down the c -axis, further stabilizing the structure. The non-coordinated water molecules occupying the one-dimensional channels form hydrogen bonds to neighboring water molecules as well as the carbonyl oxygens of the lactone rings pointing into the channels, with oxygen-oxygen distances in the range of 2.7–2.9 Å (Figure S6).




Figure 3. Reciprocal space projection of 3DED data collected on SU-101, viewed along c^* , and an image of the crystal studied (larger crystals were specifically prepared for structure determination using an alternative hydrothermal synthesis procedure).

To simplify the description of SU-101, and to classify the structure, a topological analysis was performed. The choice of nodes when deconstructing the rod-shaped inorganic building unit was carried out as described by O’Keeffe and Yaghi,⁵⁴ where the point of extension of the linker, in this case, the mid-point between each pair of phenolates in the ellagate anions, *ortho* to one another, was selected as a node (Figure 4g, 4h). These nodes were then linked to neighboring vertices outlining the rod, resulting in a 6-c node, which, upon considering the linkage of rods by ellagate anions, gives the uninodal 7-coordinated net svd (Figure 4e, 4f).

Physicochemical Characterization. Thermogravimetric analysis (TGA) of SU-101 is in agreement with the proposed sum formula of $\text{Bi}_2\text{O}(\text{H}_2\text{O})_2(\text{C}_{14}\text{H}_2\text{O}_8)\cdot n\text{H}_2\text{O}$ ($n = 1$, Figure S7). The lower water content compared to that determined from HR-PXRD ($n = 2$) in a sealed capillary, and the immediate loss of water observed in the TGA data indicates that some of the water molecules in the pores are readily lost from the material at conditions close to room temperature.

The thermal stability of SU-101 was assessed by variable temperature powder X-ray diffraction (VT-PXRD), revealing that the framework remains crystalline under vacuum or in a nitrogen atmosphere at temperatures of up to 500 °C (Figures S8 and S9). While VT-PXRD tests are not always employed to study the thermal stability of MOFs, hindering an overall comparison, an intact and open framework at 500 °C (independent of atmosphere) has only been shown for a small handful of MOFs, such as CFA-2 and ZIF-8.⁵⁵ The framework remains intact up to 250 °C in air, after which the ellagate anion likely oxidizes, leading to a loss of crystallinity (Figure S10). This has also been observed with other MOFs composed of phenolate linkers




Figure 4. (a) The structure of SU-101 as viewed down the c-axis. Hydrogen atoms and water molecules in the pores are omitted for clarity. (b) The coordination environment around Bi^{3+} . The bond to a coordinated water molecule is represented as a dashed line. (c, d) Chelation of ellagate towards the bismuth oxo rods. (e) The tiling of the svd net. (f) The underlying svd net. (g, h) Choice of nodes for the deconstruction of the infinite IMU.

and has been attributed to the relative ease with which phenolates are oxidized.¹²

The permanent microporosity of SU-101 was confirmed by N_2 sorption experiments at 77 K after activating the material at 150 °C under vacuum for 10 h. Type I N_2 isotherms, typical for microporous materials, were observed (Figures S11 and S12), with a Brunauer-Emmett-Teller surface area (S_{BET}) of 412 $\text{m}^2 \text{ g}^{-1}$ when using reagent-grade ellagic acid for synthesis and 350 $\text{m}^2 \text{ g}^{-1}$ for a washed large-scale batch produced from supplement-grade ellagic acid. These values are within the range of surface areas previously reported for Bi(III)-MOFs (70–1100 $\text{m}^2 \text{ g}^{-1}$).^{40,41,45–49}

The average pore size of SU-101 was estimated to be approximately 6.8 Å (Figure S13), in good agreement with the crystallographic model (6–7 Å). The pore size distribution was calculated using the density functional theory (DFT) method with a N_2 slit pore model. The trend towards lower surface areas obtained by Bi(III)-MOFs in units of $\text{m}^2 \text{ g}^{-1}$ is in part due to the heavy nature of Bi^{3+} compared to the significantly lighter metal cations found in the large majority of other MOFs. The adsorption of other environmentally and industrially relevant gases, CO_2 and CH_4 , was also investigated (Figure S14), where SU-

101 displays a higher affinity towards CO_2 over N_2 and CH_4 , due to the lower saturation pressure of CO_2 . The CO_2/N_2 selectivity for a hypothetical flue gas mixture, containing 15 kPa CO_2 and 85 kPa N_2 was estimated using the equation $s = (q_1/q_2)/(p_1/p_2)$, giving a CO_2/N_2 selectivity of ~35, yet other MOFs and porous materials have shown higher selectivity and CO_2 uptakes under similar conditions.⁵⁶ Even so, bismuth-based MOFs are of interest as precursors to electrocatalysts for CO_2 reduction, as demonstrated using CAU-7.⁵⁷

The chemical stability of SU-101 was investigated by mimicking different industrially relevant media (e.g. for catalysis). Hence, as to cover a large range of chemical properties, the selected solvents were acetone, acetonitrile, chlorobenzene, cyclohexane, dichloromethane, 1,4-dioxane, dimethylformamide, dimethylsulfoxide, ethanol, ethyl acetate, methanol, *n*-pentane, pyrrolidine, tetrahydrofuran, and toluene. PXRD results indicated that the structure remains intact in all of these solvents at room temperature (Figure S15), as well as when heated to 80 °C for 24 hours in these solvents, with the exception of toluene where additional peaks, consistent with partial degradation, were observed (Figure S16). The high chemical stability of SU-101 arises from the presence of the two deprotonated phenolate

oxygen atoms, chelating strongly to the Bi^{3+} . As described for MIL-163,¹² the strong metal-linker interaction leads to a material that is resistant to harsh chemical conditions.

An ongoing challenge for MOFs is their stability in various aqueous conditions. As such, the pH-dependent stability of SU-101 was evaluated by exposing the material to aqueous solutions of HCl or NaOH, showing that the framework remains intact over a large pH-range, $2 < \text{pH} \leq 14$ (Figure S18). The structure of SU-101 also remained unchanged under hydrothermal conditions (180°C for 24 h; Figure S16). However, at highly acidic conditions ($\text{pH} \leq 2$), SU-101 is converted to BiOCl (Figure S18).




Figure 5. Powder X-ray diffraction patterns of SU-101 before and after exposure to a variety of aqueous conditions including a wide pH-range, hydrothermal conditions and simulated biological media. The limit of stability in acidic solutions can be seen at $\text{pH} = 2$, where a small peak appears at $2\theta = 12^\circ$, attributed to the formation of BiOCl .

Immersion of SU-101 in potentially coordinative carboxylic acids (propionic acid, acetic acid and oxalic acid) was also investigated. The material remains intact at room temperature but decomposes at 80°C in propionic acid. In acetic acid SU-101 undergoes partial transformation at room temperature and full degradation at 80°C . In a concentrated oxalic acid solution decomposition occurs at room temperature (Figure S15 and S16).

As the ability to withstand the presence of coordinative species is of great importance for both biological as well as industrial applications, SU-101 was exposed to simulated physiological conditions such as phosphate-buffered saline (PBS) solution and cell culture medium (RPMI) at 37°C . As seen in Figure 5, the material remains intact despite the presence of glucose, salts, vitamins, antibiotics and amino acids, even for longer periods of time (24 h). Specifically, the stability of SU-101 was also evaluated in the presence of L-cysteine and L-cystine, showing that the material remains intact in solutions with these sulfur-containing biomolecules (Figure S17). Considering these results, the overall chemical stability of SU-101 appears to be better or similar to that of hallmark MOFs such as UiO-66 and

ZIF-8, with the added value of using non-toxic reagents in a water-based synthesis.⁵⁸

Colloidal Stability and Biocompatibility. In addition to the structural and chemical stability of a material in biorelevant conditions, insight into the physicochemical properties such as charge, surface chemistry, and colloidal stability will affect the affinity to different biological structures, which in turn governs the efficacy and biodistribution of the material.^{59–61} Aqueous suspensions of SU-101 exhibit a small and monodisperse particle size of $129 \pm 2 \text{ nm}$ ($\text{PDI} \sim 0.3$), a size which is a priori compatible with intravenous drug administration.⁶² This hydrodynamic diameter, obtained by dynamic light scattering (DLS) measurements, assumes a spherical particle shape in solution, yet is in fair agreement with the microscopic observations acquired by TEM (Figure S1 and S2), showing polydispersed elongated crystals at its dry state ($176 \pm 88 \text{ nm}$ length and $51 \pm 18 \text{ nm}$ wide; measured from 200 particles). This slight particle size difference between methods have been previously observed.⁶² In addition, previous intravenous toxicological studies using elongated MOF nanoparticles did not show any signs of *in vivo* toxicity associated with the MOF morphology.^{62,63} As such, a biocompatible character of SU-101 is expected (see below). When monitoring the particle size over time (24 h), SU-101 exhibited suitable colloidal stability in water (average size $\sim 137 \pm 4 \text{ nm}$; Figure S19) with a strongly negative ζ -potential (-35 mV), possibly due to the presence of partially coordinated ellagate anions or hydroxyl groups completing the coordination sphere of superficial Bi^{3+} . In turn, the resulting electrostatic repulsions might be responsible for the observed colloidal stability. In RPMI, the observed particle size is slightly larger than in water ($180 \pm 26 \text{ nm}$), while also showing a less negative ζ -potential (-10 mV). This is expected as proteins in the RPMI media (supplemented with FBS) can adhere to the particle surfaces, hampering direct inter-particle contact through the formation of a protein corona, leading to lower surface charge values (from -35 ± 1 to $-10 \pm 0 \text{ mV}$), in agreement with previous colloidal MOF behaviors.^{62,64} Colloidal stability is maintained over time, with a particle size of $200 \pm 11 \text{ nm}$ over 24 h, further indicating properties suitable for biological applications.

To explore the intrinsic qualities and potential applications of this green material, *in vitro* cytotoxicity tests were performed to assess the biocompatibility of SU-101. For these purposes, a promyelocytic cell line (HL-60) was selected as a model for differentiated phagocytic cells and granulocytes involved in the body's defense. Remarkably, after 24 h of cell contact, a very low cytotoxicity profile was observed (80 % maximum inhibitory concentration, $\text{IC}_{80} = 1000 \mu\text{g mL}^{-1}$), even when exposed to very high concentrations of SU-101 (up to $1200 \mu\text{g mL}^{-1}$; Figure S20). This is in agreement with the absence of severe toxicity observed for the individual reagents - ellagic acid and bismuth acetate. Therefore, SU-101 seems to be a promising candidate for environmental and biological applications, such as depollution and drug delivery, being both chemically stable and biocompatible.

SO_2 and H_2S capture in SU-101. Due to the remarkable chemical stability demonstrated by SU-101, adsorption of the acidic gases SO_2 and H_2S was investigated. Sulfur dioxide (SO_2) is a toxic gas which was classified by the World Health Organization as one of the most hazardous air pollutants, associated with increased respiratory problems^{50,65} and mortality.⁶⁶ Similarly, hydrogen sulfide (H_2S) is a highly toxic chemical and exposure to concentrations of over 100 ppm can be fatal as it is rapidly absorbed into the bloodstream, limiting O_2 uptake at a

cellular level.^{51,67,68} However, few MOFs have demonstrated stability upon exposure to either SO₂ or H₂S, principally due to the formation of strong and irreversible metal-sulfur bonds.^{69–76}

To investigate the adsorptive properties of SU-101, SO₂ sorption isotherms were acquired at pressures between 0 to 1 bar at 298 K on an activated sample using a Dynamic Gravimetric Gas/Vapor Sorption Analyzer, DVS vacuum (see Supplemental Information). The resulting SO₂ isotherm shows a total uptake of 2.2 mmol g⁻¹ (Figure S21). Although this value is considerably lower than the uptake of other MOFs,^{70,72,77,78} the stability of SU-101 upon adsorption-desorption cycling was investigated and structural integrity after both dry and humid SO₂ sorption was confirmed by PXRD (Figure S25, Figure S27). Furthermore, the host-guest interaction between SU-101 and SO₂ was quantified, evaluating the isosteric heat of adsorption (ΔH) for SO₂ at low coverage for SU-101 (estimated by fitting two adsorption isotherms at 303 and 308 K to a Clausius-Clapeyron equation, Figure S22 and S23). The low isosteric heat of adsorption for SO₂ ($\Delta H = -29.6 \text{ kJ mol}^{-1}$) indicates that no M-SO₂ interactions occur ($> 90 \text{ kJ mol}^{-1}$).⁷⁹ Since the heat of adsorption was low, cycling experiments were carried out, where activation of SU-101 between cycles was achieved by applying vacuum ($1.7 \times 10^{-6} \text{ Torr}$) for only 15 min at 298 K. Using this procedure, it was demonstrated that the SO₂ capture capacity (1 bar, 298 K) remains constant during 50 adsorption-desorption cycles ($2.200 \pm 0.004 \text{ mmol g}^{-1}$, Figure S24) with the structure remaining intact (Figure S25).




Figure 6. Breakthrough curve of H₂S adsorption by SU-101 at 25 °C and 1 bar. The inset shows the comparative H₂S adsorption capacities for each cycle.

H₂S capture by SU-101 was investigated with a series of breakthrough experiments (4.3 vol.% H₂S with 95.7 vol.% of N₂). Samples were first activated at 120 °C for 6 h under a flow of dry N₂ gas, after which the material was cooled down to 25 °C. The resultant breakthrough H₂S experiment led to a gas uptake of 15.95 mmol g⁻¹, i.e. 542 mg g⁻¹, (Figure 6 and Figure S28) equivalent to 515 cm³ g⁻¹. Surprisingly, considering that the S_{BET} of SU-101 is 412 m² g⁻¹, this H₂S uptake is one of the highest reported, and is comparable to the top-performing MOFs, such as Ni-CPO-27 (12.0 mmol g⁻¹, S_{BET} = 1545 m² g⁻¹),⁸⁰ MFM-300(Sc) (16.5 mmol g⁻¹, S_{BET} = 1360 m² g⁻¹)⁸¹ or MIL-53(Al)-TDC (18.1 mmol g⁻¹, S_{BET} = 1150 m² g⁻¹).⁸² After the initial exposure to H₂S, the sample was reactivated and used for a second H₂S adsorption cycle. Interestingly, the capacity initially observed was lost (0.2 mmol g⁻¹, Figure 6) despite an apparent preservation of the framework, as observed by PXRD (Figure

S29). To further investigate the seemingly lost porosity, a N₂ sorption experiment at 77 K was performed, showing a specific surface area of 15 m² g⁻¹. As the framework remains intact, we hypothesize that H₂S is captured by SU-101 via a chemisorption process, leading to the formation of polysulfides. To test this hypothesis, Raman spectra of SU-101 were acquired before and after H₂S adsorption (Figure S30). After exposure to H₂S two additional peaks appear, one at 243 cm⁻¹ corresponding to different S_n²⁻ species^{83,84} and another at 445 cm⁻¹ corresponding to S₄²⁻.^{83,85,86} These characteristic peaks support the hypothesized chemisorption of H₂S within SU-101, resulting in the formation of polysulfides. We have recently published a similar phenomenon for MFM-300(Sc),⁸¹ where the MOF can oxidize H₂S, forming low order polysulfides ($n = 2$) species. Presumably, the electrochemical potential of SU-101 should be similar to the one for MFM-300(Sc) (2.29 V),⁸¹ considering that S₄²⁻ species were also found for MFM-300(Sc). The mechanism of polysulfide formation from H₂S includes the adsorption of H₂S, dissociation, oxidation, and recombination of sulfur species.^{81,87} Diffuse-reflectance Fourier-transform infrared spectroscopy experiments (Figure S31) were conducted on SU-101 before and after H₂S adsorption in order to explore the possible perturbation of the band characteristic of the phenolate stretching vibration in the ellagate anion (3408 cm⁻¹). This band was shifted to a lower wavenumber (3100 cm⁻¹) after H₂S sorption, suggesting a relatively strong interaction between the phenolate group of SU-101 and the polysulfides, as previously reported for other MOFs.^{81,82} This polysulfide formation, paired with the high stability of the material, could pave the way towards applications such as the construction of a MOF-based lithium/sulfur battery.

Conclusions

As the first MOF synthesized from ellagic acid, SU-101 exemplifies the use of a renewable phenol-functionalized and plant-based linker to construct a highly chemically stable and biocompatible MOF under scalable, green and ambient synthesis conditions. Bi³⁺ was the first cation we combined with ellagic acid in an attempt to develop a new MOF, resulting in SU-101. We, therefore, expect that a plethora of new crystal structures, including MOFs and coordination polymers, can be synthesized from ellagic acid as well as other previously unexplored phenolic phytochemicals. As the synthesis of SU-101 was carried at room temperature and atmospheric pressure, further scale-up is expected to be feasible. Combining sustainable green solvents, such as water, with renewable and inexpensive linkers as well as biocompatible inorganic species in the design and synthesis of new framework materials paves the way for further development of MOFs as green materials for environmental and health applications, including, but certainly not limited to, gas capture and drug delivery.

ASSOCIATED CONTENT

Supporting Information. The Supporting Information is available free of charge on the ACS Publications website. SEM images, TEM images, crystallographic tables, PXRD patterns, VT-PXRD patterns, gas adsorption results, thermogravimetric analysis results, colloidal stability studies, cytotoxicity studies, Raman spectra, FT-IR spectra.

Accession Codes

CCDC 2003313 contains the supplementary crystallographic data for this paper. These data can be obtained free of charge via www.ccdc.cam.ac.uk/data_request/cif, or by emailing

data_request@ccdc.cam.ac.uk, or by contacting The Cambridge Crystallographic Data Centre, 12 Union Road, Cambridge CB2 1EZ, UK; fax: +44 1223 336033.

AUTHOR INFORMATION

Corresponding Authors

andrew.inge@mkm.su.se
patricia.horcajada@imdea.org
argel@unam.mx

Notes

The authors declare no competing financial interest.

ACKNOWLEDGMENT


The authors thank Dr. A. Tejeda-Cruz (powder X-ray; IIM-UNAM), PAPIIT UNAM (IN202820), México for financial support. We thank U. Winnberg (ITAM) for scientific discussions and G. Ibarra-Winnberg for scientific encouragement. Use of the Advanced Photon Source at Argonne National Laboratory was supported by the U.S. Department of Energy, Office of Science, Office of Basic Energy Sciences, under Contract No. DE-AC02-06CH11357. E.S.G. and A.K.I. acknowledges support from the Swedish Foundation for Strategic Research (SSF). A.K.I. also acknowledges support from the Knut and Alice Wallenberg Foundation (KAW 2016.0072). This research was partially funded by Raphuel project (ENE2016-79608-C2-1-R, MINECO-AEI/FEDER, UE), Ramón Areces Foundation project H+MOFs and MOFSEIDON project (PID2019-104228RB-I00, MINECO-AEI/FEDER, UE). P.H. acknowledges the Spanish Ramón y Cajal Programme (grant agreement No. 2014-16823). T.H. and P.H. thank the financial support of the Talento Mod. 2 fellowship from Madrid Community (2018-T2/IND-11407) as well as by IMDEA Energy.


REFERENCES


- (1) Arbenz, A.; Avérous, L. Chemical Modification of Tannins to Elaborate Aromatic Biobased Macromolecular Architectures. *Green Chem.* **2015**, *17* (5), 2626–2646.
- (2) Rahim, M. A.; Kristufek, S. L.; Pan, S.; Richardson, J. J.; Caruso, F. Phenolic Building Blocks for the Assembly of Functional Materials. *Angew. Chemie - Int. Ed.* **2019**, *58* (7), 1904–1927.
- (3) Zhou, H. C.; Long, J. R.; Yaghi, O. M. Introduction to Metal-Organic Frameworks. *Chem. Rev.* **2012**, *112*, 673–674.
- (4) Kitagawa, S. Future Porous Materials. *Acc. Chem. Res.* **2017**, *50* (3), 514–516.
- (5) Nakabayashi, K.; Ohkoshi, S. I. Monometallic Lanthanoid Assembly Showing Ferromagnetism with a Curie Temperature of 11 K. *Inorg. Chem.* **2009**, *48* (18), 8647–8649.
- (6) Abrahams, B. F.; Grannas, M. J.; Hudson, T. A.; Hughes, S. A.; Pranoto, N. H.; Robson, R. Synthesis, Structure and Host-Guest Properties of (Et4N)2[SnivCaii(Cloranilate)4], a New Type of Robust Microporous Coordination Polymer with a 2D Square Grid Structure. *Dalt. Trans.* **2011**, *40* (45), 12242–12247.
- (7) Jeon, I. R.; Negru, B.; Van Duyne, R. P.; Harris, T. D. A 2D Semiquinone Radical-Containing Microporous Magnet with Solvent-Induced Switching from $T_c = 26$ to 80 K. *J. Am. Chem. Soc.* **2015**, *137* (50), 15699–15702.
- (8) Halis, S.; Inge, A. K.; Dehning, N.; Weyrich, T.; Reinsch, H.; Stock, N. Dihydroxybenzoquinone as Linker for the Synthesis of Permanently Porous Aluminum Metal-Organic Frameworks. *Inorg. Chem.* **2016**, *55* (15), 7425–7431.
- (9) Hmadeh, M.; Lu, Z.; Liu, Z.; Gándara, F.; Furukawa, H.; Wan, S.; Augustyn, V.; Chang, R.; Liao, L.; Zhou, F.; Perre, E.; Ozolins, V.; Suenaga, K.; Duan, X.; Dunn, B.; Yamamoto, Y.; Terasaki, O.; Yaghi, O. M. New Porous Crystals of Extended Metal-Catecholates. *Chem. Mater.* **2012**, *24* (18), 3511–3513.
- (10) Nguyen, N. T. T.; Furukawa, H.; Gándara, F.; Trickett, C. A.; Jeong, H. M.; Cordova, K. E.; Yaghi, O. M. Three-Dimensional Metal-Catecholate Frameworks and Their Ultrahigh Proton Conductivity. *J. Am. Chem. Soc.* **2015**, *137* (49), 15394–15397.
- (11) Leubner, S.; Bengtsson, V. E. G.; Inge, A. K.; Wahiduzzaman, M.; Steinke, F.; Jaworski, A.; Xu, H.; Halis, S.; Rönenfeldt, P.; Reinsch, H.; Maurin, G.; Zou, X.; Stock, N. Hexahydroxytriphenylene for the Synthesis of Group 13 MOFs – a New Inorganic Building Unit in a β -Cristobalite Type Structure. *Dalt. Trans.* **2020**, *49* (10), 3088–3092.
- (12) Mouchaham, G.; Cooper, L.; Guillou, N.; Martineau, C.; Elkäim, E.; Bourrelly, S.; Llewellyn, P. L.; Allain, C.; Clavier, G.; Serre, C.; Devic, T. A Robust Infinite Zirconium Phenolate Building Unit to Enhance the Chemical Stability of Zr MOFs. *Angew. Chemie - Int. Ed.* **2015**, *54* (45), 13297–13301.
- (13) Chen, E. X.; Qiu, M.; Zhang, Y. F.; Zhu, Y. S.; Liu, L. Y.; Sun, Y. Y.; Bu, X.; Zhang, J.; Lin, Q. Acid and Base Resistant Zirconium Polyphenolate-Metalloporphyrin Scaffolds for Efficient CO₂ Photoreduction. *Adv. Mater.* **2018**, *30* (2), 1–8.
- (14) Weber, R.; Bergerhoff, G. Crystal Structure of Iron(III) Oxonium 3,4,5-Trihydroxybenzoate, (C7H2O5)Fe(H₃O). *Zeitschrift für Krist. - New Cryst. Struct.* **1991**, *195*, 87–88.
- (15) Feller, R. K.; Cheetham, A. K. Fe(III), Mn(II), Co(II), and Ni(II) 3,4,5-Trihydroxybenzoate (Gallate) Dihydrates; a New Family of Hybrid Framework Materials. *Solid State Sci.* **2006**, *8* (9), 1121–1125.
- (16) Saines, P. J.; Yeung, H. H. M.; Hester, J. R.; Lennie, A. R.; Cheetham, A. K. Detailed Investigations of Phase Transitions and Magnetic Structure in Fe(Iii), Mn(Ii), Co(Ii) and Ni(Ii) 3,4,5-Trihydroxybenzoate (Gallate) Dihydrates by Neutron and X-Ray Diffraction. *Dalt. Trans.* **2011**, *40* (24), 6401–6410.
- (17) Cooper, L.; Hidalgo, T.; Gorman, M.; Lozano-Fernández, T.; Simón-Vázquez, R.; Olivier, C.; Guillou, N.; Serre, C.; Martineau, C.; Taulelle, F.; Damasceno-Borges, D.; Maurin, G.; González-Fernández, Á.; Horcajada, P.; Devic, T. A Biocompatible Porous Mg-Gallate Metal-Organic Framework as an Antioxidant Carrier. *Chem. Commun.* **2015**, *51* (27), 5848–5851.
- (18) Hidalgo, T.; Cooper, L.; Gorman, M.; Lozano-Fernández, T.; Simón-Vázquez, R.; Mouchaham, G.; Marrot, J.; Guillou, N.; Serre, C.; Fertey, P.; González-Fernández, Á.; Devic, T.; Horcajada, P. Crystal Structure Dependent in Vitro Antioxidant Activity of Biocompatible Calcium Gallate MOFs. *J. Mater. Chem. B* **2017**, *5* (15), 2813–2822.
- (19) Bao, Z.; Wang, J.; Zhang, Z.; Xing, H.; Yang, Q.; Yang, Y.; Wu, H.; Krishna, R.; Zhou, W.; Chen, B.; Ren, Q. Molecular Sieving of Ethane from Ethylene through the Molecular Cross-Section Size Differentiation in Gallate-Based Metal-Organic Frameworks. *Angew. Chemie - Int. Ed.* **2018**, *57* (49), 16020–16025.
- (20) Mandal, A.; Grupp, A.; Schwederski, B.; Kaim, W.; Lahiri, G. K. Noninnocently Behaving Bridging Anions of the Widely Distributed Antioxidant Ellagic Acid in Diruthenium Complexes. *Inorg. Chem.* **2015**, *54* (20), 10049–10057.
- (21) Zhao, G.; Wu, H.; Feng, R.; Wang, D.; Xu, P.; Jiang, P.; Yang, K.; Wang, H.; Guo, Z.; Chen, Q. Novel Metal Polyphenol Framework for MR Imaging-Guided Photothermal Therapy. *ACS Appl. Mater. Interfaces* **2018**, *10* (4), 3295–3304.
- (22) Yang, S. J.; Antonietti, M.; Fechler, N. Self-Assembly of Metal Phenolic Mesocrystals and Morphosynthetic Transformation toward Hierarchically Porous Carbons. *J. Am. Chem. Soc.* **2015**, *137* (25), 8269–8273.
- (23) Clifford, M. N.; Scalbert, A. Ellagitannins - Nature, Occurrence and Dietary Burden. *J. Sci. Food Agric.* **2000**, *80*, 1118–1125.
- (24) Määttä-Riihinen, K. R.; Kamal-Eldin, A.; Törönen, A. R. Identification and Quantification of Phenolic Compounds in Berries of Fragaria and Rubus Species (Family Rosaceae). *J. Agric. Food Chem.* **2004**, *52*, 6178–6187.
- (25) Viriot, C.; Scalbert, A.; Lapierre, C.; Moutounet, M. Ellagitannins and Lignins in Aging of Spirits in Oak Barrels. *J. Agric. Food Chem.* **1993**, *41* (11), 1872–1879.
- (26) Huang, D. Dietary Antioxidants and Health Promotion. *Antioxidants* **2018**, *7* (1), 7–9.
- (27) Liu, Z.; Ren, Z.; Zhang, J.; Chuang, C. C.; Kandaswamy, E.; Zhou, T.; Zuo, L. Role of ROS and Nutritional Antioxidants in Human Diseases. *Front. Physiol.* **2018**, *9* (MAY), 1–14.

- (28) Landete, J. M. Ellagitannins, Ellagic Acid and Their Derived Metabolites: A Review about Source, Metabolism, Functions and Health. *Food Res. Int.* **2011**, *44* (5), 1150–1160.
- (29) Zhong, C.; Qiu, S.; Li, J.; Shen, J.; Zu, Y.; Shi, J.; Sui, G. Ellagic Acid Synergistically Potentiates Inhibitory Activities of Chemotherapeutic Agents to Human Hepatocellular Carcinoma. *Phytomedicine* **2019**, *59* (November 2018), 152921.
- (30) Ceci, C.; Lacial, P. M.; Tentori, L.; De Martino, M. G.; Miano, R.; Graziani, G. Experimental Evidence of the Antitumor, Antimetastatic and Antangiogenic Activity of Ellagic Acid. *Nutrients* **2018**, *10* (11), 1–23.
- (31) Sivakova, S.; Rowan, S. J. Nucleobases as Supramolecular Motifs. *Chem. Soc. Rev.* **2005**, *34* (1), 9–21.
- (32) Imaz, I.; Rubio-Martínez, M.; An, J.; Solé-Font, I.; Rosi, N. L.; Maspoch, D. Metal-Biomolecule Frameworks (MBioFs). *Chem. Commun.* **2011**, *47*, 7287–7302.
- (33) McKinlay, A. C.; Morris, R. E.; Horcajada, P.; Férey, G.; Gref, R.; Couvreur, P.; Serre, C. BioMOFs: Metal-Organic Frameworks for Biological and Medical Applications. *Angew. Chemie - Int. Ed.* **2010**, *49* (36), 6260–6266.
- (34) Horcajada, P.; Gref, R.; Baati, T.; Allan, P. K.; Maurin, G.; Couvreur, P.; Férey, G.; Morris, R. E.; Serre, C. Metal-Organic Frameworks in Biomedicine. *Chem. Rev.* **2012**, *112* (2), 1232–1268.
- (35) Rojas, S.; Devic, T.; Horcajada, P. Metal Organic Frameworks Based on Bioactive Components. *J. Mater. Chem. B* **2017**, *5* (14), 2560–2573.
- (36) Cai, H.; Huang, Y. L.; Li, D. Biological Metal-Organic Frameworks: Structures, Host-Guest Chemistry and Bio-Applications. *Coord. Chem. Rev.* **2019**, *378*, 207–221.
- (37) Chalati, T.; Horcajada, P.; Gref, R.; Couvreur, P.; Serre, C. Optimisation of the Synthesis of MOF Nanoparticles Made of Flexible Porous Iron Fumarate MIL-88A. *J. Mater. Chem.* **2011**, *21* (7), 2220–2227.
- (38) Gaab, M.; Trukhan, N.; Maurer, S.; Gummaraju, R.; Müller, U. The Progression of Al-Based Metal-Organic Frameworks - From Academic Research to Industrial Production and Applications. *Microporous Mesoporous Mater.* **2012**, *157*, 131–136.
- (39) Wißmann, G.; Schaate, A.; Lilienthal, S.; Bremer, I.; Schneider, A. M.; Behrens, P. Modulated Synthesis of Zr-Fumarate MOF. *Microporous Mesoporous Mater.* **2012**, *152*, 64–70.
- (40) Inge, A. K.; Köppen, M.; Su, J.; Feyand, M.; Xu, H.; Zou, X.; O’Keeffe, M.; Stock, N. Unprecedented Topological Complexity in a Metal-Organic Framework Constructed from Simple Building Units. *J. Am. Chem. Soc.* **2016**, *138* (6), 1970–1976.
- (41) Svensson Grape, E.; Xu, H.; Cheung, O.; Calmels, M.; Zhao, J.; Dejoie, C.; Proserpio, D. M.; Zou, X.; Ken Inge, A. Breathing Metal-Organic Framework Based on Flexible Inorganic Building Units. *Cryst. Growth Des.* **2019**, *20*, 320–329.
- (42) Sano, Y.; Satoh, H.; Chiba, M.; Okamoto, M.; Serizawa, K.; Nakashima, H.; Omae, K. Oral Toxicity of Bismuth in Rat: Single and 28-Day Repeated Administration Studies. *J. Occup. Health* **2005**, *47* (4), 293–298.
- (43) Yang, N.; Sun, H. Biocoordination Chemistry of Bismuth: Recent Advances. *Coord. Chem. Rev.* **2007**, *251* (17–20), 2354–2366.
- (44) Wang, Y.; Takki, S.; Cheung, O.; Xu, H.; Wan, W.; Öhrström, L.; Inge, A. K. Elucidation of the Elusive Structure and Formula of the Active Pharmaceutical Ingredient Bismuth Subgallate by Continuous Rotation Electron Diffraction. *Chem. Commun.* **2017**, *53* (52), 7018–7021.
- (45) Feyand, M.; Mugnaioli, E.; Vermoortele, F.; Bueken, B.; Dieterich, J. M.; Reimer, T.; Kolb, U.; De Vos, D.; Stock, N. Automated Diffraction Tomography for the Structure Elucidation of Twinned, Sub-Micrometer Crystals of a Highly Porous, Catalytically Active Bismuth Metal-Organic Framework. *Angew. Chemie - Int. Ed.* **2012**, *51* (41), 10373–10376.
- (46) Savage, M.; Yang, S.; Suyetin, M.; Bichoutskaia, E.; Lewis, W.; Blake, A. J.; Barnett, S. A.; Schröder, M. A Novel Bismuth-Based Metal-Organic Framework for High Volumetric Methane and Carbon Dioxide Adsorption. *Chem. - A Eur. J.* **2014**, *20* (26), 8024–8029.
- (47) Köppen, M.; Meyer, V.; Ångström, J.; Inge, A. K.; Stock, N. Solvent-Dependent Formation of Three New Bi-Metal-Organic Frameworks Using a Tetracarboxylic Acid. *Cryst. Growth Des.* **2018**, *18* (7), 4060–4067.
- (48) Robison, L.; Zhang, L.; Drout, R. J.; Li, P.; Haney, C. R.; Brikha, A.; Noh, H.; Mehdi, B. L.; Browning, N. D.; Dravid, V. P.; Cui, Q.; Islamoglu, T.; Farha, O. K. A Bismuth Metal-Organic Framework as a Contrast Agent for X-Ray Computed Tomography. *ACS Appl. Bio Mater.* **2019**, *2*, 1197–1203.
- (49) Amombo Noa, F. M.; Svensson Grape, E.; Brülls, S. M.; Cheung, O.; Malmberg, P.; Inge, A. K.; McKenzie, C. J.; Mårtensson, J.; Öhrström, L. Metal-Organic Frameworks with Hexakis(4-Carboxyphenyl)Benzene: Extensions to Reticular Chemistry and Introducing Foldable Nets. *J. Am. Chem. Soc.* **2020**, *142* (20), 9471–9481.
- (50) Amoatey, P.; Omidvarborna, H.; Baawain, M. S.; Al-Mamun, A. Emissions and Exposure Assessments of SOX, NOX, PM10/2.5 and Trace Metals from Oil Industries: A Review Study (2000–2018). *Process Saf. Environ. Prot.* **2019**, *123* (2), 215–228.
- (51) Beauchamp, R. O.; Bus, J. S.; Popp, J. A.; Boreiko, C. J.; Andjelkovich, D. A.; Leber, P. A Critical Review of the Literature on Hydrogen Sulfide Toxicity. *Crit. Rev. Toxicol.* **1984**, *13* (1), 25–97.
- (52) Kahn, J. H.; Nickol, G. B.; Conner, H. A. Analysis of Vinegar by Gas-Liquid Chromatography. *J. Agric. Food Chem.* **1966**, *14* (5), 460–465.
- (53) Reinsch, H.; Waitschat, S.; Chavan, S. M.; Lillerud, K. P.; Stock, N. A Facile “Green” Route for Scalable Batch Production and Continuous Synthesis of Zirconium MOFs. *Eur. J. Inorg. Chem.* **2016**, *2016* (27), 4490–4498.
- (54) O’Keeffe, M.; Yaghi, O. M. Deconstructing the Crystal Structures of Metal-Organic Frameworks and Related Materials into Their Underlying Nets. *Chemical Reviews.* **2012**, pp 675–702.
- (55) Healy, C.; Patil, K. M.; Wilson, B. H.; Hermanspahn, L.; Harvey-Reid, N. C.; Howard, B. I.; Kleinjan, C.; Kolien, J.; Payet, F.; Telfer, S. G.; Kruger, P. E.; Bennett, T. D. The Thermal Stability of Metal-Organic Frameworks. *Coord. Chem. Rev.* **2020**, *419*, 213388.
- (56) Sabouni, R.; Kazemian, H.; Rohani, S. Carbon Dioxide Capturing Technologies: A Review Focusing on Metal Organic Framework Materials (MOFs). *Environ. Sci. Pollut. Res.* **2014**, *21* (8), 5427–5449.
- (57) Lamagni, P.; Miola, M.; Catalano, J.; Hvid, M. S.; Mamakhe, M. A. H.; Christensen, M.; Madsen, M. R.; Jeppesen, H. S.; Hu, X. M.; Daasbjerg, K.; Skrydstrup, T.; Lock, N. Restructuring Metal-Organic Frameworks to Nanoscale Bismuth Electrocatalysts for Highly Active and Selective CO₂ Reduction to Formate. *Adv. Funct. Mater.* **2020**, *30* (16), 1910408.
- (58) Ding, M.; Cai, X.; Jiang, H. L. Improving MOF Stability: Approaches and Applications. *Chem. Sci.* **2019**, *10* (44), 10209–10230.
- (59) Nel, A. E.; Mädler, L.; Velegol, D.; Xia, T.; Hoek, E. M. V.; Somasundaran, P.; Klaessig, F.; Castranova, V.; Thompson, M. Understanding Biophysicochemical Interactions at the Nano-Bio Interface. *Nat. Mater.* **2009**, *8* (7), 543–557.
- (60) Mitragotri, S.; Burke, P. A.; Langer, R. Overcoming the Challenges in Administering Biopharmaceuticals: Formulation and Delivery Strategies. *Nat. Rev. Drug Discov.* **2014**, *13* (9), 655–672.
- (61) Fattal, E.; Tsapis, N. Nanomedicine Technology: Current Achievements and New Trends. *Clin. Transl. Imaging* **2014**, *2* (1), 77–87.
- (62) Giménez-Marqués, M.; Hidalgo, T.; Serre, C.; Horcajada, P. Nanostructured Metal-Organic Frameworks and Their Bio-Related Applications. *Coord. Chem. Rev.* **2016**, *307*, 342–360.
- (63) Baati, T.; Njim, L.; Neffati, F.; Kerkeni, A.; Bouttemi, M.; Gref, R.; Najjar, M. F.; Zakhama, A.; Couvreur, P.; Serre, C.; Horcajada, P. In Depth Analysis of the in Vivo Toxicity of Nanoparticles of Porous Iron(II) Metal-Organic Frameworks. *Chem. Sci.* **2013**, *4* (4), 1597–1607.
- (64) Bellido, E.; Guillevic, M.; Hidalgo, T.; Santander-Ortega, M. J.; Serre, C.; Horcajada, P. Understanding the Colloidal Stability of the Mesoporous MIL-100(Fe) Nanoparticles in Physiological Media. *Langmuir* **2014**, *30* (20), 5911–5920.
- (65) Matooane, M.; Diab, R. Health Risk Assessment for Sulfur Dioxide Pollution in South Durban, South Africa. *Arch. Environ. Health* **2003**, *58* (12), 763–770.
- (66) Schwartz, J.; Dockery, D. W. Increased Mortality in Philadelphia

- Associated with Daily Air Pollution Concentrations. *Am. Rev. Respir. Dis.* **1992**, *145* (3), 600–604.
- Moore, P. K.; Whiteman, M. *Handbook of Experimental Pharmacology*; Barret, J. E., Ed.; Springer International Publishing, 2015.
- Córdoba, P. Status of Flue Gas Desulphurisation (FGD) Systems from Coal-Fired Power Plants: Overview of the Physico-Chemical Control Processes of Wet Limestone FGDs. *Fuel* **2015**, *144*, 274–286.
- Savage, M.; Cheng, Y.; Easun, T. L.; Eyley, J. E.; Argent, S. P.; Warren, M. R.; Lewis, W.; Murray, C.; Tang, C. C.; Frogley, M. D.; Cinque, G.; Sun, J.; Rudić, S.; Murden, R. T.; Benham, M. J.; Fitch, A. N.; Blake, A. J.; Ramirez-Cuesta, A. J.; Yang, S.; Schröder, M. Selective Adsorption of Sulfur Dioxide in a Robust Metal–Organic Framework Material. *Adv. Mater.* **2016**, *28* (39), 8705–8711.
- Smith, G. L.; Eyley, J. E.; Han, X.; Zhang, X.; Li, J.; Jacques, N. M.; Godfrey, H. G. W.; Argent, S. P.; McCormick McPherson, L. J.; Teat, S. J.; Cheng, Y.; Frogley, M. D.; Cinque, G.; Day, S. J.; Tang, C. C.; Easun, T. L.; Rudić, S.; Ramirez-Cuesta, A. J.; Yang, S.; Schröder, M. Reversible Coordinative Binding and Separation of Sulfur Dioxide in a Robust Metal–Organic Framework with Open Copper Sites. *Nat. Mater.* **2019**, *18* (12), 1358–1365.
- Zárate, J. A.; Sánchez-González, E.; Williams, D. R.; González-Zamora, E.; Martínez, V.; Martínez, A.; Balmaseda, J.; Maurin, G.; Ibarra, I. A. High and Energy-Efficient Reversible SO₂ Uptake by a Robust Sc(III)-Based MOF. *J. Mater. Chem. A* **2019**, *7* (26), 15580–15584.
- Martínez-Ahumada, E.; Díaz-Ramírez, M. L.; Lara-García, H. A.; Williams, D. R.; Martínez, V.; Jancik, V.; Lima, E.; Ibarra, I. A. High and Reversible SO₂ Capture by a Chemically Stable Cr(III)-Based MOF. *J. Mater. Chem. A* **2020**, *8*, 11515–11520.
- Adib, F.; Bagreev, A.; Bandosz, T. J. Adsorption/Oxidation of Hydrogen Sulfide on Nitrogen-Containing Activated Carbons. *Langmuir* **2000**, *16* (4), 1980–1986.
- Hamon, L.; Serre, C.; Devic, T.; Loiseau, T.; Millange, F.; Férey, G.; De Weireld, G. Comparative Study of Hydrogen Sulfide Adsorption in the MIL-53(Al, Cr, Fe), MIL-47(V), MIL-100(Cr), and MIL-101(Cr) Metal-Organic Frameworks at Room Temperature. *J. Am. Chem. Soc.* **2009**, *131* (25), 8775–8777.
- Petit, C.; Mendoza, B.; Bandosz, T. J. Hydrogen Sulfide Adsorption on MOFs and MOF/Graphite Oxide Composites. *ChemPhysChem* **2010**, *11* (17), 3678–3684.
- Yu, K.; Kiesling, K.; Schmidt, J. R. Trace Flue Gas Contaminants Poison Coordinatively Unsaturated Metal-Organic Frameworks: Implications for CO₂ Adsorption and Separation. *J. Phys. Chem. C* **2012**, *116* (38), 20480–20488.
- Yang, S.; Liu, L.; Sun, J.; Thomas, K. M.; Davies, A. J.; George, M. W.; Blake, A. J.; Hill, A. H.; Fitch, A. N.; Tang, C. C.; Schröder, M. Irreversible Network Transformation in a Dynamic Porous Host Catalyzed by Sulfur Dioxide. *J. Am. Chem. Soc.* **2013**, *135* (13), 4954–4957.
- Carter, J. H.; Han, X.; Moreau, F. Y.; Da Silva, I.; Nevin, A.; Godfrey, H. G. W.; Tang, C. C.; Yang, S.; Schröder, M. Exceptional Adsorption and Binding of Sulfur Dioxide in a Robust Zirconium-Based Metal-Organic Framework. *J. Am. Chem. Soc.* **2018**, *140* (46), 15564–15567.
- Tan, K.; Zuluaga, S.; Wang, H.; Canepa, P.; Soliman, K.; Cure, J.; Li, J.; Thonhauser, T.; Chabal, Y. J. Interaction of Acid Gases SO₂ and NO₂ with Coordinatively Unsaturated Metal Organic Frameworks: M-MOF-74 (M = Zn, Mg, Ni, Co). *Chem. Mater.* **2017**, *29* (10), 4227–4235.
- Allan, P. K.; Wheatley, P. S.; Aldous, D.; Mohideen, M. I.; Tang, C.; Hriljac, J. A.; Megson, I. L.; Chapman, K. W.; De Weireld, G.; Vaesen, S.; Morris, R. E. Metal-Organic Frameworks for the Storage and Delivery of Biologically Active Hydrogen Sulfide. *Dalt. Trans.* **2012**, *41* (14), 4060–4066.
- Flores, J. G.; Zárate-Colín, J. A.; Sánchez-González, E.; Valenzuela, J.; Ramírez-Solís, J. F.; Jancik, V.; Aguilar-Pliego, J.; Zorrilla, M. C.; Lara-García, H. A.; González-Zamora, E.; Guzmán-González, G.; González, I.; Maurin, G.; Ibarra, I. A.; GUTIERREZ-ALEJANDRE, A. Partially Reversible H₂S Adsorption by MFM-300(Sc): Formation of Polysulfides. *ACS Appl. Mater. Interfaces* **2020**, *12* (16), 18885–18892.
- Antonio Zárate, J.; Sánchez-González, E.; Jurado-Vázquez, T.; Gutiérrez-Alejandre, A.; González-Zamora, E.; Castillo, I.; Maurin, G.; Ibarra, I. A. Outstanding Reversible H₂S Capture by an Al(III)-Based MOF. *Chem. Commun.* **2019**, *55* (21), 3049–3052.
- Chivers, T.; Lau, C. Raman Spectroscopic Identification of the S₄N[–] and S₃[–] Ions in Blue Solutions of Sulfur in Liquid Ammonia. *Inorg. Chem.* **1982**, *21* (1), 453–455.
- Jaroudi, O. El; Picquenard, E.; Demortier, A.; Lelieur, J. P.; Corset, J. Polysulfide Anions. 1. Structure and Vibrational Spectra of the S₂₂[–] and S₃₂[–] Anions. Influence of the Cations on Bond Length and Angle. *Inorg. Chem.* **1999**, *38*, 2394–2401.
- El Jaroudi, O.; Picquenard, E.; Demortier, A.; Lelieur, J. P.; Corset, J. Polysulfide Anions II: Structure and Vibrational Spectra of the S₄₂[–] and S₅₂[–] Anions. Influence of the Cations on Bond Length, Valence, and Torsion Angle. *Inorg. Chem.* **2000**, *39* (12), 2593–2603.
- Wu, H. L.; Huff, L. A.; Gewirth, A. A. In Situ Raman Spectroscopy of Sulfur Speciation in Lithium-Sulfur Batteries. *ACS Appl. Mater. Interfaces* **2015**, *7* (3), 1709–1719.
- Startsev, A. N. The Reaction Mechanisms of H₂S Decomposition into Hydrogen and Sulfur: Application of Classical and Biological Thermodynamics. *J. Thermodyn. Catal.* **2017**, *08* (02), 2–10.

Insert Table of Contents artwork here






1
2
3
4
5
6
7
8
9
10
11
12

a* ACS Paragon Plus Environment

b*



a

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23








24

25

26

27

28

b**c****d****e****f****g****h**

ACS Paragon Plus Environment

Page 15 of 15
American Chemical Society
Cell culture medium (RPMI), 24 h, 37 °C

