

Assignment 19

AI24BTECH11008- Sarvajith

30. A constant and uniform magnetic field $\vec{B} = B_0 \hat{k}$ pervades all space. Which one of the following is the correct choice for the vector potential in Coulomb gauge? (2018)
- (A) $-B_0 (x + y) \hat{i}$
 (B) $B_0 (x + y) \hat{j}$
 (C) $-B_0 (x \hat{j})$
 (D) $-\frac{1}{2} B_0 (x \hat{i} - y \hat{j})$
31. If H is the Hamiltonian for a free particle with mass m , the commutator $[x, [x, H]]$ is (2018)
- (A) $\frac{\hbar^2}{m}$
 (B) $-\frac{\hbar^2}{m}$
 (C) $-\frac{\hbar^2}{2m}$
 (D) $\frac{\hbar^2}{2m}$
32. A long straight wire, having radius a and resistance per unit length r , carries a current I . The magnitude and direction of the Poynting vector on the surface of the wire is (2018)
- (A) $\frac{I^2 r}{2\pi a}$, perpendicular to axis of the wire and pointing inwards
 (B) $\frac{I^2 r}{2\pi a}$, perpendicular to axis of the wire and pointing outwards
 (C) $\frac{I^2 r}{\pi a}$, perpendicular to axis of the wire and pointing inwards
 (D) $\frac{I^2 r}{\pi a}$, perpendicular to axis of the wire and pointing outwards
33. Three particles are to be distributed in four non-degenerate energy levels. The possible number of ways of distribution: (i) for distinguishable particles, and (ii) for identical Boson, respectively, is (2018)
- (A) (i) 24, (ii) 4
 (B) (i) 24, (ii) 20
 (C) (i) 64, (ii) 20
 (D) (i) 60, (ii) 16
34. The term symbol for the electronic ground state of oxygen atom is (2018)
- (A) 1S_0
 (B) 1D_2
 (C) 3P_0
 (D) 3P_2
35. The energy dispersion for electrons in one dimensional lattice with lattice parameter a is given by $E(k) = E_0 - \frac{1}{2} W \cos ka$, where W and E_0 are constants. The effective mass of the electron near the bottom of the band is (2018)
- (A) $\frac{2\hbar^2}{W a^2}$
 (B) $\frac{\hbar^2}{W a^2}$

- (C) $\frac{\hbar^2}{2W a^2}$
 (D) $\frac{\hbar^2}{4W a^2}$

36. Amongst electrical resistivity ρ , thermal conductivity κ , specific heat C , Young's modulus Y and magnetic susceptibility χ , which quantities show a sharp change at the superconducting transition temperature? (2018)

- (A) ρ, κ, C, Y
 (B) ρ, C, χ
 (C) ρ, κ, C, χ
 (D) κ, Y, χ

37. A quarter wave plate introduces a path difference of $\frac{\lambda}{4}$ between the two components of polarization parallel and perpendicular to the optic axis. An electromagnetic wave with $\vec{E} = (\hat{x} + \hat{y}) E_0 e^{i(kz - \omega t)}$ is incident normally on a quarter wave plate which has its optic axis making an angle 135° with the x - axis as shown. (2018) The




Fig. 0.1: 1

emergent electromagnetic wave would be

- (A) elliptically polarized
 (B) circularly polarized
 (C) linearly polarized with polarization as that of incident wave
 (D) linearly polarized but with polarization at 90° to that of the incident wave
38. A p - doped semiconductor slab carries a current $I = 100\text{mA}$ in a magnetic field $B = 0.2\text{T}$ as shown. One measures $V_y = 0.25\text{ mV}$ and $V_x = 2\text{mV}$. The mobility of holes in the semiconductor is $\text{m}^2\text{V}^{-1}\text{s}^{-1}$ (2018)




Fig. 0.2: 2

39. An n - channel FET having Gate-Source switch-off voltage $V_{GS(OFF)} = -2\text{V}$ is used

to invert a 0-5 V square-wave signal as shown. The maximum allowed value of R would be $k\Omega$ (2018)




Fig. 0.3: 3

40. Inside a large nucleus, a nucleon with mass $939\text{MeV}c^{-2}$ has Fermi momentum 1.40fm^{-1} at absolute zero temperature. Its velocity is Xc , where the value of X is..... (up to two decimal places). (2018)
41. 4MeV γ - rays emitted by the de-excitation of ^{19}F are attributed, assuming spherical symmetry, to the transition of protons from $1d_{3/2}$ state to $1d_{5/2}$ state. If the contribution of spin-orbit term to the total energy is written as $C\langle\vec{l} \cdot \vec{s}\rangle$ the magnitude of C is MeV (up to one decimal place). (2018)
42. An α particle is emitted by a $^{230}_{90}\text{Th}$ nucleus. Assuming the potential to be purely Coulombic beyond the point of separation, the height of the Coulomb barrier is..... MeV (up to two decimal places). (2018)