

# LP\_Practice\_Of5HowManyAreEvenOdd

Sasi | 08 Feb 2023



Finish State: Normal

Test Taken on: February 08, 2023 10:29:10 PM IST



Sasi

sasidevi.s.2020.cse@ritchennai.edu.in


Overall Summary

40 Marks Scored  
out of 40

100 % 100 percentile  
out of 56493 Test Takers

11m 1s Time taken  
of 1hr 5mins

Marks Scored



Attempt Summary

Distribution of questions attempted in a total of 1 question(s).



This shows the correctness of questions attempted by the test taker

Correct	1 Ques	40/40 Marks
Incorrect	0 Ques	0/0 Marks
Partially Correct	0 Ques	0/0 Marks
Not Attempted	0 Ques	0/0 Marks

Section-Wise Details

▼ Section 1 Program	question(s) 1 Q.	Time taken 11m 1s (Untimed)	Marks Scored 40 / 40
---------------------------	---------------------	--------------------------------	-------------------------

Marks Scored



Attempt Summary

Distribution of questions attempted in a total of 1 question(s).




■ Correct	1 Ques	40/40 Marks
-----------	--------	-------------

This shows the correctness of questions attempted by the test taker


Test Log

8th Feb 2023

- 10:18 PM



Started the test with Program
- 10:29 PM



Finished the test

## About the Report

This Report is generated electronically on the basis of the inputs received from the assessment takers. This Report including the AI flags that are generated in case of availing of proctoring services, should not be solely used/relied on for making any business, selection, entrance, or employment-related decisions. Mettl accepts no liability from the use of or any action taken or refrained from or for any and all business decisions taken as a result of or reliance upon anything, including, without limitation, information, advice, or AI flags contained in this Report or sources of information used or referred to in this Report.



1. Program

## Question 1

Revisit Later

## How to Attempt?

**Of the given 5 numbers, How many are even or odd?**

Write a function that accepts 6 input parameters.

The first 5 input parameters are of type **int**.

The sixth input parameter is of type **string**.

If the sixth parameter contains the value "even", the function is supposed to return the count of how many of the first five input parameters are even.

If the sixth parameter contains the value "odd", the function is supposed to return the count of how many of the first five input parameters are odd.

for example -

If the five input parameters are 12, 17, 19, 14, and 115, and the sixth parameter is "odd", the function must return 3, because there are three odd numbers 17, 19 and 115.

If the five input parameters are 12, 17, 19, 14, and 115, and the sixth parameter is "even", the function must return 2, because there are two even numbers 12 and 14.

Attempted: 1/1

JAVA7

Compiler: Java - 1.7

```
1  import java.io.*;
2  import java.util.*;
3
4  // Read only region start
5  class UserMainCode
6  {
7
8      public int countEvensOdds(int input1,int input2,int input3,int input4,
9          // Read only region end
10         int count=0;
11         if(input1%2==0)
12             count++;
13         if(input2%2==0)
14             count++;
15         if(input3%2==0)
16             count++;
17         if(input4%2==0)
18             count++;
19         if(input5%2==0)
```

☐ Use Custom Input

Compile and Test

Submit Code

1. Program



&lt;

1

&gt;



Attempted: 1/1

// Read only region end

```
10 int count=0;
11 if(input1%2==0)
12     count++;
13 if(input2%2==0)
14     count++;
15 if(input3%2==0)
16     count++;
17 if(input4%2==0)
18     count++;
19 if(input5%2==0)
20     count++;
21 if(input6.equals("even"))
22     return count;
23 else
24     return 5-count;
25 }
26 }
```

## Question 1

[Revisit Later](#)

## How to Attempt?

**Of the given 5 numbers, How many are even or odd?**

Write a function that accepts 6 input parameters.

The first 5 input parameters are of type **int**.

The sixth input parameter is of type **string**.

If the sixth parameter contains the value "even", the function is supposed to return the count of how many of the first five input parameters are even.

If the sixth parameter contains the value "odd", the function is supposed to return the count of how many of the first five input parameters are odd.

for example -

If the five input parameters are 12, 17, 19, 14, and 115, and the sixth parameter is "odd", the function must return 3, because there are three odd numbers 17, 19 and 115.

If the five input parameters are 12, 17, 19, 14, and 115, and the sixth parameter is "even", the function must return 2, because there are two even numbers 12 and 14.

☐ Use Custom Input

Compile and Test

Submit Code

Code Execution

Code History

