

National Forensic Science University, Delhi  
LNJN-NICFS  
Integrated B-Tech & M-Tech (IV Sem.)  
Term Assessment-1  
Engineering Mathematics-IV

Total Marks – 25

Time- 11.30 AM to 12.15 PM

1. Fit the straight-line curve with the help of the least-square method. [10]

x	75	80	93	65	87	71	98	68	84	77
y	82	78	86	72	91	80	95	72	89	74

2. If the equation  $y = ae^{bx}$  is written in linear form  $Y=A + BX$ , then what is Y, X, A, B? [5]

3. The following are the marks of 150 students in an examination. Calculate Karl Pearson's coefficient of skewness. [10]

Marks	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80
No. of Students	10	40	20	0	10	40	16	14

National Forensic Science University, Delhi  
LNJN-NICFS  
Integrated B-Tech & M-Tech (IV Sem.)  
Mid-Semester Examination  
Engineering Mathematics-IV

102CTBMCS 2122038

Total Marks – 50

1.

Compute Pearsons coefficient of correlation between advertisement cost and sales as per the data given below.

Advertisement Cost in 1000's	39	65	62	90	82	75	25	98	36	78
Sales in lakhs	47	53	58	86	62	68	60	91	51	84

[10]

2.

Fit power curve  $Y = aX^b$  for the following data:

x	6	2	10	5	8
y	9	11	12	8	7

[10]

3. Fit a second degree parabola for the following data

[10]

x	0	1	2	3	4
y	1	3	4	5	6

4. State and prove Handshaking theorem.



[10]

5. A non-directed graph G has 8 edges. Find the no. of vertices, if the degree of each vertex in G is 2.

[5]

6. What do you mean by isomorphic graph?

[5]





Seat No.: 7277

Enrolment No. 162CTBTCE7122028

# NATIONAL FORENSIC SCIENCES UNIVERSITY

B.Tech + M.Tech. Cyber Security-Semester-IV- JUNE-2023

Subject Code: CTBTCSE SIV P1

Date: 03/07/2023





Subject Name: Engineering Mathematics - 4

Time: 11:00 a.m to 2:00 p.m




Total Marks: 100

## Instructions:

1. Write down each question on a separate page.
2. Attempt all questions.
3. Make suitable assumptions wherever necessary.
4. Figures to the right indicate full marks.

			Marks																
Q.1	(a)	Show that $\langle \{\emptyset, \{a\}, \{b\}, \{a, b\}, \cap, \cup \rangle$ is a sub-lattice of $\langle P(X), \cap, \cup \rangle$ where $X = \{a, b\}$	05																
	(b)	Find the standard deviation for the following data: <table><tr><td>X:</td><td>20</td><td>24</td><td>30</td><td>35</td><td>38</td><td>40</td></tr><tr><td>F:</td><td>8</td><td>7</td><td>10</td><td>12</td><td>6</td><td>3</td></tr></table>	X:	20	24	30	35	38	40	F:	8	7	10	12	6	3	05		
X:	20	24	30	35	38	40													
F:	8	7	10	12	6	3													
	(c)	Calculate mean, median and mode from the following data: <table><tr><td>Class interval:</td><td>20-30</td><td>30-40</td><td>40-50</td><td>50-60</td><td>60-70</td><td>70-80</td><td>80-90</td></tr><tr><td>Frequency:</td><td>4</td><td>6</td><td>10</td><td>17</td><td>11</td><td>9</td><td>3</td></tr></table>	Class interval:	20-30	30-40	40-50	50-60	60-70	70-80	80-90	Frequency:	4	6	10	17	11	9	3	07
Class interval:	20-30	30-40	40-50	50-60	60-70	70-80	80-90												
Frequency:	4	6	10	17	11	9	3												
OR																			
	(c)	Define the Isomorphism of two graphs in detail. Check whether the following pair of graphs G & H are isomorphic or not with the description. <div><div><p>G</p></div><div><p>H</p></div><div><p>G</p></div><div><p>H</p></div></div>	07																
Q.2	(a)	Give an example of POSET which is not a Lattice.	05																
	(b)	Define with examples: Loop, Parallel edges, Directed Graph, Isolated nodes, Simple graph.	05																



	(c)	Fit a curve of the form $y = ax^b$ for the data:	07																																	
		<table><tr><td>X:</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td></tr><tr><td>Y:</td><td>151</td><td>100</td><td>61</td><td>50</td><td>20</td><td>8</td></tr></table>	X:	1	2	3	4	5	6	Y:	151	100	61	50	20	8																				
X:	1	2	3	4	5	6																														
Y:	151	100	61	50	20	8																														
		OR																																		
	(c)	Compute the coefficient of Kurtosis and also the coefficient of Skewness based on the third moment for the following data.	07																																	
		<table><tr><td>Class</td><td>0-20</td><td>20-40</td><td>40-60</td><td>60-80</td><td>80-100</td></tr><tr><td>Frequency</td><td>13</td><td>25</td><td>27</td><td>19</td><td>16</td></tr></table>	Class	0-20	20-40	40-60	60-80	80-100	Frequency	13	25	27	19	16																						
Class	0-20	20-40	40-60	60-80	80-100																															
Frequency	13	25	27	19	16																															
Q.3	(a)	10 competitors in a musical test were ranked by the three judges in the following order.	08																																	
		<table><tr><td>1<sup>st</sup> Judge</td><td>1</td><td>6</td><td>5</td><td>10</td><td>3</td><td>2</td><td>4</td><td>9</td><td>7</td><td>8</td></tr><tr><td>2<sup>nd</sup> Judge</td><td>3</td><td>5</td><td>8</td><td>4</td><td>7</td><td>10</td><td>2</td><td>1</td><td>6</td><td>9</td></tr><tr><td>3<sup>rd</sup> Judge</td><td>6</td><td>4</td><td>9</td><td>8</td><td>1</td><td>2</td><td>3</td><td>10</td><td>5</td><td>7</td></tr></table>	1 <sup>st</sup> Judge	1	6	5	10	3	2	4	9	7	8	2 <sup>nd</sup> Judge	3	5	8	4	7	10	2	1	6	9	3 <sup>rd</sup> Judge	6	4	9	8	1	2	3	10	5	7	
1 <sup>st</sup> Judge	1	6	5	10	3	2	4	9	7	8																										
2 <sup>nd</sup> Judge	3	5	8	4	7	10	2	1	6	9																										
3 <sup>rd</sup> Judge	6	4	9	8	1	2	3	10	5	7																										
	(b)	Show that $\langle S_{30}, *, \oplus \rangle$ and $\langle P(A), \cap, \cup \rangle$ are Isomorphic lattices for $A = \{a, b, c\}$	08																																	
		OR																																		
	(b)	Differentiate the Universal Quantifier and Existential Quantifier with the help of example.	08																																	
Q.4	(a)	Definition of covariance. Find $r$ or $r_{xy}$ from the following data: $N=10, \sum(x - \bar{x})(y - \bar{y}) = 1650, \sigma_x^2 = 196, \sigma_y^2 = 225$	05																																	
	(b)	Define Compliment and Union of Fuzzy sets with proper examples.	05																																	
	(c)	Compute the Skewness based on the third moment for the following data:	07																																	
		<table><tr><td>Class</td><td>0-4</td><td>4-8</td><td>8-12</td><td>12-16</td><td>16-20</td></tr><tr><td>Frequency</td><td>4</td><td>6</td><td>8</td><td>5</td><td>2</td></tr></table>	Class	0-4	4-8	8-12	12-16	16-20	Frequency	4	6	8	5	2																						
Class	0-4	4-8	8-12	12-16	16-20																															
Frequency	4	6	8	5	2																															
		OR																																		
	(c)	Describe the Hasse Diagram and draw the Hasse Diagram of $\langle S_{24}, D \rangle$ and $\langle S_{36}, D \rangle$ .	07																																	
Q.5	(a)	If $A = \{3, 5, 7, 9, 11\}$ , $B = \{7, 9, 11, 13\}$ , $C = \{11, 13, 15\}$ and $D = \{15, 17\}$ find i) $A \cap B$ ii) $A \cap C$ iii) $B \cap C$ iv) $B \cap D$ v) $A \cap B \cap C$ vi) $A \cap B \cup C$ vii) $A \cap (B \cup D)$	05																																	
	(b)	Define the Adjacency matrix representation of Multigraph and develop the Adjacency matrix for the following three graphs:	05																																	
		   G1                      G2																																		

	(c)	From the following data calculate two equations of the line of regression, where the Correlation coefficient between X and Y is 0.50. Also, estimate the value of Y for X=72 using the appropriate regression equation.	07																														
		<table border="1"><tr><td></td><td>X</td><td>Y</td></tr><tr><td>Mean</td><td>60</td><td>67.5</td></tr><tr><td>Standard Deviation</td><td>15</td><td>13.5</td></tr></table>		X	Y	Mean	60	67.5	Standard Deviation	15	13.5																						
	X	Y																															
Mean	60	67.5																															
Standard Deviation	15	13.5																															
		OR																															
	(c)	Prove the logical equivalence of the following using truth table. $\neg(p \vee q) \& \neg p \wedge \neg q$ $\neg(p \wedge q) \& \neg p \vee \neg q$	07																														
Q.6	(a)	Compute the correlation coefficient between X&Y using the following data: <table border="1"><tr><td>X:</td><td>2</td><td>4</td><td>5</td><td>6</td><td>8</td><td>11</td></tr><tr><td>Y:</td><td>18</td><td>12</td><td>10</td><td>8</td><td>7</td><td>5</td></tr></table>	X:	2	4	5	6	8	11	Y:	18	12	10	8	7	5	08																
X:	2	4	5	6	8	11																											
Y:	18	12	10	8	7	5																											
	(b)	The first moments of a distribution about the value 3 are 2, 10, -30. Show that the moments about $x = 0$ are 5, 31, 141. Find the mean and Variance.	08																														
		OR																															
	(b)	Nine students secured the following percentage of marks in Mathematics & Chemistry. <table border="1"><tr><td>Roll No.:</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td></tr><tr><td>Marks in Mathematics:</td><td>78</td><td>36</td><td>98</td><td>25</td><td>75</td><td>82</td><td>90</td><td>62</td><td>65</td></tr><tr><td>Marks in Chemistry:</td><td>84</td><td>51</td><td>91</td><td>60</td><td>68</td><td>62</td><td>86</td><td>58</td><td>53</td></tr></table> Find the Rank correlation coefficient and comment on its value by Spearmen's rank correlation method.	Roll No.:	1	2	3	4	5	6	7	8	9	Marks in Mathematics:	78	36	98	25	75	82	90	62	65	Marks in Chemistry:	84	51	91	60	68	62	86	58	53	
Roll No.:	1	2	3	4	5	6	7	8	9																								
Marks in Mathematics:	78	36	98	25	75	82	90	62	65																								
Marks in Chemistry:	84	51	91	60	68	62	86	58	53																								

END OF PAPER