1

18-Definite Integrals and Applications of Integrals

EE1030 : Matrix Theory Indian Institute of Technology Hyderabad

Satyanarayana Gajjarapu AI24BTECH11009

I. E-Subjective Problems

1) Evaluate:

$$\int_0^{\pi/4} \frac{\sin(x) + \cos(x)}{9 + 16\sin(2x)} dx$$

(1983 - 3 Marks)

- 2) Find the area bounded by the x-axis, part of the curve $y = \left(1 + \frac{8}{x^2}\right)$ and the ordinates at x=2 to x=4. If the ordinate at x=a divides the area into two equal parts, $(1983 3 \ Marks)$ find a.
- 3) Evaluate the following

$$\int_0^{1/2} \frac{x \sin^{-1}(x)}{\sqrt{1 - x^2}} dx$$
(1984 – 2 *Marks*)

- 4) Find the area of the region bounded by the x-axis and the curves defined by $y = \tan(x), \frac{-\pi}{3} \le x \le \frac{\pi}{3};$ (1984 4 *Marks*) $y = \cot(x), \frac{\pi}{6} \le x \le \frac{3\pi}{2}$
- 5) Given a function f(x) such that
 - (i) it is integrable over every interval on a real line and
- (ii) f(t+x) = f(x), for every x and a real t, then show that the integral $\int_a^{a+t} f(x) dx$ is independent of a. (1984 4 Marks)

6) Evaluate the following:

$$\int_0^{\pi/2} \frac{x \sin(x) \cos(x)}{\cos^4(x) + \sin^4(x)} dx$$
(1985 - 5/2 Marks)

- 7) Sketch the region bounded by the curves $y = \sqrt{5 x^2}$ and y = |x 1| and its area. (1985 5 *Marks*)
- 8) Evaluate:

$$\int_0^{\pi} \frac{x dx}{1 + \cos(\alpha)\sin(x)},$$

$$0 < \alpha < \pi \qquad (1986 - 5/2 Marks)$$

- 9) Find the area bounded by the curves, $x^2 + y^2 = 25$, $4y = |4 x^2|$ and x = 0 above the x-axis. (1987 6 *Marks*)
- 10) Find the area of the region bounded by the curve C: y=tan(x), tangent drawn to C at $x = \pi/4$ and the x-axis. (1988 5 *Marks*)

11) Evaluate (1988 – 5 *Marks*)
$$\int_0^1 \log \left[\sqrt{1-x} + \sqrt{1+x} \right] dx$$

12) If f and g are continuous function on [0,a] satisfying f(x) = f(a-x) and g(x) + g(a-x) = 2, then show that $\int_0^a f(x)g(x) dx = \int_0^a f(x) dx (1989 - 4 Marks)$

13) Show that
$$\int_0^{\pi/2} f(\sin(2x)) \sin(x) dx = \sqrt{2} \int_0^{\pi/4} f(\cos(2x)) \cos(x) dx$$
 (1990 – 4 *Marks*)

14) Prove that for any positive integer k,

$$\frac{\sin(2kx)}{\sin(x)} = 2\left[\cos(x) + \cos(3x) + \dots + \cos(2k-1)x\right]$$

Hence prove that
$$(1990 - 4 Marks)$$
$$\int_0^{\pi/2} \sin(2kx) \cot(x) dx = \pi/2$$

15) Compute the area of the region bounded by the curves $y = ex \ln x$ and (1990 - 4 Marks) $y = \frac{\ln x}{ex}$ where $\ln e = 1$.