

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100^a / T100^b	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$26.785
	- Unit rate	¢/kWh	9.298

A10X / F10X^a / T10X^b	Flexible		
	Available to customers with a remotely read AMI meter		
	Summer period: is the daylight savings period; Non-summer period: All other times		
	<i>Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays</i>		
	<i>Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays</i>		
	<i>and 7 AM to 10 PM local time weekends</i>		
	<i>Off peak Summer/Non-summer: 10 PM to 7 AM local time all days</i>		
	- Standing charge	\$/customer pa	\$26.785
	Summer rates		
	- Peak Unit rate	¢/kWh	14.884
	- Shoulder Unit rate	¢/kWh	9.298
	- Off Peak Unit rate	¢/kWh	4.370
	Non-summer rates		
	- Peak Unit rate	¢/kWh	14.884
	- Shoulder Unit rate	¢/kWh	9.298
	- Off Peak Unit rate	¢/kWh	4.370

A10I / F10I^a / T10I^b	Time of Use Interval Meter (closed to new entrants)^c		
	Available to customers with an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$26.785
	- Peak Unit rate	¢/kWh	14.884
	- Off Peak Unit rate	¢/kWh	2.785

A140	Time of Use (closed to new entrants)		
	This tariff is not available to existing customers that install an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$47.876
	- Peak Unit rate	¢/kWh	11.996
	- Off Peak Unit rate	¢/kWh	3.068

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

A180 Off Peak Heating Only (dedicated circuit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation^d

11 PM to 7 AM AEST all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	2.764

Small Business

Only available to non-embedded network customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 / F200^a / T200^b General Purpose

Only available to customers with a single rate accumulation meter OR to customers

consuming < 160 MWh pa and having a maximum demand < 60 kW

Single rate all times

- Standing charge	\$/customer pa	\$70.141
- Unit rate	¢/kWh	10.980

A210 / F210^a / T210^b Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers

consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$120.768
- Peak Unit rate	¢/kWh	13.224
- Off Peak Unit rate	¢/kWh	2.946

A230 / F230^a / T230^b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$283.843
- Peak Unit rate	¢/kWh	8.018
- Off Peak Unit rate	¢/kWh	3.000
- Demand rate	\$/kW pa	\$69.409
Minimum Chargeable Demand	60 kW	

A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter OR to customers

consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$120.768
- Peak Unit rate	¢/kWh	11.733
- Off Peak Unit rate	¢/kWh	3.167

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A270 / F270^a / T270^b	Time of Use Extended - Demand (closed to new entrants)		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$283.843
	- Peak Unit rate	¢/kWh	6.742
	- Off Peak Unit rate	¢/kWh	3.128
	- Demand rate	\$/kW pa	\$69.409
	Minimum Chargeable Demand	60 kW	
A290	Unmetered Supply		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Peak Unit rate	¢/kWh	11.788
	- Off Peak Unit rate	¢/kWh	2.998

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300^a / T300^b	LV 0.4 - 0.8 GWh		
	Only available to non-embedded network customers consuming ≤ 0.8 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$2,203.810
	- Peak Unit rate	¢/kWh	4.564
	- Off Peak Unit rate	¢/kWh	1.892
	- Demand rate	\$/kW pa	\$114.012
	Minimum Chargeable Demand	120 kW	
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
	Only available to embedded network customers consuming ≤ 0.8 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$2,203.810
	- Peak Unit rate	¢/kWh	4.514
	- Off Peak Unit rate	¢/kWh	1.892
	- Demand rate	\$/kW pa	\$118.636
	Minimum Chargeable Demand	120 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A320	LV 0.8⁺ - 2.2 GWh		
Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$3,940.022
	- Peak Unit rate	¢/kWh	4.037
	- Off Peak Unit rate	¢/kWh	1.877
	- Demand rate	\$/kW pa	\$106.395
	Minimum Chargeable Demand	250 kW	
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$3,940.022
	- Peak Unit rate	¢/kWh	3.815
	- Off Peak Unit rate	¢/kWh	1.877
	- Demand rate	\$/kW pa	\$108.139
	Minimum Chargeable Demand	250 kW	
A340	LV 2.2⁺ - 6.0 GWh		
Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$6,867.398
	- Peak Unit rate	¢/kWh	4.001
	- Off Peak Unit rate	¢/kWh	1.740
	- Demand rate	\$/kW pa	\$105.358
	Minimum Chargeable Demand	250 kW	
A34E	LV_{EN} 2.2⁺ GWh		
Only available to embedded network customers consuming > 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$6,867.398
	- Peak Unit rate	¢/kWh	3.553
	- Off Peak Unit rate	¢/kWh	1.736
	- Demand rate	\$/kW pa	\$106.880
	Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A34M	LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e		
	Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$4,712.844
	- Peak Unit rate	¢/kWh	4.200
	- Off Peak Unit rate	¢/kWh	1.733
	- Demand rate	\$/kW pa	\$74.455
	Minimum Chargeable Demand	250 kW	
A370	LV 6.0⁺ GWh		
	Only available to non-embedded network customers consuming > 6.0 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$10,535.199
	- Peak Unit rate	¢/kWh	3.662
	- Off Peak Unit rate	¢/kWh	1.669
	- Demand rate	\$/kW pa	\$101.453
	Minimum Chargeable Demand	450 kW	
A37M	LV_{MS} 6.0⁺ GWh (closed to new entrants)^e		
	Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 GWh		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$7,779.393
	- Peak Unit rate	¢/kWh	3.776
	- Off Peak Unit rate	¢/kWh	1.669
	- Demand rate	\$/kW pa	\$73.652
	Minimum Chargeable Demand	450 kW	

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400	HV		
	Only available to non-embedded network customers consuming < 55 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$13,673.139
	- Peak Unit rate	¢/kWh	3.520
	- Off Peak Unit rate	¢/kWh	1.182
	- Demand rate	\$/kW pa	\$84.808
	Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A40E	HV_{EN}		
	Only available to embedded network customers		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$13,673.139
	- Peak Unit rate	¢/kWh	3.257
	- Off Peak Unit rate	¢/kWh	1.182
	- Demand rate	\$/kW pa	\$84.448
	Minimum Chargeable Demand	1,000 kW	
A40R	HV_{RF} (closed to new entrants)^e		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$13,673.139
	- Peak Unit rate	¢/kWh	3.520
	- Off Peak Unit rate	¢/kWh	1.182
	- Demand rate	\$/kW pa	\$79.418
	Minimum Chargeable Demand	1,000 kW	
A480	HV - Annual Consumption ≥ 55 GWh		
	Only available to non-embedded customers consuming ≥ 55 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$14,064.584
	- Peak Unit rate	¢/kWh	3.276
	- Off Peak Unit rate	¢/kWh	1.095
	- Demand rate	\$/kW pa	\$78.714
	Minimum Chargeable Demand	10,000 kW	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$52,260.713
	- Peak Unit rate	¢/kWh	2.334
	- Off Peak Unit rate	¢/kWh	0.681
	- Demand rate	\$/kW pa	\$26.049
	Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A50A	Subtransmission MA		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$52,260.713
	- Peak Unit rate	¢/kWh	2.334
	- Off Peak Unit rate	¢/kWh	0.681
	- Demand rate	\$/kW pa	\$26.049
	Minimum Chargeable Demand	15,000 kW	
A50E	Subtransmission EG		
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$34,782.792
	- Peak Unit rate	¢/kWh	2.360
	- Off Peak Unit rate	¢/kWh	0.689
	- Demand rate	\$/kW pa	\$9.053
	Minimum Chargeable Demand	15,000 kW	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "T" can only be made by the customer's retailer.

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100^a / T100^b	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$26.204
	- Unit rate	c/kWh	8.382

A10X / F10X^a / T10X^b	Flexible		
	Available to customers with a remotely read AMI meter		
	Summer period: is the daylight savings period; Non-summer period: All other times		
	<i>Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays</i>		
	<i>Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays</i>		
	<i>and 7 AM to 10 PM local time weekends</i>		
	<i>Off peak Summer/Non-summer: 10 PM to 7 AM local time all days</i>		
	- Standing charge	\$/customer pa	\$26.204
	Summer rates		
	- Peak Unit rate	c/kWh	14.199
	- Shoulder Unit rate	c/kWh	8.999
	- Off Peak Unit rate	c/kWh	4.262
	Non-summer rates		
	- Peak Unit rate	c/kWh	14.199
	- Shoulder Unit rate	c/kWh	8.999
	- Off Peak Unit rate	c/kWh	4.262

A10I / F10I^a / T10I^b	Time of Use Interval Meter (closed to new entrants)^c		
	Available to customers with an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$26.204
	- Peak Unit rate	c/kWh	13.598
	- Off Peak Unit rate	c/kWh	2.126

A140	Time of Use (closed to new entrants)		
	This tariff is not available to existing customers that install an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$46.137
	- Peak Unit rate	c/kWh	9.620
	- Off Peak Unit rate	c/kWh	1.746

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

A180 Off Peak Heating Only (dedicated circuit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation^d

11 PM to 7 AM AEST all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	c/kWh	1.754

Small Business

Only available to non-embedded network customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 / F200^a / T200^b General Purpose

Only available to customers with a single rate accumulation meter OR to customers

consuming < 160 MWh pa and having a maximum demand < 60 kW

Single rate all times

- Standing charge	\$/customer pa	\$68.877
- Unit rate	c/kWh	9.557

A210 / F210^a / T210^b Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers

consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$99.287
- Peak Unit rate	c/kWh	11.292
- Off Peak Unit rate	c/kWh	1.911

A230 / F230^a / T230^b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$130.594
- Peak Unit rate	c/kWh	6.955
- Off Peak Unit rate	c/kWh	2.233
- Demand rate	\$/kW pa	\$68.802
Minimum Chargeable Demand	60 kW	

A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter OR to customers

consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$99.287
- Peak Unit rate	c/kWh	9.945
- Off Peak Unit rate	c/kWh	2.094

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A270 / F270^a / T270^b	Time of Use Extended - Demand (closed to new entrants)		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$130.594
	- Peak Unit rate	¢/kWh	5.203
	- Off Peak Unit rate	¢/kWh	2.401
	- Demand rate	\$/kW pa	\$68.802
	Minimum Chargeable Demand	60 kW	
A290	Unmetered Supply		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Peak Unit rate	¢/kWh	10.634
	- Off Peak Unit rate	¢/kWh	1.888

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300^a / T300^b	LV 0.4 - 0.8 GWh		
	Only available to non-embedded network customers consuming ≤ 0.8 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$2,001.476
	- Peak Unit rate	¢/kWh	1.992
	- Off Peak Unit rate	¢/kWh	0.648
	- Demand rate	\$/kW pa	\$112.196
	Minimum Chargeable Demand	120 kW	
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
	Only available to embedded network customers consuming ≤ 0.8 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$2,001.476
	- Peak Unit rate	¢/kWh	2.011
	- Off Peak Unit rate	¢/kWh	0.648
	- Demand rate	\$/kW pa	\$116.500
	Minimum Chargeable Demand	120 kW	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A320	LV 0.8⁺ - 2.2 GWh		
Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,295.378
- Peak Unit rate	¢/kWh		1.327
- Off Peak Unit rate	¢/kWh		0.626
- Demand rate	\$/kW pa		\$103.707
Minimum Chargeable Demand	250 kW		
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,295.378
- Peak Unit rate	¢/kWh		1.326
- Off Peak Unit rate	¢/kWh		0.626
- Demand rate	\$/kW pa		\$104.999
Minimum Chargeable Demand	250 kW		
A340	LV 2.2⁺ - 6.0 GWh		
Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$5,034.047
- Peak Unit rate	¢/kWh		1.215
- Off Peak Unit rate	¢/kWh		0.466
- Demand rate	\$/kW pa		\$102.587
Minimum Chargeable Demand	250 kW		
A34E	LV_{EN} 2.2⁺ GWh		
Only available to embedded network customers consuming > 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$5,034.047
- Peak Unit rate	¢/kWh		1.215
- Off Peak Unit rate	¢/kWh		0.466
- Demand rate	\$/kW pa		\$102.725
Minimum Chargeable Demand	250 kW		

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A34M	LV_{MS} 2.2* - 6.0 GWh (closed to new entrants)^e		
Only available to non-embedded network customer taking supply from multiple NMLs on a single site AND the aggregated annual consumption from those NMLs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,517.011
- Peak Unit rate	¢/kWh		1.202
- Off Peak Unit rate	¢/kWh		0.466
- Demand rate	\$/kW pa		\$71.072
Minimum Chargeable Demand	250 kW		
A370	LV 6.0* GWh		
Only available to non-embedded network customers consuming > 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$6,550.327
- Peak Unit rate	¢/kWh		1.179
- Off Peak Unit rate	¢/kWh		0.404
- Demand rate	\$/kW pa		\$98.691
Minimum Chargeable Demand	450 kW		
A37M	LV_{MS} 6.0* GWh (closed to new entrants)^e		
Only available to non-embedded network customer taking supply from multiple NMLs on a single site AND the aggregated annual consumption from those NMLs is > 6.0 GWh			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,275.157
- Peak Unit rate	¢/kWh		1.179
- Off Peak Unit rate	¢/kWh		0.404
- Demand rate	\$/kW pa		\$70.202
Minimum Chargeable Demand	450 kW		

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400	HV		
Only available to non-embedded network customers consuming < 55 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,590.135
- Peak Unit rate	¢/kWh		0.789
- Off Peak Unit rate	¢/kWh		0.184
- Demand rate	\$/kW pa		\$82.073
Minimum Chargeable Demand	1,000 kW		

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A40E	HV_{EN}		
	Only available to embedded network customers		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$3,590.135
	- Peak Unit rate	¢/kWh	0.789
	- Off Peak Unit rate	¢/kWh	0.184
	- Demand rate	\$/kW pa	\$82.073
	Minimum Chargeable Demand	1,000 kW	
A40R	HV_{RF} (closed to new entrants)^e		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$3,590.135
	- Peak Unit rate	¢/kWh	0.789
	- Off Peak Unit rate	¢/kWh	0.184
	- Demand rate	\$/kW pa	\$73.444
	Minimum Chargeable Demand	1,000 kW	
A480	HV - Annual Consumption ≥ 55 GWh		
	Only available to non-embedded customers consuming ≥ 55 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$3,569.257
	- Peak Unit rate	¢/kWh	0.753
	- Off Peak Unit rate	¢/kWh	0.131
	- Demand rate	\$/kW pa	\$72.864
	Minimum Chargeable Demand	10,000 kW	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$27,854.365
	- Peak Unit rate	¢/kWh	0.153
	- Off Peak Unit rate	¢/kWh	0.026
	- Demand rate	\$/kW pa	\$22.779
	Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A50A	Subtransmission MA		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$27,854.365
	- Peak Unit rate	¢/kWh	0.153
	- Off Peak Unit rate	¢/kWh	0.026
	- Demand rate	\$/kW pa	\$22.779
	Minimum Chargeable Demand	15,000 kW	
A50E	Subtransmission EG		
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$27,692.340
	- Peak Unit rate	¢/kWh	0.145
	- Off Peak Unit rate	¢/kWh	0.024
	- Demand rate	\$/kW pa	\$4.564
	Minimum Chargeable Demand	15,000 kW	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "T" can only be made by the customer's retailer.

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>

Jemena Electricity Networks (VIC) Ltd - TUoS, JS and Pass Through Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100^a / T100^b	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$0.581
	- Unit rate	¢/kWh	0.916

A10X / F10X^a / T10X^b	Flexible		
	Available to customers with a remotely read AMI meter		
	Summer period: is the daylight savings period; Non-summer period: All other times		
	<i>Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays</i>		
	<i>Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays</i>		
	<i>and 7 AM to 10 PM local time weekends</i>		
	<i>Off peak Summer/Non-summer: 10 PM to 7 AM local time all days</i>		
	- Standing charge	\$/customer pa	\$0.581
	Summer rates		
	- Peak Unit rate	¢/kWh	0.685
	- Shoulder Unit rate	¢/kWh	0.299
	- Off Peak Unit rate	¢/kWh	0.108
	Non-summer rates		
	- Peak Unit rate	¢/kWh	0.685
	- Shoulder Unit rate	¢/kWh	0.299
	- Off Peak Unit rate	¢/kWh	0.108

A10I / F10I^a / T10I^b	Time of Use Interval Meter (closed to new entrants)^c		
	Available to customers with an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$0.581
	- Peak Unit rate	¢/kWh	1.286
	- Off Peak Unit rate	¢/kWh	0.659

A140	Time of Use (closed to new entrants)		
	This tariff is not available to existing customers that install an interval meter		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$1.739
	- Peak Unit rate	¢/kWh	2.376
	- Off Peak Unit rate	¢/kWh	1.322

Jemena Electricity Networks (VIC) Ltd - TUoS, JS and Pass Through Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A180	Off Peak Heating Only (dedicated circuit)		
	Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.		
	This tariff is not available to new or existing customers that install embedded generation ^d		
	11 PM to 7 AM AEST all days		
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	1.010

Small Business

Only available to non-embedded network customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 / F200^a / T200^b	General Purpose		
	Only available to customers with a single rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW		
	Single rate all times		
	- Standing charge	\$/customer pa	\$1.264
	- Unit rate	¢/kWh	1.423

A210 / F210^a / T210^b	Time of Use Weekdays		
	Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW		
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times		
	- Standing charge	\$/customer pa	\$21.481
	- Peak Unit rate	¢/kWh	1.932
	- Off Peak Unit rate	¢/kWh	1.035

A230 / F230^a / T230^b	Time of Use Weekdays - Demand		
	Only available to customers with a meter capable of measuring demand		
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times		
	- Standing charge	\$/customer pa	\$153.249
	- Peak Unit rate	¢/kWh	1.063
	- Off Peak Unit rate	¢/kWh	0.767
	- Demand rate	\$/kW pa	\$0.607
	Minimum Chargeable Demand	60 kW	

A250 / F250^a / T250^b	Time of Use Extended (closed to new entrants)		
	Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW		
	Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times		
	- Standing charge	\$/customer pa	\$21.481
	- Peak Unit rate	¢/kWh	1.788
	- Off Peak Unit rate	¢/kWh	1.073

Jemena Electricity Networks (VIC) Ltd - TUoS, JS and Pass Through Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A270 / F270^a / T270^b	Time of Use Extended - Demand (closed to new entrants)		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$153.249
	- Peak Unit rate	¢/kWh	1.539
	- Off Peak Unit rate	¢/kWh	0.727
	- Demand rate	\$/kW pa	\$0.607
	Minimum Chargeable Demand	60 kW	
A290	Unmetered Supply		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Peak Unit rate	¢/kWh	1.154
	- Off Peak Unit rate	¢/kWh	1.110

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300^a / T300^b	LV 0.4 - 0.8 GWh		
	Only available to non-embedded network customers consuming ≤ 0.8 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$202.334
	- Peak Unit rate	¢/kWh	2.572
	- Off Peak Unit rate	¢/kWh	1.244
	- Demand rate	\$/kW pa	\$1.816
	Minimum Chargeable Demand	120 kW	
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
	Only available to embedded network customers consuming ≤ 0.8 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$202.334
	- Peak Unit rate	¢/kWh	2.503
	- Off Peak Unit rate	¢/kWh	1.244
	- Demand rate	\$/kW pa	\$2.136
	Minimum Chargeable Demand	120 kW	

Jemena Electricity Networks (VIC) Ltd - TUoS, JS and Pass Through Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A320	LV 0.8⁺ - 2.2 GWh		
Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$644.644
- Peak Unit rate		¢/kWh	2.710
- Off Peak Unit rate		¢/kWh	1.251
- Demand rate		\$/kW pa	\$2.688
Minimum Chargeable Demand		250 kW	
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$644.644
- Peak Unit rate		¢/kWh	2.489
- Off Peak Unit rate		¢/kWh	1.251
- Demand rate		\$/kW pa	\$3.140
Minimum Chargeable Demand		250 kW	
A340	LV 2.2⁺ - 6.0 GWh		
Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$1,833.351
- Peak Unit rate		¢/kWh	2.786
- Off Peak Unit rate		¢/kWh	1.274
- Demand rate		\$/kW pa	\$2.771
Minimum Chargeable Demand		250 kW	
A34E	LV_{EN} 2.2⁺ GWh		
Only available to embedded network customers consuming > 2.2 GWh pa			
<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$1,833.351
- Peak Unit rate		¢/kWh	2.338
- Off Peak Unit rate		¢/kWh	1.270
- Demand rate		\$/kW pa	\$4.155
Minimum Chargeable Demand		250 kW	

Jemena Electricity Networks (VIC) Ltd - TUoS, JS and Pass Through Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
-------------------	-------------	-------	------

A34M **LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e**

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,195.833
- Peak Unit rate	¢/kWh	2.998
- Off Peak Unit rate	¢/kWh	1.267
- Demand rate	\$/kW pa	\$3.383
Minimum Chargeable Demand	250 kW	

A370 **LV 6.0⁺ GWh**

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,984.872
- Peak Unit rate	¢/kWh	2.483
- Off Peak Unit rate	¢/kWh	1.265
- Demand rate	\$/kW pa	\$2.762
Minimum Chargeable Demand	450 kW	

A37M **LV_{MS} 6.0⁺ GWh (closed to new entrants)^e**

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 GWh

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$4,504.236
- Peak Unit rate	¢/kWh	2.597
- Off Peak Unit rate	¢/kWh	1.265
- Demand rate	\$/kW pa	\$3.450
Minimum Chargeable Demand	450 kW	

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 **HV**

Only available to non-embedded network customers consuming < 55 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$10,083.004
- Peak Unit rate	¢/kWh	2.731
- Off Peak Unit rate	¢/kWh	0.998
- Demand rate	\$/kW pa	\$2.735
Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - TUoS, JS and Pass Through Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A40E	HV_{EN}		
	Only available to embedded network customers		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$10,083.004
	- Peak Unit rate	¢/kWh	2.468
	- Off Peak Unit rate	¢/kWh	0.998
	- Demand rate	\$/kW pa	\$2.375
	Minimum Chargeable Demand	1,000 kW	
A40R	HV_{RF} (closed to new entrants)^e		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$10,083.004
	- Peak Unit rate	¢/kWh	2.731
	- Off Peak Unit rate	¢/kWh	0.998
	- Demand rate	\$/kW pa	\$5.974
	Minimum Chargeable Demand	1,000 kW	
A480	HV - Annual Consumption ≥ 55 GWh		
	Only available to non-embedded customers consuming ≥ 55 GWh pa		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$10,495.327
	- Peak Unit rate	¢/kWh	2.523
	- Off Peak Unit rate	¢/kWh	0.964
	- Demand rate	\$/kW pa	\$5.850
	Minimum Chargeable Demand	10,000 kW	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$24,406.348
	- Peak Unit rate	¢/kWh	2.181
	- Off Peak Unit rate	¢/kWh	0.655
	- Demand rate	\$/kW pa	\$3.270
	Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - TUoS, JS and Pass Through Tariffs For The 2015 Calendar Year (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate
A50A	Subtransmission MA		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$24,406.348
	- Peak Unit rate	¢/kWh	2.181
	- Off Peak Unit rate	¢/kWh	0.655
	- Demand rate	\$/kW pa	\$3.270
	Minimum Chargeable Demand	15,000 kW	
A50E	Subtransmission EG		
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
	<i>Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$7,090.452
	- Peak Unit rate	¢/kWh	2.215
	- Off Peak Unit rate	¢/kWh	0.665
	- Demand rate	\$/kW pa	\$4.489
	Minimum Chargeable Demand	15,000 kW	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "T" can only be made by the customer's retailer.

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^e Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>