

Software Requirement Specification

ESE Team 9

Sven Kellenberger

Rafael Ottersberg

Levi Ryffel

Marcel Schmutz

Kevin Studer

06.10.2016

Contents

1	Introduction	3
1.1	Purpose	3
1.2	Scope of the Project	3
1.3	Glossary	3
1.4	Stakeholders	3
1.5	System Overview	4
1.6	References	4
2	Overall Description	4
2.1	Product Perspective	4
2.2	Product Functions	4
2.3	User Classes and Characteristics	4
2.3.1	User	4
2.3.2	Premium User	4
2.4	Operating Environment	4
2.5	Design and Implementation Constraints	5
3	External Interfaces	5
3.1	User Interfaces	5
3.2	Hardware Interfaces	5
4	System Features	5
4.1	Use-Cases	5
5	Other Requirements	22
5.1	Performance Requirements	22
5.2	Safety Requirements	22
5.3	Security Requirements	22

1 Introduction

1.1 Purpose

This document presents a detailed description of the web application Flatfindr. Foremost, it provides a legally binding contract between the stakeholders and the developer team 9. This document is a RUP conform SRS document.

1.2 Scope of the Project

The web application Flatfindr will help the participating user to promote free places in their houses or flats. Also it should help user to search for free places in houses or flats.

More specifically, the application will provide methods to search for free flats, help to ensure flats with specific parameters are presented for users and that the application will provide enough methods, to get in contact with the advertiser. On the other side, users will be able to insert an ad for a free place in their flats, will help define the visitation time (if an user wants to see the flat which is advertised) and provide some other instruments to describe the flat as best as possible.

1.3 Glossary

Term	Description
Advertiser	User who advertise his free place in his house or flat.
RUP	Stands for Rational Unified Process. Process developed by IBM. Has the SRS document as a requirement for all development activities.
SRS	Stands for Software Requirements Specification. A document that completely describes all of the functions of a proposed system and the constraints under which it must operate.
Stakeholder	Any person with an interest in the project who is not a developer.
User	Participant in the application. Can either be a normal user who searches for a flat or an advertiser.

Table 1: Glossary

1.4 Stakeholders

The table 2 will give an overview of the known Stakeholders.

Name	Contact
ESE Assistant	?

Table 2: Stakeholders

1.5 System Overview

The image 1 will introduce a general system overview of the product in development.

1.6 References

2 Overall Description

2.1 Product Perspective

Flatfindr is a self-contained product that has no connections to other software.

2.2 Product Functions

- Creating / viewing ads for flats and flats
- Linking housemates to ads
- General search functionality with specific criteria
- Scheduling visits

2.3 User Classes and Characteristics

2.3.1 User

The general user has two main roles which are not necessarily mutually exclusive. These are:

1. Advertiser: A user can place an ad (for free) on the homepage, which is then publicly visible.
2. Client: A client can look through the ads put up by advertisers and can contact the advertisers via the message functionality.

2.3.2 Premium User

By paying a fee for additional features, the premium user strongly increases the resources of the programming team. If the premium features are beneficial to the general user, the quantity of premium users will be optimal.

2.4 Operating Environment

Flatfindr runs on any frequently used browser, i.e. Firefox, Safari, Chrome, Microsoft Edge, Internet Explorer.

2.5 Design and Implementation Constraints

The template of Flatfindr was delivered using Java, MySQL, Hibernate and JavaScript. Changing this would present unnecessary additional effort, which is why, in this way, we are constrained by these frameworks and languages. The software should be maintainable, so object-oriented design will be best-practice. Other than that, there seem to be no requirements, especially security.

3 External Interfaces

3.1 User Interfaces

As is shown by image 2, the user interface is straight forward due to it being a homepage.

3.2 Hardware Interfaces

The homepage will be able to be displayed on a computer, as well as mobile phones and tablets.

4 System Features

4.1 Use-Cases

Use Case ID	1
Use Case Name	Login
Trigger	A user wants to login to the webapplication
Precondition	The user has already an account on the webapplication
Basic Path	<ol style="list-style-type: none">1. The user access the webapplication and selects the link "Login"2. The user enters his credentials for his account3. The user is redirected to the homepage
Alternative Paths	None
Postconditions	The user is logged-in
Exception Paths	In step 2, if the user enters not valid credentials into the system, the system should exit with the error message, that the credentials were wrong
Other	n/a

Table 3: Use Case 1




Figure 1: System Overview




Figure 2: GUI

Use Case ID	2
Use Case Name	Post ad to sell property
Trigger	A user wants to sell a property
Precondition	The user is logged in
Basic Path	<ol style="list-style-type: none"> 1. The user accesses the webapplication and selects the link 'Sell' 2. The user is redirected to a form, where he can enter the information about the property he wants to sell. He can also add pictures and among other options he can select wheter he wants to sell directly or through an auction. 3. After submitting the form the user is redirected to the finished page of his ad
Alternative Paths	None
Postconditions	The user has the new ad attached to his account.
Exception Paths	None
Other	n/a

Table 4: Use Case 2

Use Case ID	3
Use Case Name	Buy property directly
Trigger	A user wants buy the property described in an ad he saw directly
Precondition	The user is logged in and on the ad page of the property he wants to buy
Basic Path	<ol style="list-style-type: none"> 1. The user selects the link 'Buy' 2. The user is redirected to a page with a form through which he can contact the seller 3. After submitting the message and the contact data of the buyer is forwarded to the seller and the user is redirected to the ad page
Alternative Paths	None
Postconditions	None
Exception Paths	None
Other	n/a

Table 5: Use Case 3

Use Case ID	4
Use Case Name	Bid on a property
Trigger	A user wants to bid on the auction of a property
Precondition	The user is logged in and on the auction page
Basic Path	<ol style="list-style-type: none"> 1. The user selects the specific auction he wants to participate in 2. The user is redirected to the auction page, where information about the property and the auction itself (current bid, amount of bidders, time until the deadline etc.) is displayed 3. The user can enter a bid of his own which has to be higher than the present highest bid.
Alternative Paths	None
Postconditions	The highest bid now displays the bid made by the user
Exception Paths	In step 3 if the bid is not higher than the present one an error flashes to point the fact out.
Other	n/a

Table 6: Use Case 4

Use Case ID	5
Use Case Name	Search for porperties on sale
Trigger	A user wants to look for properties on sale
Precondition	The user is logged in and on the search page
Basic Path	<ol style="list-style-type: none"> 1. The user selects in the search criterias that he wants to look for properties on sale 2. All properties on sale (directly or through an auction) matching his other search criterias are displayed to the user
Alternative Paths	None
Postconditions	None
Exception Paths	None
Other	n/a

Table 7: Use Case 5

Use Case ID	6
Use Case Name	Create a search alert
Trigger	A user wants to create a search alert
Precondition	The user is logged in and on the search page
Basic Path	<ol style="list-style-type: none"> 1. The user selects the link 'Create search alert' 2. The user is redirected to a form where he can select the search criterias he want to cover with his alert 3. After submitting the form the user is redirected to the search page
Alternative Paths	None
Postconditions	The search alert is attached to the profile of the user and he gets an email notification every time a new ad for a property matching his alert criterias is created
Exception Paths	None
Other	n/a

Table 8: Use Case 6

Use Case ID	7
Use Case Name	Delete or disable a search alert
Trigger	A user wants to delete or disable a previously created search alert
Precondition	The user is logged in and on his profile page
Basic Path	<ol style="list-style-type: none"> 1. The user selects the link 'Search Alerts' 2. The user is redirected to the search alerts page, where all his search alerts are displayed. He can now delete or disable each search alert via the respective buttons.
Alternative Paths	None
Postconditions	The user gets no longer notifications for disabled or deleted search alerts
Exception Paths	None
Other	n/a

Table 9: Use Case 7

Use Case ID	8
Use Case Name	See schedule of presentations
Trigger	A user wants to see the date, time and location of all his presentations
Precondition	The user is logged in
Basic Path	<ol style="list-style-type: none"> 1. The user selects the link 'Schedule' 2. The user is redirected to the schedule page.
Alternative Paths	None
Postconditions	The user can now see the date, time and location of all his presentations and get a list of all his visitors or visit the ad page of each presentation via the respective buttons.
Exception Paths	None
Other	n/a

Table 10: Use Case 8

Use Case ID	9
Use Case Name	List of visitor
Trigger	A user wants to see all his visits
Precondition	The user is logged
Basic Path	<ol style="list-style-type: none"> 1. The user selects the link 'Schdule' 2. The user is redirected to the page 'Schdule'.
Alternative Paths	None
Postconditions	The user now sees below the table 'Your Presentations' a table where the location, time and date of all his visits and is able to visit the ad of each visit through a respective button.
Exception Paths	None
Other	n/a

Table 11: Use Case 9

Use Case ID	10
Use Case Name	See list of visitors
Trigger	A user wants to see a list of all visitors of a presentation
Precondition	The user is logged in and on the schedule page
Basic Path	<ol style="list-style-type: none"> 1. The user selects the button 'See List' in the row of the presentation hes interested in. 2. The user is redirected to the page 'Visitor of your property'.
Alternative Paths	None
Postconditions	The user now sees the name, username and rating of each visitor and is able to visit their profile page via a respective button.
Exception Paths	None
Other	n/a

Table 12: Use Case 10

Use Case ID	11
Use Case Name	Edit ad
Trigger	A user wants to edit one of his existing ads
Precondition	The user is logged in and on the homepage
Basic Path	<ol style="list-style-type: none"> 1. The user selects his ad from the shown ads. 2. The user then selects the 'Edit ad' button.
Alternative Paths	None
Postconditions	The user ios now able to edit all information concerning his placed ad.
respective button.	
Exception Paths	None
Other	n/a

Table 13: Use Case 11

Use Case ID	12
Use Case Name	Place an ad
Trigger	A user wants to place an ad
Precondition	The user is logged in
Basic Path	<ol style="list-style-type: none"> 1. The user selects the link 'Place an ad' 2. The user is redirected to the page 'Place ad'.
Alternative Paths	None
Postconditions	The user is now able to fill out a sheet of information to place a new ad
Exception Paths	None
Other	n/a

Table 14: Use Case 12

Use Case ID	13
Use Case Name	Place an ad
Trigger	A user wants to place an ad
Precondition	The user is logged in.
Basic Path	<ol style="list-style-type: none"> 1. The user selects the link 'Place an ad' 2. The user is redirected to the page 'Place ad'.
Alternative Paths	None
Postconditions	The user is now able to fill out a sheet of information to place a new ad (see use cases 13-20)
Exception Paths	None
Other	n/a

Table 15: Use Case 13

Use Case ID	14
Use Case Name	Insert general information
Trigger	The user want to insertor change general information abaout an ad.
Precondition	The user is logged in and on the place/edit ad page.
Basic Path	<ol style="list-style-type: none"> 1. The user inserts/edits general information(Ad Title, Type, Street, City, move-in date, move-out date, prize per month and square meters) about his ad in the first box.
Alternative Paths	None
Postconditions	The user now sees the changed information of his ad.
Exception Paths	In point 1, when: <ol style="list-style-type: none"> 1. City, Ad Title, move-in date, street is left empty. 2. Prize per month or square meters are not filled in correct.
Other	n/a

Table 16: Use Case 14

Use Case ID	15
Use Case Name	Describe house
Trigger	The user want describe the house he's placing an ad for.
Precondition	The user is logged in and on the place/edit ad page.
Basic Path	<ol style="list-style-type: none"> 1. The user adds the house information about his ad in the second box.
Alternative Paths	None
Postconditions	The user now sees the filled in describtion of his house.
Exception Paths	None
Other	n/a

Table 17: Use Case 15

Use Case ID	16
Use Case Name	Insert pictures
Trigger	The user wants to add pictures of the house hes placing an. ad for.
Precondition	The user is logged in and on the place/edit ad page.
Basic Path	<ol style="list-style-type: none"> 1. The user selects the link 'Choose File' from the fifth box, which opens a new window. 2. In the new window the user is able to choose the wanted pictures from his file system. He finishes with the 'Open' button.
Alternative Paths	None
Postconditions	The user sees the table 'Uploaded picture', where his selected pictures are listed.
Exception Paths	None
Other	n/a

Table 18: Use Case 16

Use Case ID	19
Use Case Name	Describe preferences
Trigger	The user wants to add preferences to his ad
Precondition	The user is logged in and on the place/edit ad page
Basic Path	<ol style="list-style-type: none"> 1. The user enters his preferences in the textfield in the fourth box.
Alternative Paths	None
Postconditions	The user has entered his preferences.
Exception Paths	None
Other	n/a

Table 19: Use Case 19

Use Case ID	20
Use Case Name	Inserting visiting hours
Trigger	The user wants to add the possible visiting hours
Precondition	The user is logged in and on the place/edit ad page
Basic Path	<ol style="list-style-type: none"> 1. The user enters his preferred visiting date and time in the sixth box of the form. 2. By selecting the '+' button he confirms his choices.
Alternative Paths	None
Postconditions	The user now sees the chosen date and time for the visits.
Exception Paths	In point 1, when the end time of visit is entered as earlier as the start time.
Other	n/a

Table 20: Use Case 20
:

Use Case ID	21
Use Case Name	Bookmark an ad
Trigger	A client wants to add an ad to his bookmarks
Precondition	The user is logged in and the ad isn't bookmarked yet
Basic Path	<ol style="list-style-type: none"> 1. The client visits an ad 2. The client presses the 'Bookmark Ad' Button
Alternative Paths	None
Postconditions	The ad is added to the list 'My Bookmarks' the 'Bookmark Ad' and Button turns to 'Bookmarked'
Exception Paths	None
Other	n/a

Table 21: Use Case 21

Use Case ID	22
Use Case Name	Set alert for ad
Trigger	A client wants to get alerted, when an ad that fulfills some criteria gets online
Precondition	The client is logged in
Basic Path	<ol style="list-style-type: none"> 1. The client selects 'Alerts' in the account menu 2. The client specifies the criteria presented on the screen 3. The client presses the Subscribe button
Alternative Paths	None
Postconditions	The new alert shows up in the table 'Your active alerts'
Exception Paths	When not all criteria are filled in and the client clicks on subscribe, an error message next to the empty criteria shows up
Other	n/a

Table 22: Use Case 22

Use Case ID	23
Use Case Name	Delete an alert
Trigger	A user wants to unsubscribe to an alert
Precondition	The user is logged in and has set an alert
Basic Path	<ol style="list-style-type: none"> 1. The client selects 'Alerts' in the account menu 2. The user presses the delete button next to the alert he wants to delete in the 'Your active alerts' table
Alternative Paths	None
Postconditions	The alert dissapears from the table
Exception Paths	None
Other	n/a

Table 23: Use Case 23

Use Case ID	24
Use Case Name	See through list of ads
Trigger	A user wants to look at some ads/visits the website
Precondition	None
Basic Path	<ol style="list-style-type: none"> 1. The user visits the home page by entering the url or when already on the page clicking on the 'flatfinder' logo
Alternative Paths	None
Postconditions	The user is on the homepage and sees the ads
Exception Paths	None
Other	n/a

Table 24: Use Case 24

Use Case ID	25
Use Case Name	Search for ad
Trigger	A client wants to search for a specific ad
Precondition	None
Basic Path	<ol style="list-style-type: none"> 1. The client clicks on the 'Search' button 2. The client specifies the criteria presented on the screen 3. The client presses the 'Search' button
Alternative Paths	The client presses the 'Cancel' button to reset the criteria
Postconditions	A table with all the ads, that fit the criteria is presented along with an overview of the used filter with additional criteria
Exception Paths	When not all criteria are filled in and the client clicks on search, an error message next to the empty criteria shows up
Other	n/a

Table 25: Use Case 25

Use Case ID	26
Use Case Name	See list of bookmarked ads
Trigger	A client wants to look at all his bookmarked ads
Precondition	The user is logged in
Basic Path	<ol style="list-style-type: none"> 1. The client selects 'My houses' in the account menu
Alternative Paths	None
Postconditions	The list 'My Bookmarks' is presented along with the list 'My Asvertisements'
Exception Paths	None
Other	n/a

Table 26: Use Case 26

Use Case ID	27
Use Case Name	Message user
Trigger	A link that should send some message to another user is clicked
Precondition	The user is logged in
Basic Path	<ol style="list-style-type: none"> 1. A contact form opens 2. The client types a subject 3. The client types a message 4. The client clicks on the send button
Alternative Paths	The client clicks on the 'Cancel' button to abort
Postconditions	A message is sent to the receiver
Exception Paths	None
Other	n/a

Table 27: Use Case 27

Use Case ID	28
Use Case Name	Contact advertiser
Trigger	A client wants to contact of an ad
Precondition	The user is logged in and on an 'Ad Description' page
Basic Path	<ol style="list-style-type: none"> 1. The client clicks on the 'Contact Advertiser' button 2. A contact form opens 3. The client types a subject 4. The client types a message 5. The client clicks on the send button
Alternative Paths	The client clicks on the 'Cancel' button to abort
Postconditions	A message is sent to the receiver
Exception Paths	None
Other	n/a

Table 28: Use Case 28

Use Case ID	29
Use Case Name	Send enquiry for visitation
Trigger	A client wants to send an enquiry for visitation to an advertiser
Precondition	The user is logged in and on an 'Ad Description' page
Basic Path	<ol style="list-style-type: none"> 1. The client clicks on the 'Send enquiry to advertiser' button, located next to the preferred option 2. A message that asks 'Send enquiry to advertiser?' shows up. 3. The client clicks the 'Send' button
Alternative Paths	The client clicks on the 'Cancel' button to abort
Postconditions	An enquiry is sent to the advertiser and the 'Send enquiry to advertiser' button turns grey saying 'Enquiry sent'
Exception Paths	None
Other	n/a

Table 29: Use Case 29

Use Case ID	30
Use Case Name	Send enquiry for visitation
Trigger	A client wants to send an enquiry for visitation to an advertiser
Precondition	The user is logged in and on an 'Ad Description' page
Basic Path	<ol style="list-style-type: none"> 1. The client clicks on the 'Send enquiry to advertiser' button, located next to the preferred option 2. A message that asks 'Send enquiry to advertiser?' shows up. 3. The client clicks the 'Send' button
Alternative Paths	The client clicks on the 'Cancel' button in step 3 to abort
Postconditions	An enquiry is sent to the advertiser and the 'Send enquiry to advertiser' button turns grey saying 'Enquiry sent'
Exception Paths	None
Other	n/a

Table 30: Use Case 30

Use Case ID	31
Use Case Name	Sign up
Trigger	A user wants to create a new profile advertiser
Precondition	The user is on the login page
Basic Path	<ol style="list-style-type: none"> 1. The user clicks on 'sign up as a new user' 2. The user enters his information in the form 3. The use clicks the 'Sign up' button 4. The user is redirected to the login page
Alternative Paths	None
Postconditions	A new profile is created for the user
Exception Paths	If the user enters none or invalid information an error is generated.
Other	n/a

Table 31: Use Case 31

Use Case ID	32
Use Case Name	See list of incoming/sent messages
Trigger	A user wants to see his incoming/sent messages advertiser
Precondition	The user is logged in
Basic Path	<ol style="list-style-type: none"> 1. The user selects 'Messages' in the account menu 2. The user clicks on 'Inbox' to see the list of all incoming messages 3. The user clicks on a Message to see it in detail
Alternative Paths	The user clicks in step 2 on 'Sent' to see the list of all sent messages
Postconditions	None
Exception Paths	None
Other	n/a

Table 32: Use Case 32

Use Case ID	33
Use Case Name	Message another user
Trigger	A user wants to send a message to another user
Precondition	The user is logged in and on the profile page of the receiver
Basic Path	<ol style="list-style-type: none"> 1. The user clicks on the 'Message' button 2. A message form opens 3. The user types a subject 4. The user types a message 5. The user clicks on the send button
Alternative Paths	The client clicks on the 'Cancel' button to abort
Postconditions	A message is sent to the receiver
Exception Paths	None
Other	n/a

Table 33: Use Case 33

Use Case ID	34
Use Case Name	Edit public profile
Trigger	A user wants to edit or change his public profile advertiser
Precondition	The user is logged in
Basic Path	<ol style="list-style-type: none"> 1. The user selects 'Public profile' in the account menu 2. The user clicks on the 'Edit profile' button 3. The user changes the information he wants 4. The user clicks on the 'Update' button 5. The user is redirected to a page that says 'Your profile has been updated!'
Alternative Paths	None
Postconditions	The information is updated on the public profile of the user
Exception Paths	None
Other	n/a

Table 34: Use Case 34

5 Other Requirements

5.1 Performance Requirements

??

The system should, given a reasonable connection to the internet, be able to search and find results in a fluent manner, e.g. in at most a second. This presumably presents the greatest danger of not fulfilling user requirements, due to the non-dynamic way of loading pages out of a database.

5.2 Safety Requirements

??

5.3 Security Requirements

??

Identity authorization is nice and all, but passwords should be stored in a way that anyone who has access to the database can steal everything.