

- KinesinLMS: A Simple and Practical Learning
- Management System for (Very) Small Teams
- Daniel McQuillen 1, Rose Veguilla 2, Shannon Behrman 2, Sarah
- 4 Goodwin [®] ², and Alexandra M. Schnoes [®] ²
- 1 McQuillen Interactive Pty. Ltd. 2 Science Communication Lab

DOI: 10.xxxxx/draft

Software

- Review ♂
- Repository ௴
- Archive ♂

Submitted: 01 January 1970 Published: unpublished

License

Authors of papers retain copyright¹² and release the work under a ¹³ Creative Commons Attribution 4.04 International License (CC BY 4.0)_{k5}

Summary

KinesinLMS is an open-source, Django-based Learning Management System (LMS) designed to be a straightforward and easily extendable platform for authoring, managing, and delivering online courses. The application was initially developed by McQuillen Interactive for the non-profit Science Communication Lab (SCL) to serve as the online course delivery platform for the iBiology Courses project (Schnoes et al., 2024). It has since been refactored into an open-source project. The application is particularly suited to small teams that 1) want to manage and run their own LMS using open-source Python code, 2) want to build something novel and domain-specific within that LMS, and 3) only have one or two developers available to do it. The application includes course authoring, delivery tools, and integrates with common external services for features like badges, forums, email automation, and survey management.

We named the project after kinesin, the small but powerful molecular motor protein discovered by Dr. Ron Vale and colleagues. Dr. Vale is a member of the SCL Board of Directors and the founder of iBiology and iBiology Courses.

Statement of Need

Many criteria can influence the selection of an LMS. In the literature, there are several examples of the criteria that can be used to choose an LMS appropriate to one's particular situation (Sanchez et al., 2024; Spirin et al., 2022). However, it is rare that these proposed criteria concern the technical complexity of the underlying software. Seldom do they rank the simplicity and approachability of the system's architecture or codebase. Yet these factors significantly affect a development team's ability to deploy, manage and extend an LMS to support project goals. In those papers investigating criteria for selection of an LMS, developer concerns are markedly absent.

If an LMS is closed source, or open-source but hosted and managed by an external group, and the team using the LMS does not intend to modify the code or data models in a fundamental way, developer concerns are indeed negligible. However, in cases where the project requires unique question/assessment types or other deviations from the chosen LMS's standard features, look-and-feel, or functionality, the complexity of the underlying LMS code, and the resources needed to change and maintain the LMS, become critical.

As web applications become more complex, industry experts are urging developers to both critically assess that complexity and work to minimize it. As Ruby on Rails creator David Heinemeier Hansson extolled in a recent interview, "Simpler. Simpler. We've gone through 40 years in the desert...for necessary but temporary complexity...we built bridges to get from A to B, and now we're at B and people haven't realized the bridges aren't



- necessary...individual programmers can understand the entire system they're working on."
- 42 (Hansson, 2024)
- 43 KinesinLMS is designed to be straightforward, providing "just enough" LMS for teams
- 44 creating new e-Learning services and research: enough features to start building something
- 45 novel, including working examples of ways to implement rich interactivity, but not so
- complex the developer is lost in the churn.
- ⁴⁷ To be sure, an LMS or any web application should leverage newer, more complex
- technologies when the user interface or experience calls for it; in these cases, build-heavy
- 49 tools like Angular or React are hard to avoid, even though they bring along a (very) long
- 50 list of additional technical concepts and numerous library dependencies when integrated
- into a project. In this regard, KinesinLMS espouses moderation, scoping complexity to only
- the places where it is required, rather than blanket inclusion across an entire application.

Story of the Project

- $_{54}$ KinesinLMS started as a home-grown LMS to support iBiology Courses, a website that
- offers free online courses to life science trainees. The project was funded by the National
- Institute for General Medical Sciences. (Schnoes et al., 2024)
- In the first iteration of the iBiology Courses project, the research team ran a self-hosted,
- highly-customized version of Open edX. However, the high complexity in maintaining
- and modifying the Open edX system became a significant problem for the one-person
- development team. The analytics portion of the project was practically unusable. After a
- fruitless search for a simpler, open-source LMS that met the project's requirements, SCL
- authorized the development of a new, custom LMS based on Django. Over the last three
- years, this system has successfully supported more than 10 fully-featured courses and over
- $_{64}$ $\,$ 8,000 graduate and postdoc students with 99.99% uptime and overwhelmingly positive
- 65 reviews, while at the same time greatly increasing the velocity with which the team can
- 66 make updates and add new features.
- ₆₇ In 2023, the NIH awarded the project a supplemental grant to transform and generalize
- the iBiology Courses LMS into a generic, open-source system that other teams in science
- 69 education can use for their e-Learning research efforts. This rewrite included a large
- number of improvements as well as developer-focused documentation on setting up and
- managing the system.

2 Implementation Overview

- 73 KinesinLMS follows standard conventions established by the Django team and further
- extended by the "Django Cookiecutter" project (Greenfield & Contributors, 2024). It uses
- one PostgreSQL database for persistence, Redis for a cache, and Celery for asynchronous
- tasks. Bootstrap 5.3 is used for a reliable, responsive, and accessible user interface. Django
- 77 is based on the well-established straightforward Model-View-Template pattern, which
- makes it easier to understand the application's existing components as well as add new
- ⁷⁹ features.
- 80 Complex features that would be hard to manage internally are offloaded to external
- resources. The developer is meant to set up these 'providers' via the KinesinLMS dashboard.
- 82 The providers are meant to be generic so that the developer can write a subclass for
- a particular commercial service. In the initial implementation, forums are hosted on
- 84 Discourse, badges are hosted in Badgr.com, surveys are hosted on Qualtrics, and email
- automations are hosted in ActiveCampaign.
- ₈₆ For rich user interfaces, two different libraries are used: HTMx and React. Simple



- interactions are handled by HTMx, a JavaScript library that reintroduces the concept of "hypertext" to achieve rich interactivity with less overhead than the more involved client-side frameworks like React, Angular, or Svelte. (Gross et al., 2024). Meanwhile, in
- places where the user interface complexity is very high, such as a custom drag-and-drop
- node diagram tool, React is used. 91
- The initial implementation of KinesinLMS has two examples of React-based assessments that 92
- support higher levels of interaction: the "DiagramTool" and the "TableTool". Both tools
- are highly configurable to support different pedagogical goals. The "Diagram Tool" allows
- users to build networks of nodes and edges and can be pre-populated with unique question 95
- directions, starting information and starting diagrams (Figure 1). The "TableTool" allows
- users to answer questions in a structured manner and can be pre-populated with specific
- instructions and custom row and column information (Figure 2).




Figure 1: The "DiagramTool" component used in a mentor map activity.






Figure 2: The "TableTool" component used in an evaluation activity.

As a standard Django application, KinesinLMS can be deployed to commercial hosting sites or a self-hosted server. The documentation describes deployment steps for the popular Heroku service, but any hosting platform suited to standard Django deployments (such as Fly.io or Render.com) could be used.

Acknowledgements

We would like to acknowledge Elie Maksoud, Benjamin Van Renterghem, and Jillian Vogel for their support and contributions to this project. We would also like to thank Ron Vale for initiating the larger scientific effort this project is a part of, and for obtaining the original funding that led to this software. Work on KinesinLMS was supported by the National Institute for General Medical Sciences grants R25GM116704 and R25GM139147. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

References

- Greenfield, D. R., & Contributors, C. D. (2024). Cookiecutter/cookiecutter-django: Cookiecutter django is a framework for jumpstarting production-ready django projects quickly.

 https://github.com/cookiecutter/cookiecutter-django
- Gross, C., Stepinski, A., & Akşimşek, D. (2024). Hypermedia systems.
- Hansson, D. H. (2024). *DHH ruby on rails, 37 signals, and the future of web development.*YouTube. https://youtu.be/rEZNbM4MUdo?t=3919
- Sanchez, L., Penarreta, J., & Poma, X. S. (2024). Learning management systems for higher education: A brief comparison. *Discover Education*, 3(1). https://doi.org/10.



120

1007/s44217-024-00143-5

Schnoes, A. M., Green, N. H., Nguyen, T. A., Vale, R. D., Goodwin, S. S., & Behrman, S.
 L. (2024). Bridging gaps in traditional research training with iBiology courses. *PLOS Biology*, 22(1), 1–5. https://doi.org/10.1371/journal.pbio.3002458

Spirin, O. M., Vakaliuk, T. A., Ievdokymov, V. V., & Sydorenko, S. I. (2022). Criteria for selecting a cloud-based learning management system for a higher education institution.
 Information Technologies and Learning Tools, 89(3), 105–120. https://doi.org/10. 33407/itlt.v89i3.4958

